

FANACO® FASTENERS



PRODUCT CATALOG



FANACO® FASTENERS

NOW PROUDLY
PRODUCING IN THE USA

DRIVEN TO PERFECTION

For more than 40 years, Fanaco has been dedicated to providing the most comprehensive, superior quality line of fastening products offered in the industry. We meet and exceed our customers' needs with a knowledgeable and responsive sales team, same day shipping, and a sincere interest in fostering long-term relationships. Our mission is to provide the best service in the industry whether you are a family-owned retailer or nationwide company. We strive to create partnerships, growing together toward a common goal. Our loyal and satisfied customers are the best way to spread our message. The Fanaco team is the core of our culture of excellence, making each day exciting, challenging, and a joy.

I want to thank you for your continued business.

Jacob Davis

President and CEO



888.622.9319
425.806.7337

WWW.FANACO.COM



cs@fanaco.com



TABLE OF CONTENTS

COLLATED NAILS

2 – 13

21° Plastic Collated Nails	2
34° Paper Collated Clipped Head Nails	5
34° Paper Collated Offset Round Head Nails	6
34° Paper Collated Positive Placement Nails	7
15° Wire Collated Coil Framing Nails	8
15° Wire Collated Coil Pallet Nails	10
15° Wire Collated Coil Siding / Fencing Nails	11
15° Plastic Sheet Collated Coil Siding / Fencing Nails	12
0° Plastic Sheet Collated Coil Siding / Fencing Nails	12
15° Wire Collated Coil Roofing Nails	13

BRADS & DA NAILS

14 – 15

15 Gauge Angle Finish Nails	14
16 Gauge Brad Nails	15
18 Gauge Brad Nails	15

BULK NAILS

16 – 21

Bulk Sinker Nails	16
Bulk Teco Nails	16
Bulk Common Nails	16
Bulk Duplex Nails	17
Bulk Box Nails	17
Bulk Casing Nails	17
Bulk Pallet Nails	18
Bulk Cut Masonry Nails	18
Bulk Cedar Shake Nails	18
Bulk Roofing Nails	19
Bulk Square / Round Capped Roof Nails	20
Bulk Plastic Capped Roof Nails	21
Bulk Neoprene Washer Nails	21

STAPLES

22 – 28

Fine Wire 20 Gauge Tacker Staples	22
C-Type 22 Gauge Staples	22
BCS-Type Staples	23
GS-Type Medium Crown 16 Gauge Staples	23
GSW-Type Wide Crown 16 Gauge Staples	24
GS-Type Medium Crown 14 Gauge Staples	24
GSW-Type Wide Crown 14 Gauge Staples	24
H-Type Medium Crown 18 Gauge Staples	25
L-Type Narrow Crown 18 Gauge Staples	25
M-Type Fine Wire 18 Gauge Staples	26
N-Type Medium Crown 16 Gauge Staples	26
O-Type Medium Crown 17 Gauge Staples	26
P-Type Wide Crown 16 Gauge Staples	27
Q-Type Medium Crown 15 Gauge Staples	27
S-Type 14 Gauge Staples	28
Carton Closing Staples	28

TOOLS & PARTS


28

Tackers and Parts	28
Pneumatic Tool Parts	28

TERMINOLOGY

29 – 32

21° PLASTIC COLLATED NAILS



USES

Framing
Decking
Wall sheathing
Fencing
Siding

HEAD

Flat head
Large head

SHANKS

Smooth
Ring
Screw

FINISH

Vinyl Coated
Electro Galvanized
Hot Dipped Galvanized
Stainless Steel
Stainless Steel Grade 316

TYPE

Metabo

ENGINEERED TO FIT

Fanaco FANNR83A
Metabo NR83A,
NR90AC
Senco 600FRH, 650
FRH, 700XL, 750XL
Bostitch RHN90,
RHN95
Duo-Fast CN137,
CN350
Porter-Cable FR350
Everwin SN2283B,
FSN2283BD

SKU	SIZE	FINISH	QTY/ BX	LBS	BX/ PALLET
FAN112148	1 1/2 x .148	Vinyl Coated (Teco)	6M	44	48
FAN112148EG	1 1/2 x .148	Electro Galvanized (Teco)	6M	45	48
FAN112148HDC	1 1/2 x .148	Hot Dipped Galvanized (Teco)	6M	45	48
FAN2113	2 x .113	Vinyl Coated	6M	35	48
FAN2113EG	2 x .113	Electro Galvanized	6M	37	48
FAN2113R	2 x .113	Ring Vinyl Coated	6M	37	48
FAN2113REG	2 x .113	Ring Electro Galvanized	6M	37	48
FAN2113RHDC	2 x .113	Ring Hot Dipped Galvanized	6M	37	48
FAN2113RHDC5M	2 x .113	Ring Hot Dipped Galvanized	5M	31	48
FAN2113RHDC2M	2 x .113	Ring Hot Dipped Galvanized	2M	13	90
FAN218148	2 1/8 x .148	Vinyl Coated	4M	44	48
FAN218148HDG	2 1/8 x .148	Hot Dipped Galvanized	4M	47	48
FAN214120HTSC	2 1/4 x .120	Heat Treated Vinyl Coated Screw	1M	8	240
FAN214148	2 1/4 x .148	Vinyl Coated	4M	44	48
FAN214148EG	2 1/4 x .148	Electro Galvanized	4M	44	48
FAN214148HDC	2 1/4 x .148	Hot Dipped Galvanized	4M	46	48
FAN214148SC	2 1/4 x .148	Vinyl Coated Screw	4M	46	48
FAN238113	2 3/8 x .113	Vinyl Coated	5M	37	48
FAN23811325	2 3/8 x .113	Vinyl Coated	2.5M	18	96
FAN238113EG	2 3/8 x .113	Electro Galvanized	5M	37	48
FAN238113HDC	2 3/8 x .113	Hot Dipped Galvanized	5M	37	48
FAN238113HDGSC	2 3/8 x .113	Hot Dipped Galvanized Screw	5M	37	48
FAN238113R	2 3/8 x .113	Ring Vinyl Coated	5M	37	48
FAN238113R25	2 3/8 x .113	Ring Vinyl Coated	2.5M	20	96
FAN238113R2M	2 3/8 x .113	Ring Vinyl Coated	2M	15	48
FAN238113REG	2 3/8 x .113	Ring Electro Galvanized	5M	37	48
FAN238113RHDC	2 3/8 x .113	Ring Hot Dipped Galvanized	5M	37	48
FAN238113RHDC25	2 3/8 x .113	Ring Hot Dipped Galvanized	2.5M	20	96
FAN238113RHDC2M	2 3/8 x .113	Ring Hot Dipped Galvanized	2M	16	96
FAN238113RSS	2 3/8 x .113	Ring Stainless Steel	4 x 1M	40	48
FAN238113RSS316	2 3/8 x .113	Ring Stainless Steel Grade 316	4 x 1M	40	48
FAN238113SC	2 3/8 x .113	Vinyl Coated Screw	5M	37	48
FAN238120	2 3/8 x .120	Vinyl Coated	5M	40	48
FAN238120R	2 3/8 x .120	Ring Vinyl Coated	5M	40	48
FAN238120SSSC	2 3/8 x .120	Screw Stainless Steel	5M	42	48
FAN238148	2 3/8 x .148	Vinyl Coated	4M	48	48
FAN238148HDC	2 3/8 x .148	Hot Dipped Galvanized	4M	48	48
FAN238148R	2 3/8 x .148	Ring Vinyl Coated	4M	48	48
FAN238148SC	2 3/8 x .148	Vinyl Coated Screw	4M	48	48
FAN212113HDCC	2 1/2 x .113	Hot Dipped Galvanized Casing	2 x 2.5M	40	48
FAN212113HDCCSC	2 1/2 x .113	Hot Dipped Galvanized Casing Screw	2 x 2.5M	40	48
FAN212120LHEG	2 1/2 x .120	Large Head Electro Galvanized	4M	36	48
FAN212120LHHD	2 1/2 x .120	Large Head Hot Dipped Galvanized	4M	36	48

21° PLASTIC COLLATED NAILS



COLLATED NAILS

SKU	SIZE	FINISH	QTY	LBS	BX/ PALLET
FAN212131	2 ½ x .131	Vinyl Coated	5M	50	48
FAN2121314M	2 ½ x .131	Vinyl Coated	4M	40	48
FAN21213125	2 ½ x .131	Vinyl Coated	2.5M	25	48
FAN212131EG	2 ½ x .131	Electro Galvanized	5M	48	48
FAN212131EG4M	2 ½ x .131	Electro Galvanized	4M	39	48
FAN212131HDC	2 ½ x .131	Hot Dipped Galvanized	5M	50	48
FAN212131HDC4M	2 ½ x .131	Hot Dipped Galvanized	4M	40	48
FAN212131HDC25	2 ½ x .131	Hot Dipped Galvanized	2.5M	25	48
FAN212131R	2 ½ x .131	Ring Vinyl Coated	5M	49	48
FAN212131R4M	2 ½ x .131	Ring Vinyl Coated	4M	40	48
FAN212131REG	2 ½ x .131	Ring Electro Galvanized	5M	48	48
FAN212131REG4M	2 ½ x .131	Ring Electro Galvanized	4M	40	48
FAN212131RHDC	2 ½ x .131	Ring Hot Dipped Galvanized	5M	49	48
FAN212131RHDC4M	2 ½ x .131	Ring Hot Dipped Galvanized	4M	40	48
FAN212131RHDC25	2 ½ x .131	Ring Hot Dipped Galvanized	2.5M	25	96
FAN212131SC	2 ½ x .131	Vinyl Coated Screw	5M	49	48
FAN212131SC4M	2 ½ x .131	Vinyl Coated Screw	4M	39	48
FAN212148	2 ½ x .148	Vinyl Coated	4M	49	48
FAN212148HDC	2 ½ x .148	Hot Dipped Galvanized	4M	52	48
FAN212148R	2 ½ x .148	Ring Vinyl Coated	4M	49	48
FAN212148RHDC	2 ½ x .148	Ring Hot Dipped Galvanized	4M	49	48
FAN212162	2 ½ x .162	Vinyl Coated	3M	46	48
FAN3120	3 x .120	Vinyl Coated	4M	40	48
FAN31202M	3 x .120	Vinyl Coated	2M	20	96
FAN3120EG	3 x .120	Electro Galvanized	4M	40	48
FAN3120HDC	3 x .120	Hot Dipped Galvanized	4M	40	48
FAN3120HDCSC	3 x .120	Hot Dipped Galvanized Screw	4M	40	48
FAN3120HDCSC2M	3 x .120	Hot Dipped Galvanized Screw	2M	20	96
FAN3120REG	3 x .120	Ring Electro Galvanized	4M	40	48
FAN3120RHDG	3 x .120	Ring Hot Dipped Galvanized	4M	40	48
FAN3120RHDG2M	3 x .120	Ring Hot Dipped Galvanized	2M	20	96
FAN3120RSS	3 x .120	Ring Stainless Steel	4 x 1M	40	48
FAN3120RSS316	3 x .120	Ring Stainless Steel Grade 316	4 x 1M	40	48
FAN3120SC	3 x .120	Vinyl Coated Screw	4M	40	48
FAN3120SS	3 x .120	Stainless Steel	4M	41	48
FAN3120SSSC	3 x .120	Stainless Steel Screw	4M	41	48
FAN3131A	3 x .131	Vinyl Coated - Made In USA	4M	47	48
FAN3131	3 x .131	Vinyl Coated	4M	47	48
FAN3131EG	3 x .131	Electro Galvanized	4M	46	48
FAN3131HDC	3 x .131	Hot Dipped Galvanized	4M	47	48
FAN3131HDC2M	3 x .131	Hot Dipped Galvanized	2M	24	96
FAN3131HDGSC	3 x .131	Screw Hot Dipped Galvanized	4M	47	48
FAN3131R	3 x .131	Ring Vinyl Coated	4M	46	48
FAN3131REG	3 x .131	Ring Electro Galvanized	4M	46	48



FAN3131A
Made in USA



FAN212131R

21° PLASTIC COLLATED NAILS



FAN314131A
Made in USA




FAN314131HDCSC

SKU	SIZE	FINISH	QTY	LBS	BX/ PALLET
FAN3131RHDC	3 x .131	Ring Hot Dipped Galvanized	4M	48	48
FAN3131RSS	3 x .131	Ring Stainless Steel	4 x 1M	40	48
FAN3131RSS316	3 x .131	Ring Stainless Steel Grade 316	4 x 1M	40	48
FAN3131SC	3 x .131	Vinyl Coated Screw	4M	46	48
FAN3131SSSC	3 x .131	Stainless Steel Screw	4M	48	48
FAN3148	3 x .148	Vinyl Coated	4M	60	48
FAN3148HDC	3 x .148	Hot Dipped Galvanized	4M	61	48
FAN3148SC	3 x .148	Vinyl Coated Screw	4M	60	48
FAN314120	3 ¼ x .120	Vinyl Coated	4M	44	48
FAN314120HDCSC	3 ¼ x .120	Hot Dipped Galvanized Casing Screw	2 x 2M	44	48
FAN314120HDCSC	3 ¼ x .120	Hot Dipped Galvanized Screw	2 x 2M	44	48
FAN314120RHDG	3 ¼ x .120	Ring Hot Dipped Galvanized	4M	44	48
FAN314120RSS	3 ¼ x .120	Ring Stainless Steel	4 x 1M	51	48
FAN314120RSS316	3 ¼ x .120	Ring Stainless Steel Grade 316	4 x 1M	51	48
FAN314120SC	3 ¼ x .120	Vinyl Coated Screw	4M	44	48
FAN314131A	3 ¼ x .131	Vinyl Coated - Made In USA	4M	50	48
FAN314131	3 ¼ x .131	Vinyl Coated	4M	50	48
FAN314131EG	3 ¼ x .131	Electro Galvanized	4M	50	48
FAN314131HDC	3 ¼ x .131	Hot Dipped Galvanized	4M	51	48
FAN314131HDCSC	3 ¼ x .131	Hot Dipped Galvanized Screw	4M	51	48
FAN314131REG	3 ¼ x .131	Ring Electro Galvanized	4M	50	48
FAN314131RHDG	3 ¼ x .131	Ring Hot Dipped Galvanized	4M	51	48
FAN314131RSS	3 ¼ x .131	Ring Stainless Steel	4 x 1M	51	48
FAN3141483M	3 ¼ x .148	Vinyl Coated	3M	50	48
FAN314148HDC3M	3 ¼ x .148	Hot Dipped Galvanized	3M	50	48
FAN314148SC3M	3 ¼ x .148	Vinyl Coated Screw	3M	48	48
FAN312131	3 ½ x .131	Vinyl Coated	4M	54	48
FAN312131EG	3 ½ x .131	Electro Galvanized	4M	54	48
FAN312131HDC	3 ½ x .131	Hot Dipped Galvanized	4M	55	48
FAN312131HDCSC	3 ½ x .131	Hot Dipped Galvanized Screw	4M	55	48
FAN312135	3 ½ x .135	Vinyl Coated	4M	58	48
FAN312162	3 ½ x .162	Vinyl Coated	3M	62	48
FAN312162HDC	3 ½ x .162	Hot Dipped Galvanized	3M	63	48
FAN412148	4 ½ x .148	Vinyl Coated	1.2M	28	48
FAN412148HDC	4 ½ x .148	Hot Dipped Galvanized	1.2M	28	48
FAN4135HDSC	4 x .135	Hot Dipped Galvanized Screw	2M	35	48
FAN4148HDCSC	4 x .148	Hot Dipped Galvanized Screw	1.2M	28	48
FAN4148SC	4 x .148	Vinyl Coated Screw	1.2M	28	48
FAN418148HDGSC	4 ⅝ x .148	Hot Dipped Galvanized Screw	1.2M	25	48
FAN518165	5 ⅝ x .165	Vinyl Coated	1.2M	39	48
FAN518165HDC	5 ⅝ x .165	Hot Dipped Galvanized	1.2M	39	48

34° PAPER COLLATED CLIPPED HEAD NAILS

SKU	SIZE	FINISH	QTY/BX	LBS	BX/ PALLET
FANCL2113	2 x .113	Vinyl Coated	5M	29	90
FANCL2113R	2 x .113	Ring Vinyl Coated	5M	29	90
FANCL2113RHDC	2 x .113	Ring Hot Dipped Galvanized	2M	12	90
FANCL238113	2 3/8 x .113	Vinyl Coated	5M	35	75
FANCL238113EG	2 3/8 x .113	Electro Galvanized	5M	35	75
FANCL238113HDC	2 3/8 x .113	Hot Dipped Galvanized	2M	14	90
FANCL238113R	2 3/8 x .113	Ring Vinyl Coated	5M	35	75
FANCL238113R25	2 3/8 x .113	Ring Vinyl Coated	2.5M	18	90
FANCL238113R2M	2 3/8 x .113	Ring Vinyl Coated	2M	14	75
FANCL238113REG	2 3/8 x .113	Ring Electro Galvanized	5M	35	75
FANCL238113RHDC	2 3/8 x .113	Ring Hot Dipped Galvanized	2M	14	90
FANCL238120R	2 3/8 x .120	Ring Vinyl Coated	5M	37	75
FANCL234120	2 3/4 x .120	Vinyl Coated	3M	28	90
FANCL234120R	2 3/4 x .120	Ring Vinyl Coated	3M	28	90
FANCL3120	3 x .120	Vinyl Coated	3M	29	90
FANCL312025	3 x .120	Vinyl Coated	2.5M	25	90
FANCL31202M	3 x .120	Vinyl Coated	2M	20	90
FANCL3120R25	3 x .120	Ring Vinyl Coated	2.5M	25	90
FANCL3120RHDC	3 x .120	Ring Hot Dipped Galvanized	2M	20	90
FANCL3120RHDC25	3 x .120	Ring Hot Dipped Galvanized	2.5M	25	90
FANCL3131	3 x .131	Vinyl Coated	2.5M	29	90
FANCL3131-28DEG	3 x .131	Vinyl Coated 28 Degree	2.5M	29	90
FANCL3131EG	3 x .131	Electro Galvanized	2.5M	29	90
FANCL3131HDC	3 x .131	Hot Dipped Galvanized	2.5M	29	90
FANCL3131R	3 x .131	Ring Vinyl Coated	2.5M	29	90
FANCL3131RHDC	3 x .131	Ring Hot Dipped Galvanized	2.5M	29	90
FANCL314120	3 1/4 x .120	Vinyl Coated	3M	32	90
FANCL314120HDC	3 1/4 x .120	Hot Dipped Galvanized	2M	22	90
FANCL314120R	3 1/4 x .120	Ring Vinyl Coated	2.5M	27	90
FANCL314120RHDC	3 1/4 x .120	Ring Hot Dipped Galvanized	2M	22	90
FANCL314131	3 1/4 x .131	Vinyl Coated	2.5M	31	90
FANCL314131EG	3 1/4 x .131	Electro Galvanized	2.5M	31	90
FANCL314131HDC	3 1/4 x .131	Hot Dipped Galvanized	2.5M	31	90
FANCL314131RHDC	3 1/4 x .131	Ring Hot Dipped Galvanized	2.5M	32	90
FANCL312131	3 1/2 x .131	Vinyl Coated	2.5M	33	90
FANCL312131HDC	3 1/2 x .131	Hot Dipped Galvanized	2.5M	35	90



FANCL238113

USES

Framing
Decking
Wall sheathing
Fencing
Siding

HEAD

Clipped head

SHANKS

Smooth
Ring

FINISH

Vinyl Coated
Electro Galvanized
Hot Dipped Galvanized

STEEL

Paslode

ENGINEERED TO FIT


Metabo NR83AA3,
NR83AA4, NR90AD(S)
Senco 600D, SN70,
700XL, 750XL
Paslode F-3505 IMCT
Makita AN943
Everwin FSN3490



COLLATED NAILS

34° PAPER COLLATED OFFSET ROUND HEAD NAILS

USES	HEAD	SHANKS	FINISH	TYPE	ENGINEERED TO FIT
Framing Decking Wall sheathing Fencing Siding	Offset round flat head	Smooth Ring	Vinyl Coated Hot Dipped Galvanized Stainless Steel Grade 316	Paslode	Metabo NR83AA3, NR83AA4, NR90AD(S) Senco 600D, SN70, 700XL, 750XL Paslode F-3505 IMCT Makita AN943 Everwin FSN3490



FANRD3131

SKU	SIZE	FINISH	QTY/BX	LBS	BX/ PALLET
FANRD2113RSS316	2 x .113	Ring Stainless Steel Grade 316	2 x 1M	20	90
FANRD238113R	2 3/8 x .113	Ring Vinyl Coated	5M	35	60
FANRD238113RHDG48	2 3/8 x .113	Ring Hot Dipped Galvanized	4.8M	39	60
FANRD238113RHD	2 3/8 x .113	Ring Hot Dipped Galvanized	2.5M	20	90
FANRD238113RSS316	2 3/8 x .113	Ring Stainless Steel Grade 316	2 x 1M	20	90
FANRD238120R48M	2 3/8 x .120	Ring Vinyl Coated	4.8M	38	60
FANRD238120RHDG48M	2 3/8 x .120	Ring Hot Dipped Galvanized	4.8M	38	60
FANRD3120	3 x .120	Vinyl Coated	2.5M	25	90
FANRD3120RHDG	3 x .120	Ring Hot Dipped Galvanized	2.5M	25	90
FANRD3120RSS316	3 x .120	Ring Stainless Steel	2 x 1M	23	90
FANRD31314M	3 x .131	Vinyl Coated	4M	46	55
FANRD3131	3 x .131	Vinyl Coated	2.5M	29	90
FANRD3131HDG	3 x .131	Hot Dipped Galvanized	2.5M	29	90
FANRD314120RSS316	3 1/4 x .120	Ring Stainless Steel Grade 316	2 x 1M	22	90
FANRD314131	3 1/4 x .131	Vinyl Coated	2.5M	31	90
FANRD314131HD	3 1/4 x .131	Hot Dipped Galvanized	2.5M	32	90



Fanaco® Framing nails, all finishes, meet or exceed ASTM F1667, standard specification for driven fasteners.

Fanaco® Electro Galvanized nails meet or exceed ASTM A641 Class 1.

Fanaco® Hot Dipped Galvanized nails meet or exceed ASTM A153 Class D.

**SCAN TO VIEW ICC-ES
EVALUATION REPORT**



ICC ESR-1216

34° PAPER COLLATED POSITIVE PLACEMENT NAILS




COLLATED NAILS

USES	HEAD	SHANKS	FINISH	STEEL	ENGINEERED TO FIT
Affixing joist hangers	Flat head	Smooth	Vinyl Coated Electro Galvanized Hot Dipped Galvanized Stainless Steel Grade 316	Hardened	Bostitch MCN150, MCN250 Metabo NR65AK Paslode F250S Everwin MCN40B*, MCN65, MCN65LM <i>*MCN40B not compatible with 2.5" length</i>

SKU	SIZE	FINISH	QTY/ BX	LBS	BX/ PALLET
FAN34112131HTVC4M	1 ½ x .131	Vinyl Coated Hardened Strap	4M	25	90
FAN34112131HTVC3M	1 ½ x .131	Vinyl Coated Hardened Strap	3M	19	90
FAN34112131HTEG4M	1 ½ x .131	Electro Galvanized Hardened Strap	4M	19	90
FAN34112131HTEG3M	1 ½ x .131	Electro Galvanized Hardened Strap	3M	19	90
FAN34112131HTHD4M	1 ½ x .131	Hot Dipped Galvanized Hardened Strap	4M	26	90
FAN34112131HTHD4X1M	1 ½ x .131	Hot Dipped Galvanized Hardened Strap	4 x 1M	26	80
FAN34112131HTHD3M	1 ½ x .131	Hot Dipped Galvanized Hardened Strap	3M	19	90
FAN34112148HTVC4M	1 ½ x .148	Vinyl Coated Hardened Strap	4M	30	90
FAN34112148HTVC3M	1 ½ x .148	Vinyl Coated Hardened Strap	3M	23	90
FAN34112148HTVC2M	1 ½ x .148	Vinyl Coated Hardened Strap	2M	16	90
FAN34112148HTVCPS*	1 ½ x .148	Vinyl Coated Hardened Strap Plastic Strip	3M	23	90
FAN34112148HTEG3M	1 ½ x .148	Electro Galvanized Hardened Strap	3M	23	90
FAN34112148HTEG2M	1 ½ x .148	Electro Galvanized Hardened Strap	2M	16	90
FAN34112148HTHD3M	1 ½ x .148	Hot Dipped Galvanized Hardened Strap	3M	24	90
FAN34112148HTHD2M	1 ½ x .148	Hot Dipped Galvanized Hardened Strap	2M	16	90
FAN34112148HTSS316	1 ½ x .148	Stainless Steel Grade 316 Hardened Strap	2 x 1M	16	90
FAN34212131HTEG	2 ½ x .131	Electro Galvanized Hardened Strap	2M	20	90
FAN34212131HTHD	2 ½ x .131	Hot Dipped Galvanized Hardened Strap	2M	20	90
FAN34212148HTVC25	2 ½ x .148	Vinyl Coated Hardened Strap	2.5M	39	90
FAN34212148HTVC	2 ½ x .148	Vinyl Coated Hardened Strap	2M	26	90
FAN34212148HTEG	2 ½ x .148	Electro Galvanized Hardened Strap	2M	26	90
FAN34212148HTHD25	2 ½ x .148	Hot Dipped Galvanized Hardened Strap	2.5M	33	90
FAN34212148HTHD	2 ½ x .148	Hot Dipped Galvanized Hardened Strap	2M	26	90
FAN34212162HTVC	2 ½ x .162	Vinyl Coated Hardened Strap	2M	31	90
FAN34212162HTEG	2 ½ x .162	Electro Galvanized Hardened Strap	2M	30	90
FAN34212162HTHD	2 ½ x .162	Hot Dipped Galvanized Hardened Strap	2M	31	90

*Plastic Collated




FAN34112148HTEG



FAN34212162HTVC

DRIVEN TO PERFECTION

15° WIRE COLLATED COIL FRAMING NAILS



USES

Framing
Decking
Wall sheathing
Fencing
Siding

HEAD

Flat head

SHANKS

Smooth
Ring
Screw

FINISH

Vinyl Coated
Electro Galvanized
Hot Dipped Galvanized
Stainless Steel
Stainless Steel
Grade 316

TYPE

Diamond Point
Blunt Diamond Point

ENGINEERED TO FIT

Metabo NV65AC,
NV65AE, NV83AC
Senco SCN65
Bostitch N70C, N80C,
N86C
Max CN70, CN75,
CN80, CN710
Everwin FCN90B,
FCN90LB, SCN90L

SKU	SIZE	FINISH	QTY/BX	LBS	BX/ PALLET
FANC114086R	1 1/4 x .086	Ring Vinyl Coated	10.5M	26	42
FANC114086SCBDP	1 1/4 x .086	Screw Vinyl Coated Blunt Diamond Point	10.5M	26	48
FANC112083RHDG-3MHI-LOAD	1 1/2 x .083	Ring Shank Hot Dipped Galvanized Hi-Load	4 x 3M	32	36
FANC112086R	1 1/2 x .086	Ring Vinyl Coated	10.5M	30	48
FANC112086SCBDP	1 1/2 x .086	Screw Vinyl Coated Blunt Diamond Point	10.5M	30	42
FANC112113HT45	1 1/2 x .113	Vinyl Coated Heat Treated	4.5M	20	84
FANC112131HDGHC	1 1/2 x .131	Hot Dipped Galvanized High Carbon	4M	24	70
FANC134086REG	1 3/4 x .086	Ring Electro Galvanized	10.5M	32	48
FANC134113RHDG3M	1 3/4 x .113	Ring Hot Dipped Galvanized	3M	15	84
FANC2099RHDG	2 x .099	Ring Hot Dipped Galvanized	9M	41	35
FANC2099RHDG45	2 x .099	Ring Hot Dipped Galvanized	4.5M	21	56
FANC2113R	2 x .113	Ring Vinyl Coated	5M	29	42
FANC214099HT45	2 1/4 x .099	Smooth Vinyl Coated Heat Treated	4.5M	23	60
FANC214113HT45	2 1/4 x .113	Smooth Vinyl Coated Heat Treated	4.5M	31	60
FANC214148HDG	2 1/4 x .148	Hot Dipped Galvanized	4.5M	59	40
FANC214148REG	2 1/4 x .148	Ring Electro Galvanized	4.5M	59	40
FANC214148RHDG	2 1/4 x .148	Ring Hot Dipped Galvanized	4.5M	59	40
FANC238113	2 3/8 x .113	Vinyl Coated	5M	36	42
FANC238113EG	2 3/8 x .113	Electro Galvanized	5M	36	42
FANC238113R	2 3/8 x .113	Ring Vinyl Coated	5M	37	42
FANC238113R45	2 3/8 x .113	Ring Vinyl Coated	4.5M	33	42
FANC238113R4M	2 3/8 x .113	Ring Vinyl Coated	4M	25	42
FANC238113REG	2 3/8 x .113	Ring Electro Galvanized	5M	35	42
FANC238113REG45	2 3/8 x .113	Ring Electro Galvanized	4.5M	33	42
FANC238113RHDG5M	2 3/8 x .113	Ring Hot Dipped Galvanized	5M	36	42
FANC238113RHDG	2 3/8 x .113	Ring Hot Dipped Galvanized	4.5M	32	42
FANC238113RSS	2 3/8 x .113	Ring Stainless Steel	3.6M	26	42
FANC238113HDGSC	2 3/8 x .113	Hot Dipped Galvanized Screw	5M	38	42
FANC212120LHEG	2 1/2 x .120	Large Head Electro Galvanized	4M	36	42
FANC212120LHHD	2 1/2 x .120	Large Head Hot Dipped Galvanized	4M	36	42
FANC212131	2 1/2 x .131	Vinyl Coated	4.5M	43	42
FANC212131EG	2 1/2 x .131	Electro Galvanized	4.5M	43	42
FANC212131HDC	2 1/2 x .131	Hot Dipped Galvanized	4.5M	44	42
FANC212131R	2 1/2 x .131	Ring Vinyl Coated	4.5M	43	42
FANC212131REG	2 1/2 x .131	Ring Electro Galvanized	4.5M	43	42
FANC212131RHDG	2 1/2 x .131	Ring Hot Dipped Galvanized	4.5M	44	42
FANC212131RSS	2 1/2 x .131	Ring Stainless Steel	3.6M	40	42
FANC212131SC	2 1/2 x .131	Screw Vinyl Coated	4.5M	43	42
FANC212148	2 1/2 x .148	Vinyl Coated	4.5M	56	42
FANC212148HDC	2 1/2 x .148	Hot Dipped Galvanized	4.5M	57	42
FANC212148EG	2 1/2 x .148	Electro Galvanized	4.5M	56	42
FANC212148R	2 1/2 x .148	Ring Vinyl Coated	4.5M	55	42
FANC234131	2 3/4 x .131	Vinyl Coated	4.5M	50	40

15° WIRE COLLATED COIL FRAMING NAILS



COLLATED NAILS

SKU	SIZE	FINISH	QTY	LBS	BX/ PALLET
FANC3120	3 x .120	Vinyl Coated	4.5M	45	42
FANC31204M	3 x .120	Vinyl Coated	4M	39	42
FANC3120EG	3 x .120	Electro Galvanized	4.5M	44	42
FANC3120HDC	3 x .120	Hot Dipped Galvanized	4.5M	44	42
FANC3120R	3 x .120	Ring Vinyl Coated	4.5M	44	42
FANC3120REG	3 x .120	Ring Electro Galvanized	4.5M	45	42
FANC3120RHDG45	3 x .120	Ring Hot Dipped Galvanized	4.5M	44	42
FANC3120RHDG	3 x .120	Ring Hot Dipped Galvanized	4M	42	42
FANC3120RSS	3 x .120	Ring Stainless Steel	3.6M	37	35
FANC3120HDGSC	3 x .120	Screw Hot Dipped Galvanized	2.4M	26	60
FANC3131	3 x .131	Vinyl Coated	4.5M	53	42
FANC313125	3 x .131	Vinyl Coated	2.5M	30	72
FANC3131EG	3 x .131	Electro Galvanized	4.5M	53	42
FANC3131HDC	3 x .131	Hot Dipped Galvanized	4.5M	51	42
FANC3131R	3 x .131	Ring Vinyl Coated	4.5M	53	42
FANC3131RHDC	3 x .131	Ring Hot Dipped Galvanized	4.5M	51	42
FANC3131SC	3 x .131	Screw Vinyl Coated	4.5M	52	42
FANC3148	3 x .148	Vinyl Coated	4M	59	42
FANC314120	3 ¼ x .120	Vinyl Coated	4.5M	46	35
FANC314120R	3 ¼ x .120	Ring Vinyl Coated	4.5M	46	35
FANC314120RSS	3 ¼ x .120	Ring Stainless Steel	3.6M	39	35
FANC314131	3 ¼ x .131	Vinyl Coated	4.5M	56	35
FANC4120SC27	4 x .120	Screw Bright	2.7M	35	60
FANC412148	4 ½ x .148	Vinyl Coated	1.8M	42	48
FANC412148LC	4 ½ x .148	Vinyl Coated (240 Nails Per Coil)	1.92M	44	48
FANC412148EG	4 ½ x .148	Electro Galvanized	1.8M	46	48
FANC412148EGLC	4 ½ x .148	Electro Galvanized (220 Nails Per Coil)	1.76M	42	48
FANC5148	5 x .148	Vinyl Coated	1.8M	40	40



FANC3120RHDG



FANC114086SCBDP



FANACO.COM

DON'T SEE WHAT YOU ARE LOOKING FOR?
VISIT FANACO.COM

MORE RESOURCES



DIGITAL
CATALOG





CREDIT
APPLICATION



ICC-ES EVALUATION
REPORT
ICC ESR-1216

DRIVEN TO PERFECTION

15° WIRE COLLATED COIL PALLET NAILS



FANCP114083R

USES

Pallets
Crating
Packaging

HEAD

Flat head

SHANKS

Ring
Screw

FINISH

Bright
Electro Galvanized

TYPE

Diamond Point
Blunt Diamond Point
Chisel Point

ENGINEERED TO FIT

Metabo NV65AC,
NV65AE, NV85AC
Senco SCN65
Bostitch N70C, N80C,
N86C
Max CN70, CN75,
CN80, CN710


SKU	SIZE	FINISH	QTY/BX	LBS	BX/ PALLET
FANCP1080R	1 x .080	Ring Bright Blunt Diamond Point	14M	22	48
FANCP114083R	1 ¼ x .083	Ring Bright	14M	31	42
FANCP114099SC10X1M	1 ¼ x .099	Screw Bright Blunt Diamond Point	10 x 1M	29	40
FANCP112099SC10X1M	1 ½ x .099	Screw Bright Blunt Diamond Point	10M	34	40
FANCP134083R	1 ¾ x .083	Ring Bright	14M	41	42
FANCP134086RBDP	1 ¾ x .086	Ring Bright Blunt Diamond Point	10.5M	33	42
FANCP134086SCBDP	1 ¾ x .086	Screw Bright Blunt Diamond Point	10.5M	33	48
FANCP134099SCBDP	1 ¾ x .099	Screw Bright Blunt Diamond Point	9M	37	42
FANCP134099SC-EG10X1M	1 ¾ x .099	Screw Electro Galvanized Blunt Diamond Point	10 x 1M	40	32
FANCP2086SCBDP	2 x .086	Screw Bright Blunt Diamond Point	10.5M	41	42
FANCP2099R	2 x .099	Ring Bright Blunt Diamond Point	9M	43	42
FANCP2099SC	2 x .099	Screw Bright Blunt Diamond Point	9M	43	42
FANCP2099SC10X1M	2 x .099	Screw Bright Blunt Diamond Point	10 x 1M	45	32
FANCP2099SCEG10X1M	2 x .099	Screw Electro Galvanized Blunt Diamond Point	10 x 1M	44	32
FANCP214099SC	2 ¼ x .099	Screw Bright Blunt Diamond Point	9M	47	35
FANCP214099REG	2 ¼ x .099	Ring Electro Galvanized	9M	47	35
FANCP212099SC	2 ½ x .099	Screw Bright Blunt Diamond Point	9M	53	35
FANCP212099SC10X1M	2 ½ x .099	Screw Bright Blunt Diamond Point	10M	58	24
FANCP212099SCEG10X1M	2 ½ x .099	Screw Electro Galvanized Blunt Diamond Point	10 x 1M	58	24
FANCP212120SCEG6X1M	2 ½ x .120	Screw Electro Galvanized Blunt Diamond Point	6 x 1M	51	32
FANCP234099SC9M	2 ¾ x .099	Screw Bright Blunt Chisel Point	9M	55	28
FANCP234113SC	2 ¾ x .113	Screw Bright Chisel Point	5M	47	42
FANCP3120SC	3 x .120	Screw Bright Blunt Diamond Point	4.5M	47	42
FANCP314120SCDP	3 ¼ x .120	Screw Bright Diamond Point	4.5M	50	35
FANCP314120EG	3 ¼ x .120	Electro Galvanized Blunt Diamond Point	4.5M	50	35
FANCP4120SC	4 x .120	Screw Bright	4.5M	55	35

15° WIRE COLLATED COIL SIDING/FENCING NAILS



COLLATED NAILS

SKU	SIZE	FINISH	QTY/BX	LBS	BX/ PALLET
FANAC2DRHDG14	1 x .083	Ring Hot Dipped Galvanized	14M	29	42
FANAC2DRHDG9-HILOAD	1 x .083	Ring Hot Dipped Galvanized Hi-Load	3 x 3M	19	42
FANAC3DRHDG16DEGREE	1 ¼ x .082	Ring Hot Dipped Galvanized 16 Degree	14M	31	35
FANAC3DRHDG36	1 ¼ x .092	Ring Hot Dipped Galvanized	3.6M	11	84
FANAC3DRSS36	1 ¼ x .092	Ring Stainless Steel	3.6M	11	84
FANAC4DREG36	1 ½ x .092	Ring Electro Galvanized	3.6M	11	84
FANAC4DREG9-HILOAD	1 ½ x .092	Ring Electro Galvanized Hi-Load	3 x 3M	27	36
FANAC4DRHDG36	1 ½ x .092	Ring Hot Dipped Galvanized	3.6M	11	84
FANAC4DRSS36	1 ½ x .092	Ring Stainless Steel	3.6M	11	84
FANAC5DREG9	1 ¾ x .092	Ring Electro Galvanized	9M	31	42
FANAC5DREG36	1 ¾ x .092	Ring Electro Galvanized	3.6M	13	84
FANAC5DRHDG36	1 ¾ x .092	Ring Hot Dipped Galvanized	3.6M	13	84
FANAC5DRSS36	1 ¾ x .092	Ring Stainless Steel	3.6M	13	84
FANAC5DRSS31636	1 ¾ x .092	Ring Stainless Steel Grade 316	3.6M	13	84
FANAC6DEG9	2 x .092	Electro Galvanized	9M	38	42
FANAC6DEG36	2 x .092	Electro Galvanized	3.6M	15	84
FANAC6DHDG36	2 x .092	Hot Dipped Galvanized	3.6M	15	84
FANAC6DREG9	2 x .092	Ring Electro Galvanized	9M	34	42
FANAC6DREG36	2 x .092	Ring Electro Galvanized	3.6M	14	84
FANAC6DRHDG36	2 x .092	Ring Hot Dipped Galvanized	3.6M	14	84
FANAC6DRSS36	2 x .092	Ring Stainless Steel	3.6M	14	84
FANAC6DRSS31636	2 x .092	Ring Stainless Steel Grade 316	3.6M	14	84
FANAC6DSCEG9	2 x .092	Screw Electro Galvanized	9M	34	42
FANAC7DEG36	2 3/16 x .092	Electro Galvanized	3.6M	16	84
FANAC7DHDG36	2 3/16 x .092	Hot Dipped Galvanized	3.6M	16	84
FANAC7DREG36	2 3/16 x .092	Ring Electro Galvanized	3.6M	16	84
FANAC7DRHDG36	2 3/16 x .092	Ring Hot Dipped Galvanized	3.6M	16	84
FANAC7DRSS36	2 3/16 x .092	Ring Stainless Steel	3.6M	15	84
FANAC7DRSS31636	2 3/16 x .092	Ring Stainless Steel Grade 316	3.6M	15	84
FANAC2316099REG9	2 3/16 x .099	Ring Electro Galvanized	9M	46	35
FANAC2316099RHDG9	2 3/16 x .099	Ring Hot Dipped Galvanized	9M	46	35
FANAC214092EG9	2 ¼ x .092	Electro Galvanized	9M	39	35
FANAC214092REG9	2 ¼ x .092	Ring Electro Galvanized	9M	38	35
FANAC214092RHDG36	2 ¼ x .092	Ring Hot Dipped Galvanized	3.6M	16	84
FANAC214092RSS36	2 ¼ x .092	Ring Stainless Steel	3.6M	16	84
FANAC238099RHDG36	2 ¾ x .099	Ring Hot Dipped Galvanized	3.6M	16	84
FANAC8DEG36	2 ½ x .092	Electro Galvanized	3.6M	18	84
FANAC8DHDG36	2 ½ x .092	Hot Dipped Galvanized	3.6M	19	84
FANAC8DREG36	2 ½ x .092	Ring Electro Galvanized	3.6M	18	84
FANAC8DRHDG36	2 ½ x .092	Ring Hot Dipped Galvanized	3.6M	19	84
FANAC8DRSS36	2 ½ x .092	Ring Stainless Steel	3.6M	18	42
FANAC8DRSS31636	2 ½ x .092	Ring Stainless Steel Grade 316	3.6M	18	84



FANAC6DEG

USES

Siding
Pallet and crating
Light duty framing
Fencing
Cedar shake

HEAD

Flat head

SHANKS

Smooth
Ring
Screw

FINISH

Vinyl Coated
Electro Galvanized
Hot Dipped Galvanized
Stainless Steel

POINTS

Diamond point
Blunt diamond point


ENGINEERED TO FIT

Metabo NV65AH,
NV75AG
Senco SCN45, SCN56,
SCN49
Bostitch N50C, N55C,
N64C, N65P
Duo-Fast DRN53
Porter-Cable RN183
**Everwin SCN65C,
SCN51***

* Please reference each tool specification for proper fit.

15° PLASTIC SHEET COLLATED COIL SIDING / FENCING NAILS

USES	HEAD	SHANKS	FINISH	ENGINEERED TO FIT
Siding Pallet and crating Light duty framing Fencing Cedar shake	Flat head	Smooth Ring	Electro Galvanized Hot Dipped Galvanized Stainless Steel Grade 316	Duo-Fast DC300/75, RNC-60 Everwin SCN65C, SCN51*




FANPSC6DHDC

SKU	SIZE	FINISH	QTY/BX	LBS	BX/ PALLET
FANPSC178092EG	1 7/8 x .092	Electro Galvanized	6M	31	36
FANPSC178092REG	1 7/8 x .092	Ring Electro Galvanized	6M	21	36
FANPSC6DHDC64	2 x .092	Hot Dipped Galvanized	6.4M	27	35
FANPSC6DRHDC64	2 x .092	Ring Hot Dipped Galvanized	6.4M	27	35
FANPSC6DRSS31648	2 x .092	Ring Stainless Steel Grade 316	4.8M	23	36
FANPSC7DHDC48	2 1/4 x .092	Hot Dipped Galvanized	4.8M	23	36
FANPSC7DRHDC48	2 1/4 x .092	Ring Hot Dipped Galvanized	4.8M	23	36
FANPSC7DRSS31648	2 1/4 x .092	Ring Stainless Steel Grade 316	4.8M	23	36
FANPSC8DHDC48	2 1/2 x .092	Hot Dipped Galvanized	4.8M	25	36
FANPSC8DRHDC48	2 1/2 x .092	Ring Hot Dipped Galvanized	4.8M	25	36

* Please reference each tool specification for proper fit.

0° PLASTIC SHEET COLLATED COIL SIDING / FENCING NAILS

USES	HEAD	SHANKS	FINISH	ENGINEERED TO FIT
Siding Fencing Pallet and crating Light duty framing Cedar shake	Flat head	Smooth Ring	Electro Galvanized Hot Dipped Galvanized Stainless Steel	Duo-Fast DC300/75, RNC-60 Everwin SCN66B



FANPSC178092HDCZ



SKU	SIZE	FINISH	QTY/BX	LBS	BX/ PALLET
FANPSC134086REGZ	1 3/4 x .086	Ring Electro Galvanized	9M	28	36
FANPSC134092REGZ36	1 3/4 x .092	Ring Electro Galvanized	3.6M	13	96
FANPSC134092RHDCZ	1 3/4 x .092	Ring Hot Dipped Galvanized	9M	35	36
FANPSC134092RHDCZ36	1 3/4 x .092	Ring Hot Dipped Galvanized	3.6M	13	96
FANPSC178092EGZ	1 7/8 x .092	Electro Galvanized	9M	35	36
FANPSC178092HDCZ	1 7/8 x .092	Hot Dipped Galvanized	9M	35	36
FANPSC178092REGZ	1 7/8 x .092	Ring Electro Galvanized	9M	35	36
FANPSC178092RHDCZ	1 7/8 x .092	Ring Hot Dipped Galvanized	9M	35	36
FANPSC178092RHDCZ36	1 7/8 x .092	Ring Hot Dipped Galvanized	3.6M	14	96
FANPSC178092RSSZ	1 7/8 x .092	Ring Stainless Steel	3.6M	18	96
FANPSC214092EGZ	2 1/4 x .092	Electro Galvanized	7.2M	32	36
FANPSC214092HDCZ	2 1/4 x .092	Hot Dipped Galvanized	7.2M	32	36
FANPSC214092REGZ	2 1/4 x .092	Ring Electro Galvanized	7.2M	32	36
FANPSC214092RHDCZ	2 1/4 x .092	Ring Hot Dipped Galvanized	7.2M	32	36
FANPSC214099HDCZ36	2 1/4 x .099	Hot Dipped Galvanized	3.6M	19	96
FANPSC214099REGZ	2 1/4 x .099	Ring Electro Galvanized	7.2M	36	36
FANPSC214099RHDCZ	2 1/4 x .099	Ring Hot Dipped Galvanized	7.2M	38	48
FANPSC214099RSSZ	2 1/4 x .099	Ring Stainless Steel	3.6M	19	96

15° WIRE COLLATED COIL ROOFING NAILS



COLLATED NAILS

SKU	SIZE	FINISH	QTY/BX	LBS	BX/ PALLET
FANCR034	3/4 x .120	Electro Galvanized	7.2M	23	56
FANCR034HDG	3/4 x .120	Hot Dipped Galvanized	7.2M	24	56
FANCR034SS	3/4 x .120	Stainless Steel	7.2M	24	56
FANCR034RHDG	3/4 x .120	Ring Hot Dipped Galvanized	7.2M	24	56
FANCR034RSS	3/4 x .120	Ring Stainless Steel	7.2M	22	56
FANCR1D	7/8 x .120	Electro Galvanized	7.2M	24	56
FANCR1DHDG	7/8 x .120	Hot Dipped Galvanized	7.2M	26	56
FANCR1DSS	7/8 x .120	Stainless Steel	7.2M	24	56
FANCR1DRHDG	7/8 x .120	Ring Hot Dipped Galvanized	7.2M	26	56
FANCR1DRSS	7/8 x .120	Ring Stainless Steel	7.2M	24	56
FANCR2D	1 x .120	Electro Galvanized	7.2M	25	56
FANCR2DHDG	1 x .120	Hot Dipped Galvanized	7.2M	28	56
FANCR2DSS	1 x .120	Stainless Steel	7.2M	26	56
FANCR2DRHDG	1 x .120	Ring Hot Dipped Galvanized	7.2M	28	56
FANCR2DRSS	1 x .120	Ring Stainless Steel	7.2M	26	56
FANCR3D	1 1/4 x .120	Electro Galvanized	7.2M	31	56
FANCR3DHDG	1 1/4 x .120	Hot Dipped Galvanized	7.2M	32	56
FANCR3DSS	1 1/4 x .120	Stainless Steel	7.2M	31	56
FANCR3DSS316	1 1/4 x .120	Stainless Steel Grade 316	7.2M	31	56
FANCR3DR	1 1/4 x .120	Ring Electro Galvanized	7.2M	32	56
FANCR3DRHDG	1 1/4 x .120	Ring Hot Dipped Galvanized	7.2M	32	56
FANCR3DRSS	1 1/4 x .120	Ring Stainless Steel	7.2M	32	56
FANCR3DRSS36	1 1/4 x .120	Ring Stainless Steel	3.6M	18	56
FANCR3DRSS316	1 1/4 x .120	Ring Stainless Steel Grade 316	7.2M	32	56
FANCR3DRSS31636	1 1/4 x .120	Ring Stainless Steel Grade 316	2 x 1.8M	18	56
FANCR4D	1 1/2 x .120	Electro Galvanized	7.2M	37	48
FANCR4DHDG	1 1/2 x .120	Hot Dipped Galvanized	7.2M	39	48
FANCR4DSS	1 1/2 x .120	Stainless Steel	7.2M	37	48
FANCR4DR	1 1/2 x .120	Ring Electro Galvanized	7.2M	37	48
FANCR4DRHDG	1 1/2 x .120	Ring Hot Dipped Galvanized	7.2M	37	48
FANCR4DRSS	1 1/2 x .120	Ring Stainless Steel	7.2M	37	48
FANCR4DRSS316	1 1/2 x .120	Ring Stainless Steel Grade 316	7.2M	37	48
FANCR4DRSS31636	1 1/2 x .120	Ring Stainless Steel Grade 316	2 x 1.8M	18	48
FANCR5D	1 3/4 x .120	Electro Galvanized	7.2M	42	48
FANCR5DHDG	1 3/4 x .120	Hot Dipped Galvanized	7.2M	44	48
FANCR5DSS	1 3/4 x .120	Stainless Steel	7.2M	43	48
FANCR5DR	1 3/4 x .120	Ring Electro Galvanized	7.2M	42	48
FANCR5DRHDG	1 3/4 x .120	Ring Hot Dipped Galvanized	7.2M	42	48
FANCR5DRHDG36	1 3/4 x .120	Ring Hot Dipped Galvanized	3.6M	21	48
FANCR5DRSS	1 3/4 x .120	Ring Stainless Steel	7.2M	42	48
FANCR5DRSS36	1 3/4 x .120	Ring Stainless Steel	3.6M	25	48
FANCR5DRSS31636	1 3/4 x .120	Ring Stainless Steel Grade 316	2 x 1.8M	25	48



FANCR4D

USES

Asphalt and fiberglass shingles
Roofing
Felt, foam board and fiberboard sheathing
Insulation

HEAD

Large flat head

SHANKS

Smooth
Ring

FINISH

Electro Galvanized
Hot Dipped Galvanized
Stainless Steel
Stainless Steel - Grade 316

GAUGE


11

ENGINEERED TO FIT

Metabo NV45AB, NV45AB2
Senco SCN200R, RP450/455XP
Boxtitch N12B-1, RN46
Duo-Fast DRN45
Porter-Cable RN175
Everwin RCN45

15 GAUGE ANGLE FINISH NAILS

USES	FINISH	GAUGE	ENGINEERED TO FIT
Paneling Trim Frame assembly Door and window casings Cabinet building	Bright Electro Galvanized Stainless Steel	15	Metabo NT65MA Senco SFN40, SFN30 Duo-Fast DAFN-6480 Everwin FN1565



FANDA19B

SKU	SIZE	GAUGE	FINISH	QTY/BX	LBS	BX/ PALLET
FANDA15B	1 1/4	15 Gauge	Bright	4 x 4M	25	45
FANDA15G	1 1/4	15 Gauge	Electro Galvanized	4 x 4M	26	45
FANDA15SS	1 1/4	15 Gauge	Stainless Steel	4M	7	-
FANDA17B	1 1/2	15 Gauge	Bright	4 x 4M	29	45
FANDA17G	1 1/2	15 Gauge	Electro Galvanized	4 x 4M	29	45
FANDA17SS	1 1/2	15 Gauge	Stainless Steel	4M	8	-
FANDA19B	1 3/4	15 Gauge	Bright	4 x 4M	34	45
FANDA19G	1 3/4	15 Gauge	Electro Galvanized	4 x 4M	34	45
FANDA19SS	1 3/4	15 Gauge	Stainless Steel	4M	9	-
FANDA21B	2	15 Gauge	Bright	4 x 4M	38	45
FANDA21G	2	15 Gauge	Electro Galvanized	4 x 4M	38	45
FANDA21SS	2	15 Gauge	Stainless Steel	4M	10	-
FANDA23B	2 1/4	15 Gauge	Bright	4 x 4M	43	45
FANDA23G	2 1/4	15 Gauge	Electro Galvanized	4 x 4M	43	45
FANDA23SS	2 1/4	15 Gauge	Stainless Steel	4M	11	-
FANDA25B	2 1/2	15 Gauge	Bright	4 x 4M	48	45
FANDA25G	2 1/2	15 Gauge	Electro Galvanized	4 x 4M	48	45
FANDA25SS	2 1/2	15 Gauge	Stainless Steel	4M	12	-



FANACO.COM

FANACO OFFERS

- NATIONWIDE DISTRIBUTION
- OUT-OF-WAREHOUSE ORDERS
- DIRECT CONTAINER ORDERS
- MIXED PALLET ORDERS
- BLIND DROP SHIP ORDERS
- JOBSITE DELIVERIES
- NO MINIMUMS
- FREE SHIPPING ON QUALIFIED ORDERS


16 GAUGE BRAD NAILS



BRADS AND DA NAILS

USES	FINISH	GAUGE	ENGINEERED TO FIT
Paneling Trim Frame assembly Door and window casings Cabinet building	Electro Galvanized Stainless Steel	16	Metabo NT65A2 Senco FinishPro F16S, FinishPro 32 Duo-Fast LFN-764A Everwin FN1665

SKU	SIZE	GAUGE	FINISH	QTY/BX	LBS	BX/ PALLET
FANB16100G	1	16 Gauge	Electro Galvanized	12 x 2.5M	26	45
FANB16114G	1 ¼	16 Gauge	Electro Galvanized	12 x 2.5M	32	45
FANB16112G	1 ½	16 Gauge	Electro Galvanized	12 x 2.5M	38	45
FANB16112SS	1 ½	16 Gauge	Stainless Steel	2.5M	3	-
FANB16134G	1 ¾	16 Gauge	Electro Galvanized	12 x 2.5M	45	45
FANB16134SS	1 ¾	16 Gauge	Stainless Steel	2.5M	5	-
FANB16200G	2	16 Gauge	Electro Galvanized	12 x 2.5M	50	45
FANB16200SS	2	16 Gauge	Stainless Steel	2.5M	5	-
FANB16214G	2 ¼	16 Gauge	Electro Galvanized	12 x 2.5M	57	45
FANB16212G	2 ½	16 Gauge	Electro Galvanized	12 x 2.5M	63	45
FANB16212SS	2 ½	16 Gauge	Stainless Steel	2.5M	7	45




FANB16112

18 GAUGE BRAD NAILS

USES	FINISH	GAUGE	ENGINEERED TO FIT
Decorative mouldings Picture frame assembly Hardwood trim Cabinet building	Electro Galvanized Stainless Steel	18	Metabo NT32AE Senco FinishPro 18, FinishPro 25 Duo-Fast DBN-440 Everwin FN1850D

SKU	SIZE	GAUGE	FINISH	QTY/BX	LBS	BX/ PALLET
FANBMH18012G	1/2	18 Gauge	Electro Galvanized	20 x 5M	30	45
FANBMH18058G	5/8	18 Gauge	Electro Galvanized	20 x 5M	32	45
FANBMH18034G	3/4	18 Gauge	Electro Galvanized	20 x 5M	39	45
FANBMH18100G	1	18 Gauge	Electro Galvanized	20 x 5M	51	45
FANBMH18100SS	1	18 Gauge	Stainless Steel	5M	5	-
FANBMH181316G	1 3/16	18 Gauge	Electro Galvanized	20 x 5M	61	45
FANBMH18114G	1 ¼	18 Gauge	Electro Galvanized	20 x 5M	64	45
FANBMH18114SS	1 ¼	18 Gauge	Stainless Steel	5M	3	-
FANBMH18112G	1 ½	18 Gauge	Electro Galvanized	10 x 5M	39	45
FANBMH18112SS	1 ½	18 Gauge	Stainless Steel	5M	4	-
FANBMH181916G	1 9/16	18 Gauge	Electro Galvanized	10 x 5M	47	45
FANBMH181916SS	1 9/16	18 Gauge	Stainless Steel	5M	4	-
FANBMH18134G	1 ¾	18 Gauge	Electro Galvanized	10 x 5M	46	45
FANBMH18134SS	1 ¾	18 Gauge	Stainless Steel	5M	5	-
FANBMH18200G	2	18 Gauge	Electro Galvanized	10 x 5M	50	45
FANBMH18200SS	2	18 Gauge	Stainless Steel	5M	5	-



FANBMH18112

BULK SINKER NAILS

USES	HEAD	SHANK	FINISH	HAND DRIVEN
Framing	Flat head	Smooth	Vinyl Coated	

SKU	SIZE	FINISH	LBS	BX/ PALLET
FAN8DVC50	8D	Vinyl Coated	50	48
FAN12DVCS50	12D	Vinyl Coated	50	48
FAN16DVCS50	16D	Vinyl Coated	50	48

BULK TECO NAILS

USES	HEAD	SHANK	FINISH	HAND DRIVEN
Affixing joist hangers	Flat head	Smooth	Vinyl Coated Electro Galvanized Hot Dipped Galvanized	



FAN4DVC

SKU	SIZE	FINISH	LBS	BX/ PALLET
FAN4DVC50	4D	Vinyl Coated	50	48
FAN4DEG50	4D	Electro Galvanized	50	48
FAN4DHG50	4D	Hot Dipped Galvanized	50	48

BULK COMMON NAILS

USES	HEAD	SHANK	FINISH	HAND DRIVEN
Framing Decking Wall sheathing Concrete forming	Flat head	Smooth	Vinyl Coated	



FAN8DCOM50

SKU	SIZE	FINISH	LBS	BX/ PALLET
FAN5DCOM50	5D	Vinyl Coated	50	48
FAN6DCOM50	6D	Vinyl Coated	50	48
FAN7DCOM50	7D	Vinyl Coated	50	48
FAN8DCOM50	8D	Vinyl Coated	50	48
FAN9DCOM50	9D	Vinyl Coated	50	48
FAN10DCOM50	10D	Vinyl Coated	50	48
FAN16DCOM50	16D	Vinyl Coated	50	48

BULK DUPLEX NAILS



BULK NAILS

USES	HEAD	SHANK	FINISH	HAND DRIVEN
Concrete forming Crating Wood scaffolding	Flat head	Smooth	Vinyl Coated	

SKU	SIZE	FINISH	LBS	BX/PALLET
FAN6DDUP50	6D	Vinyl Coated	50	48
FAN8DDUP50	8D	Vinyl Coated	50	48
FAN12DDUP50	12D	Vinyl Coated	50	48
FAN16DDUP50	16D	Vinyl Coated	50	48

BULK BOX NAILS

USES	HEAD	SHANK	FINISH	HAND DRIVEN
Casing Boxes Crates	Large flat head	Smooth	Electro Galvanized Hot Dipped Galvanized	

SKU	SIZE	FINISH	LBS	BX/PALLET
FAN4DEGB50	4D	Electro Galvanized	50	48
FAN6DEGB50	6D	Electro Galvanized	50	48
FAN6DHDGB50	6D	Hot Dipped Galvanized	50	48
FAN8DEGB50	8D	Electro Galvanized	50	48
FAN8DHDGB50	8D	Hot Dipped Galvanized	50	48
FAN10DEGB50	10D	Electro Galvanized	50	48
FAN10DHGB50	10D	Hot Dipped Galvanized	50	48
FAN12DEGB50	12D	Electro Galvanized	50	48
FAN12DHGB50	12D	Hot Dipped Galvanized	50	48
FAN16DEGB50	16D	Electro Galvanized	50	48
FAN16DHGB50	16D	Hot Dipped Galvanized	50	48



FAN8DHGB

BULK CASING NAILS

USES	HEAD	SHANK	FINISH	HAND DRIVEN
Fascia Siding Exterior trim	Flat head	Smooth Ring	Hot Dipped Galvanized Stainless Steel	

SKU	SIZE	FINISH	LBS	BX/PALLET
FAN8DHDGC50	8D	Hot Dipped Galvanized	50	48
FAN10DCRSS25	10D	Ring Stainless Steel	25	48
FAN12DHDGC50	12D	Hot Dipped Galvanized	50	48
FAN16DHDGC50	16D	Hot Dipped Galvanized	50	48



FAN8DHDGC

BULK PALLET NAILS

USES	HEAD	SHANK	FINISH	TYPE	POINTS	HAND DRIVEN
Boxes Pallets Crates	Flat head	Ring Screw	Bright	Machine grade	Diamond point Blunt point No point	

SKU	SIZE	FINISH	LBS	BX/ PALLET
FAN5DBPSCNP50	5D	Screw No Point Machine Grade	50	48
FAN6DBPMQSC50	6D	Screw Machine Grade	50	48
FAN6DBPSC50	6D	Screw Blunt Point Machine Grade	50	48
FAN8DBPR50	8D	Ring Machine Grade	50	48
FAN10DBPMQSC50	10D	Screw Machine Grade	50	48


BULK CUT MASONRY NAILS

USES	FINISH	SHANK	HAND DRIVEN
Masonry Concrete	Bright Hot Dipped Galvanized	Smooth	

SKU	SIZE	FINISH	LBS	BX/ PALLET
FAN8DCMB50	8D	Bright	50	48
FAN8DCMHDG50	8D	Hot Dipped Galvanized	50	48
FAN10DCMB50	10D	Bright	50	48
FAN10DCMHDG50	10D	Hot Dipped Galvanized	50	48

BULK CEDAR SHAKE NAILS

USES	HEAD	SHANK	FINISH	HAND DRIVEN
Cedar shingle Shake	Flat head	Ring	Stainless Steel	




SKU	SIZE	FINISH	LBS	BX/ PALLET
FANSS114CSR25	1 1/4 x .076	Ring Stainless Steel	25	72
FANSS112CSR25	1 1/2 x .080	Ring Stainless Steel	25	72
FANSS134CSR25	1 3/4 x .080	Ring Stainless Steel	25	72
FANSS200CSR25	2 x .090	Ring Stainless Steel	25	72
FANSS212CSR25	2 1/2 x .090	Ring Stainless Steel	25	72

BULK ROOFING NAILS



BULK NAILS

SKU	SIZE	FINISH	LBS	QTY/ PALLET
FANEG03450	3/4 x .120	Electro Galvanized	50	48 Boxes
FANEG034-25B	3/4 x .120	Electro Galvanized	25	48 Buckets
FANEG034-5	3/4 x .120	Electro Galvanized	5	-
FANHD03450	3/4 x .120	Hot Dipped Galvanized	50	48 Boxes
FANHD034-5	3/4 x .120	Hot Dipped Galvanized	5	-
FANEG07850	7/8 x .120	Electro Galvanized	50	48 Boxes
FANEG078-25B	7/8 x .120	Electro Galvanized	25	48 Buckets
FANEG078-5	7/8 x .120	Electro Galvanized	5	-
FANHD07850	7/8 x .120	Hot Dipped Galvanized	50	48 Boxes
FANHD078-5	7/8 x .120	Hot Dipped Galvanized	5	-
FANEG10050	1 x .120	Electro Galvanized	50	48 Boxes
FANEG100-25B	1 x .120	Electro Galvanized	25	48 Buckets
FANEG100-5	1 x .120	Electro Galvanized	5	-
FANHD10050	1 x .120	Hot Dipped Galvanized	50	48 Boxes
FANHD100-5	1 x .120	Hot Dipped Galvanized	5	-
FANEG11450	1 1/4 x .120	Electro Galvanized	50	48 Boxes
FANEG114-25B	1 1/4 x .120	Electro Galvanized	25	48 Buckets
FANEG114-5	1 1/4 x .120	Electro Galvanized	5	-
FANHD11450	1 1/4 x .120	Hot Dipped Galvanized	50	48 Boxes
FANHD114-5	1 1/4 x .120	Hot Dipped Galvanized	5	-
FANEG11250	1 1/2 x .120	Electro Galvanized	50	48 Boxes
FANEG112-25B	1 1/2 x .120	Electro Galvanized	25	48 Buckets
FANEG112-5	1 1/2 x .120	Electro Galvanized	5	-
FANHD11250	1 1/2 x .120	Hot Dipped Galvanized	50	48 Boxes
FANHD112-5	1 1/2 x .120	Hot Dipped Galvanized	5	-
FANEG13450	1 3/4 x .120	Electro Galvanized	50	48 Boxes
FANEG134-25B	1 3/4 x .120	Electro Galvanized	25	48 Buckets
FANEG134-5	1 3/4 x .120	Electro Galvanized	5	-
FANHD13450	1 3/4 x .120	Hot Dipped Galvanized	50	48 Boxes
FANHD134-5	1 3/4 x .120	Hot Dipped Galvanized	5	-
FANEG20050	2 x .120	Electro Galvanized	50	48 Boxes
FANEG200-25B	2 x .120	Electro Galvanized	25	48 Buckets
FANEG200-5	2 x .120	Electro Galvanized	5	-
FANHD20050	2 x .120	Hot Dipped Galvanized	50	48 Boxes
FANHD200-5	2 x .120	Hot Dipped Galvanized	5	-
FANEGR20050	2 x .120	Ring Electro Galvanized	50	48 Boxes
FANEG21250	2 1/2 x .120	Electro Galvanized	50	48 Boxes
FANEG212-25B	2 1/2 x .120	Electro Galvanized	25	48 Buckets
FANEG212-5	2 1/2 x .120	Electro Galvanized	5	-
FANHD21250	2 1/2 x .120	Hot Dipped Galvanized	50	48 Boxes
FANHD212-5	2 1/2 x .120	Hot Dipped Galvanized	5	-
FANEGR21250	2 1/2 x .120	Ring Electro Galvanized	50	48 Boxes
FANEG30050	3 x .120	Electro Galvanized	50	48 Boxes
FANEG300-25B	3 x .120	Electro Galvanized	25	48 Buckets
FANEG300-5	3 x .120	Electro Galvanized	5	-
FANHD30050	3 x .120	Hot Dipped Galvanized	50	48 Boxes
FANHD300-5	3 x .120	Hot Dipped Galvanized	5	-



FANEG078



FANEG200

USES

Roofing
Vinyl siding

HEAD

Large flat head

SHANKS

Smooth
Ring

FINISH



Electro Galvanized
Hot Dipped Galvanized

HAND DRIVEN

DRIVEN TO PERFECTION

BULK SQUARE / ROUND CAPPED ROOF NAILS

BULK NAILS



FANMSC100




FANMRC112

USES	HEADS	SHANKS	FINISH	HAND DRIVEN	
Underlayment House wrap	Square head Round head	Ring	Electro Galvanized		
SKU	SIZE	FINISH		LBS	QTY/ PALLET
FANMSC03425	3/4 x .120	Ring Electro Galvanized		25	48 Buckets
FANMSC034-5	3/4 x .120	Ring Electro Galvanized		5	-
FANMSC07825	7/8 x .120	Ring Electro Galvanized		25	48 Buckets
FANMSC078-5	7/8 x .120	Ring Electro Galvanized		5	-
FANMSC10025	1 x .120	Ring Electro Galvanized		25	48 Buckets
FANMSC100-5	1 x .120	Ring Electro Galvanized		5	-
FANMSC11425	1 1/4 x .120	Ring Electro Galvanized		25	48 Buckets
FANMSC114-5	1 1/4 x .120	Ring Electro Galvanized		5	-
FANMSC11225	1 1/2 x .120	Ring Electro Galvanized		25	48 Buckets
FANMSC112-5	1 1/2 x .120	Ring Electro Galvanized		5	-
FANMSC13425	1 3/4 x .120	Ring Electro Galvanized		25	48 Buckets
FANMSC20025	2 x .120	Ring Electro Galvanized		25	48 Buckets
FANMSC21225	2 1/2 x .120	Ring Electro Galvanized		25	48 Buckets
FANMSC30025	3 x .120	Ring Electro Galvanized		25	48 Buckets
FANMRC07825	7/8 x .120	Ring Electro Galvanized		25	48 Buckets
FANMRC078-5	7/8 x .120	Ring Electro Galvanized		5	-
FANMRC10025	1 x .120	Ring Electro Galvanized		25	48 Buckets
FANMRC100-5	1 x .120	Ring Electro Galvanized		5	-
FANMRC11425	1 1/4 x .120	Ring Electro Galvanized		25	48 Buckets
FANMRC114-5	1 1/4 x .120	Ring Electro Galvanized		5	-
FANMRC11225	1 1/2 x .120	Ring Electro Galvanized		25	48 Buckets
FANMRC112-5	1 1/2 x .120	Ring Electro Galvanized		5	-
FANMRC13425	1 3/4 x .120	Ring Electro Galvanized		25	48 Buckets
FANMRC134-5	1 3/4 x .120	Ring Electro Galvanized		5	-
FANMRC20025	2 x .120	Ring Electro Galvanized		25	48 Buckets
FANMRC200-5	2 x .120	Ring Electro Galvanized		5	-
FANMRC21225	2 1/2 x .120	Ring Electro Galvanized		25	48 Buckets
FANMRC30025	3 x .120	Ring Electro Galvanized		25	48 Buckets

BULK PLASTIC CAPPED ROOF NAILS



BULK NAILS




USES	HEAD	SHANK	FINISH	HAND DRIVEN
Underlayment House wrap	Plastic capped head	Ring	Electro Galvanized	

SKU	SIZE	FINISH	QTY/BX	LBS	QTY/ PALLET
FANPC0343	3/4 x .113	Ring Electro Galvanized	3M	8	48 Buckets
FANPC0783	7/8 x .113	Ring Electro Galvanized	3M	9	48 Buckets
FANPC0782	7/8 x .113	Ring Electro Galvanized	2M	6	96 Boxes
FANPC1003	1 x .113	Ring Electro Galvanized	3M	9	48 Buckets
FANPC1002	1 x .113	Ring Electro Galvanized	2M	6	96 Boxes
FANPC1143	1 1/4 x .113	Ring Electro Galvanized	3M	11	48 Buckets
FANPC1142	1 1/4 x .113	Ring Electro Galvanized	2M	7	96 Boxes
FANPC11225	1 1/2 x .113	Ring Electro Galvanized	2.5M	11	48 Buckets
FANPC1342	1 3/4 x .113	Ring Electro Galvanized	2M	10	96 Boxes



FANPC114

BULK NEOPRENE WASHER NAILS



USES	HEAD	SHANK	FINISH	HAND DRIVEN
Wall sheathing Roofing Flashing Metal roofs Metal walls	Flat head	Ring	Hot Dipped Galvanized	

SKU	SIZE	FINISH	LBS	BX/ PALLET
FAN112RHDNEO50	1 1/2 x .148	Ring Hot Dipped Galvanized	50	48
FAN112RHDBGNEO-5	1 1/2 x .148	Ring Hot Dipped Galvanized	5	-
FAN134RHDBGNEO50	1 3/4 x .148	Ring Hot Dipped Galvanized	50	48
FAN134RHDBGNEO-5	1 3/4 x .148	Ring Hot Dipped Galvanized	5	-



FAN134RHDBGNEO



FANACO.COM


FANACO OFFERS

- NATIONWIDE DISTRIBUTION
- OUT-OF-WAREHOUSE ORDERS
- DIRECT CONTAINER ORDERS
- MIXED PALLET ORDERS
- BLIND DROP SHIP ORDERS
- JOBSITE DELIVERIES
- NO MINIMUMS
- FREE SHIPPING ON QUALIFIED ORDERS

DRIVEN TO PERFECTION

FINE WIRE 20 GAUGE TACKER STAPLES

STAPLES



FANA1138G



FANSTCR501912G

USES

Screening, light trim and moldings, picture frames, cabinet backing, weather stripping, insulation, roofing felt, upholstery, building paper

FINISH

Electro Galvanized
Stainless Steel

GAUGE

20

SKU	SIZE	FINISH	QTY/BOX	LBS	BX/ PALLET	ENGINEERED TO FIT
FANA1114G	3/8 Crown x 1/4 Leg	Electro Galvanized	20 x 5M	22	70	Fanaco R11, Senco H06; Rapid 11; Arrow T50
FANA1138G	3/8 Crown x 3/8 Leg	Electro Galvanized	20 x 5M	30	70	
FANA1138SS	3/8 Crown x 3/8 Leg	Stainless Steel	5M	1.5	-	
FANA1112G	3/8 Crown x 1/2 Leg	Electro Galvanized	20 x 5M	34	70	
FANA19G	1/4 Crown x 1/4 Leg	Electro Galvanized	50 x 5M	33	60	Fanaco R19; Rapid 19; Arrow T50, HT55
FANDF5010C	1 Crown x 5/16 Leg	Electro Galvanized	20 x 5M	28	60	Duo-Fast HT-5500
FANDF5012C	1/2 Crown x 3/8 Leg	Electro Galvanized	20 x 5M	28	60	
FANDF5016C	1/2 Crown x 1/2 Leg	Electro Galvanized	20 x 5M	28	60	
FANSTCR501938G	7/16 Crown x 3/8 Leg	Electro Galvanized	20 x 5M	30	60	Bostitch H30
FANSTCR501912G	7/16 Crown x 1/2 Leg	Electro Galvanized	20 x 5M	30	60	

C-TYPE 22 GAUGE STAPLES

USES

Upholstery

FINISH

Electro Galvanized
Mid Carbon
Stainless Steel

GAUGE

22

TYPE

Senco

ENGINEERED TO FIT

Senco SFT10XP, SFW09



FANC06G

SKU	SIZE	FINISH	QTY/BX	LBS	BX/ PALLET
FANC04G	3/8 Crown x 1/4 Leg	Electro Galvanized Mid Carbon	20 x 10M	34	60
FANC06G	3/8 Crown x 3/8 Leg	Electro Galvanized Mid Carbon	20 x 10M	36	60
FANC06SS	3/8 Crown x 3/8 Leg	Stainless Steel	10M	2	-
FANC08G	3/8 Crown x 1/2 Leg	Electro Galvanized Mid Carbon	20 x 10M	44	60
FANC09G	3/8 Crown x 9/16 Leg	Electro Galvanized Mid Carbon	20 x 10M	44	60

NEW TO FANACO® FASTENERS?

FILL OUT A CREDIT APPLICATION OR CONTACT US



888.622.9319
425.806.7337

Credit Application



cs@fanaco.com


BCS-TYPE STAPLES



STAPLES

USES	FINISH	GAUGE	TYPE
Asphalt shingles, roofing felt, foam sheathing, butt joining wood, lathing and insulation	Electro Galvanized	14, 15.5, 16	Bostitch


SKU	SIZE	FINISH	QTY/BOX	LBS	BX/ PALLET	ENGINEERED TO FIT
MEDIUM CROWN 16 GAUGE						
FANBCS1107G	1/2 Crown x 1 1/4 Leg	Electro Galvanized	10M	26	75	Bostitch 438S4, 538S4, 650S4, Everwin SN41S4, SN50S4*
FANBCS1109G	1/2 Crown x 1 1/2 Leg	Electro Galvanized	10M	26	75	
FANBCS1111G	1/2 Crown x 1 3/4 Leg	Electro Galvanized	10M	30	75	
FANBCS1112G	1/2 Crown x 2 Leg	Electro Galvanized	10M	34	75	



MEDIUM CROWN 15.5 GAUGE						
FANBCS1516G	1/2 Crown x 2 Leg	Electro Galvanized	5M	25	75	Bostitch MIIIIFS, BTFP12569

MEDIUM CROWN 14 GAUGE						
FANBCS1478G	1 Crown x 7/8 Leg	Electro Galvanized High Carbon	10.8M	37	75	Bostitch 538S214

WIDE CROWN 16 GAUGE						
FANBCS1096G	1 Crown x 5/8 Leg	Electro Galvanized	10M	17	75	Bostitch 438S2, 450S2, Everwin SN41S2, SN412S2, SN40S2, SN402S2*
FANBCS1097G	1 Crown x 3/4 Leg	Electro Galvanized	10M	18	75	
FANBCS1098G	1 Crown x 7/8 Leg	Electro Galvanized	10M	20	75	
FANBCS1099G	1 Crown x 1 Leg	Electro Galvanized	10M	23	75	
FANBCS1101G	1 Crown x 1 1/4 Leg	Electro Galvanized	10M	26	75	
FANBCS1102G	1 Crown x 1 1/2 Leg	Electro Galvanized	10M	30	75	
FANBCS1116G	1 Crown x 1 3/4 Leg	Electro Galvanized	10M	35	75	
FANBCS1117G	1 Crown x 2 Leg	Electro Galvanized	10M	38	75	



* Please reference each tool specification for proper fit.


GS-TYPE MEDIUM CROWN 16 GAUGE STAPLES

USES	FINISHES	GAUGE	TYPE	ENGINEERED TO FIT
Insulation sheathing	Electro Galvanized Stainless Steel	16	Paslode	Paslode 3150-S16, 3200-S16P Everwin SN50GS-16

SKU	SIZE	FINISH	QTY/BX	LBS	BX/ PALLET
FANGS1634G	1/2 Crown x 3/4 Leg	Electro Galvanized	10M	15	75
FANGS16100G	1/2 Crown x 1 Leg	Electro Galvanized	10M	18	75
FANGS16118G	1/2 Crown x 1 1/8 Leg	Electro Galvanized	10M	23	75
FANGS16114G	1/2 Crown x 1 1/4 Leg	Electro Galvanized	10M	23	75
FANGS16114SS	1/2 Crown x 1 1/4 Leg	Stainless Steel	10M	23	75
FANGS16138G	1/2 Crown x 1 3/8 Leg	Electro Galvanized	10M	25	75
FANGS16112G	1/2 Crown x 1 1/2 Leg	Electro Galvanized	10M	26	75
FANGS16112SS	1/2 Crown x 1 1/2 Leg	Stainless Steel	10M	26	75
FANGS16134G	1/2 Crown x 1 3/4 Leg	Electro Galvanized	10M	31	75
FANGS16134SS	1/2 Crown x 1 3/4 Leg	Stainless Steel	10M	31	75
FANGS16200G	1/2 Crown x 2 Leg	Electro Galvanized	10M	34	75
FANGS16200SS	1/2 Crown x 2 Leg	Stainless Steel	10M	34	75



GSW-TYPE WIDE CROWN 16 GAUGE STAPLES




FANGSW1658G

USES	FINISH	GAUGE	TYPE	ENGINEERED TO FIT		
Stucco EFIS Lathing	Electro Galvanized	16	Paslode	Paslode WCS200 Everwin SN40GSW*		
SKU	SIZE	FINISH	QTY/BX	LBS	BX/ PALLET	
FANGSW1658G	15/16 Crown x 5/8 Leg	Electro Galvanized	10M	15	75	
FANGSW1634G	15/16 Crown x 3/4 Leg	Electro Galvanized	10M	18	75	
FANGSW1678G	15/16 Crown x 7/8 Leg	Electro Galvanized	10M	20	75	
FANGSW16100G	15/16 Crown x 1 Leg	Electro Galvanized	10M	22	75	
FANGSW16114G	15/16 Crown x 1 1/4 Leg	Electro Galvanized	10M	25	75	
FANGSW16112G	15/16 Crown x 1 1/2 Leg	Electro Galvanized	10M	29	75	
FANGSW16134G	15/16 Crown x 1 3/4 Leg	Electro Galvanized	10M	35	75	
FANGSW16200G	15/16 Crown x 2 Leg	Electro Galvanized	10M	38	75	

* Please reference each tool specification for proper fit.


GS-TYPE MEDIUM CROWN 14 GAUGE STAPLES



FANGS14200G

USES	FINISH	GAUGE	TYPE	ENGINEERED TO FIT		
Packaging Sheathing	Electro Galvanized	14	Paslode	Paslode Everwin SN50GS-14		
SKU	SIZE	FINISH	QTY/BX	LBS	BX/ PALLET	
FANGS14200G	1/2 Crown x 2 Leg	Electro Galvanized	5M	30	75	

GSW-TYPE WIDE CROWN 14 GAUGE STAPLES



USES	FINISH	GAUGE	TYPE	ENGINEERED TO FIT		
Truss assembly	Electro Galvanized	14	Paslode	Paslode 4150-W14 Everwin SN50GSW-14		
SKU	SIZE	FINISH	QTY/BX	LBS	BX/ PALLET	
FANGSW1478G	15/16 Crown x 7/8 Leg	Electro Galvanized	10M	34	75	
FANGSW14114G	15/16 Crown x 1 1/4 Leg	Electro Galvanized	10M	46	75	

H-TYPE MEDIUM CROWN 18 GAUGE STAPLES



STAPLES

USES	FINISHES	GAUGE	TYPE
Soffits	Electro Galvanized	18	Haubold

SKU	SIZE	FINISH	QTY/BX	LBS	BX/ PALLET
FANH530G	7/16 Crown x 1 3/16 Leg	Electro Galvanized	6 x 5M	40	60



L-TYPE NARROW CROWN 18 GAUGE STAPLES

USES	FINISHES	GAUGE	TYPE	ENGINEERED TO FIT
Cedar shake shingles, sub-floor, wall sheathing, roof decking, aluminum and steel composition, siding, lathing, bridging, component assembly, fencing	Electro Galvanized Stainless Steel	18	Senco	Metabo N3804AB Porter-Cable NS100A, NS150A Senco SKSL, SLS20L, SLS25L Duo-Fast DNS-1840 Everwin FS9040D


SKU	SIZE	FINISH	QTY/BX	LBS	BX/ PALLET
FANL07G	1/4 Crown x 7/16 Leg	Electro Galvanized	10 x 5M	25	45
FANL08G	1/4 Crown x 1/2 Leg	Electro Galvanized	10 x 5M	28	45
FANL08SS	1/4 Crown x 1/2 Leg	Stainless Steel	5M	3	-
FANL09G	1/4 Crown x 9/16 Leg	Electro Galvanized	10 x 5M	30	45
FANL09SS	1/4 Crown x 9/16 Leg	Stainless Steel	5M	3	-
FANL10G	1/4 Crown x 5/8 Leg	Electro Galvanized	10 x 5M	36	45
FANL10SS	1/4 Crown x 5/8 Leg	Stainless Steel	5M	4	-
FANL11G	1/4 Crown x 3/4 Leg	Electro Galvanized	10 x 5M	40	45
FANL11SS	1/4 Crown x 3/4 Leg	Stainless Steel	5M	4	-
FANL12G	1/4 Crown x 7/8 Leg	Electro Galvanized	10 x 5M	46	45
FANL13G	1/4 Crown x 1 Leg	Electro Galvanized	10 x 5M	52	45
FANL13SS	1/4 Crown x 1 Leg	Stainless Steel	5M	4	-
FANL14G	1/4 Crown x 1 1/8 Leg	Electro Galvanized	6 x 5M	34	45
FANL14SS	1/4 Crown x 1 1/8 Leg	Stainless Steel	5M	6	-
FANL15G	1/4 Crown x 1 1/4 Leg	Electro Galvanized	6 x 5M	39	45
FANL15SS	1/4 Crown x 1 1/4 Leg	Stainless Steel	5M	7	-
FANL17G	1/4 Crown x 1 1/2 Leg	Electro Galvanized	6 x 5M	46	45
FANL17SS	1/4 Crown x 1 1/2 Leg	Stainless Steel	5M	8	-
FANL21SS	1/4 Crown x 2 Leg	Stainless Steel	5M	10	-



DRIVEN TO PERFECTION

M-TYPE FINE WIRE 18 GAUGE STAPLES

USES	FINISH	GAUGE	TYPE	ENGINEERED TO FIT
Siding Soffits	Electro Galvanized	18	Senco	Senco SLS150Mg



FANM10

SKU	SIZE	FINISH	QTY/BX	LBS	BX/ PALLET
FANM10G	3/8 Crown x 5/8 Leg	Electro Galvanized	10 x 5M	37	75
FANM13G	3/8 Crown x 1 Leg	Electro Galvanized	6 x 5M	55	75
FANM15G	3/8 Crown x 1 1/4 Leg	Electro Galvanized	6 x 5M	41	75

N-TYPE MEDIUM CROWN 16 GAUGE STAPLES

USES	FINISH	GAUGE	TYPE	ENGINEERED TO FIT
Cedar shake shingles, sub-floor, wall sheathing, roof decking, aluminum and steel composition, siding, lathing, bridging, component assembly, fencing	Electro Galvanized Stainless Steel	16	Senco	Metabo N5008AB Porter-Cable MS200, CMS200 Senco SNS40 & 45, M1, M2 Everwin SN41S5, SN50S5*




FANN17G

SKU	SIZE	FINISH	QTY/BX	LBS	BX/ PALLET
FANN11G	7/16 Crown x 3/4 Leg	Electro Galvanized	10M	14	75
FANN12G	7/16 Crown x 7/8 Leg	Electro Galvanized	10M	14	75
FANN13G	7/16 Crown x 1 Leg	Electro Galvanized	10M	18	75
FANN13SS	7/16 Crown x 1 Leg	Stainless Steel	10M	18	75
FANN14G	7/16 Crown x 1 1/8 Leg	Electro Galvanized	10M	22	75
FANN15G	7/16 Crown x 1 1/4 Leg	Electro Galvanized	10M	22	75
FANN15SS	7/16 Crown x 1 1/4 Leg	Stainless Steel	10M	22	75
FANN16G	7/16 Crown x 1 3/8 Leg	Electro Galvanized	10M	24	75
FANN17G	7/16 Crown x 1 1/2 Leg	Electro Galvanized	10M	26	75
FANN17SS	7/16 Crown x 1 1/2 Leg	Stainless Steel	10M	26	75
FANN18G	7/16 Crown x 1 5/8 Leg	Electro Galvanized	10M	28	75
FANN19G	7/16 Crown x 1 3/4 Leg	Electro Galvanized	10M	30	75
FANN19SS	7/16 Crown x 1 3/4 Leg	Stainless Steel	10M	30	75
FANN21G	7/16 Crown x 2 Leg	Electro Galvanized	10M	33	75
FANN21SS	7/16 Crown x 2 Leg	Stainless Steel	10M	33	75

O-TYPE MEDIUM CROWN 17 GAUGE STAPLES

USES	FINISH	GAUGE	TYPE
Sheathing, subflooring, decking, fencing, lathing and furring, door and window units, pallet, crate and box assembly, furniture framing	Electro Galvanized	17	Senco



SKU	SIZE	FINISH	QTY/BX	LBS	BX/ PALLET
FANO15G	7/16 Crown x 1 1/4 Leg	Electro Galvanized	10M	18	75
FANO17G	7/16 Crown x 1 1/2 Leg	Electro Galvanized	10M	24	75


P-TYPE WIDE CROWN 16 GAUGE STAPLES



STAPLES

USES	FINISHES	GAUGE	TYPE	ENGINEERED TO FIT
Cedar shake shingles, sub-floor, wall sheathing, roof decking, aluminum and steel composition, siding, lathing, bridging, component assembly, fencing	Electro Galvanized Stainless Steel	16	Senco	Metabo N3824A Senco PW Duo-Fast KWR 1748A, RS1748A Everwin SN40P, SN402P*

SKU	SIZE	FINISH	QTY/ BX	LBS	BX/ PALLET
FANP06G	1 Crown x 3/8 Leg	Electro Galvanized	10M	13	75
FANP08G	1 Crown x 1/2 Leg	Electro Galvanized	10M	15	75
FANP10G	1 Crown x 5/8 Leg	Electro Galvanized	10M	17	75
FANP10SS	1 Crown x 5/8 Leg	Stainless Steel	10M	17	75
FANP11G	1 Crown x 3/4 Leg	Electro Galvanized	10M	19	75
FANP11SS	1 Crown x 3/4 Leg	Stainless Steel	10M	19	75
FANP12G	1 Crown x 7/8 Leg	Electro Galvanized	10M	21	75
FANP12SS	1 Crown x 7/8 Leg	Stainless Steel	10M	21	75
FANP13G	1 Crown x 1 Leg	Electro Galvanized	10M	23	75
FANP13SS	1 Crown x 1 Leg	Stainless Steel	10M	23	75
FANP15G	1 Crown x 1 1/4 Leg	Electro Galvanized	10M	27	75
FANP15SS	1 Crown x 1 1/4 Leg	Stainless Steel	10M	27	75
FANP17G	1 Crown x 1 1/2 Leg	Electro Galvanized	10M	31	75
FANP17SS	1 Crown x 1 1/2 Leg	Stainless Steel	10M	31	75
FANP19G	1 Crown x 1 3/4 Leg	Electro Galvanized	10M	35	75
FANP21G	1 Crown x 2 Leg	Electro Galvanized	10M	39	75



FANP06G



FANP15G

* Please reference each tool specification for proper fit.

Q-TYPE MEDIUM CROWN 15 GAUGE STAPLES

USES	FINISHES	GAUGE	TYPE	ENGINEERED TO FIT
Framing, sheathing, subflooring, decking, lathing, door and window units, fencing, pallets, crate and box assembly, furring and furniture framing	Electro Galvanized	15	Senco	Metabo N5008AB Porter-Cable MS200, CMS200 Senco SNS40 & 45, M1, M2 Everwin SN65Q

SKU	SIZE	FINISH	QTY/BX	LBS	BX/ PALLET
FANQ17G	7/16 Crown x 1 1/2 Leg	Electro Galvanized	5M	22	75
FANQ19G	7/16 Crown x 1 3/4 Leg	Electro Galvanized	5M	22	75
FANQ21G	7/16 Crown x 2 Leg	Electro Galvanized	5M	24	75
FANQ23G	7/16 Crown x 2 1/4 Leg	Electro Galvanized	5M	28	75
FANQ25G	7/16 Crown x 2 1/2 Leg	Electro Galvanized	5M	31	75



DRIVEN TO PERFECTION

S-TYPE 14 GAUGE STAPLES


USES	FINISH	GAUGE	TYPE	ENGINEERED TO FIT
Sheathing	Electro Galvanized	14	Senco	Senco SQS55

SKU	SIZE	FINISH	QTY/BX	LBS	BX/ PALLET
FANS21G	7/16 Crown x 2 Leg	Electro Galvanized	5M	30	75



CARTON CLOSING STAPLES

USES	FINISH	TYPE	ENGINEERED TO FIT
Box closing	Electro Galvanized	A & C	Bostitch DS-3522



FANCCS34C

SKU	SIZE	FINISH	QTY/BX	LBS	BX/ PALLET
FANCCS34A	1 3/8 Crown x 3/4 Leg	Electro Galvanized Type A	10 x 2M	39	60
FANCCS34C	1 1/4 Crown x 3/4 Leg	Electro Galvanized Type C	10 x 2M	39	60
FANCCS58A	1 3/8 Crown x 5/8 Leg	Electro Galvanized Type A	10 x 2M	36	60
FANCCS58C	1 1/4 Crown x 5/8 Leg	Electro Galvanized Type C	10 x 2M	36	60

TACKERS AND PARTS

FEATURES

- Assembles and disassembles easily
- Advanced ergonomic grip for ease of use and comfort
- Tackers sold in full cases only

SKU	DESCRIPTION	LBS	CASE QTY	ENGINEERED TO FIT
FANR19	R-19 Hammer Tacker	1.5	10	A-19 1/4"
FANR11	R-11 Hammer Tacker	2.2	5	A-11
FANR11DB	R-11 Driver Blade	0	-	1/4"
FANR11MAG	R-11 Magazine Assembly	1	-	3/8"
FANR11PA	R-11 Pusher Spring Assembly	1	-	1/2"
FANR11PP	R-11 Pivot Pin	0	-	



FANR11

PNEUMATIC TOOL PARTS

SKU	DESCRIPTION	LBS
FANNR83DB	Fanaco Nail Gun NR83A Driver Blade	0
FANNR83MAG	Fanaco Nail Gun NR83A Magazine	3

NAIL ANATOMY




HEAD – Round flat metal piece formed at the top of the nail; for increased holding power.

LENGTH – Distance from the bottom of the head to the point of a nail.

SHANK – The length of the nail between the head and the point; may be smooth, or may have rings or screws for greater holding power.

POINT – Sharpened end opposite the head for ease in driving.

STAPLE ANATOMY




CROWN – Spans the width of the staple

LEG – Spans the height of the staple.


NAIL ATTRIBUTES




SMOOTH SHANK – Most common nail shank; relies on friction between the wood and the shank for holding power; effective in many, but not all, conditions.




RING SHANK – Small directional rings on the shank to prevent the nail from working back out once driven in; commonly used for flooring, sheathing, drywall and decking.




SCREW SHANK – Spiral thread on the shank causes screw shank nails to turn into wood; increases holding and withdrawal capacity in hard woods; screw shank nails can splinter soft wood.



DIAMOND POINT – Most common nail point; comprised of 4 sides and ends in a point.



BLUNT DIAMOND POINT – Dulled tip to reduce wood splitting; more difficult to work with; comprised of 4 sides and ends in a point.



CHISEL POINT – Reduces wood splitting; comprised of 2 sides; mostly used for pallet-making and manufacturing.



FANACO.COM


DON'T SEE WHAT YOU ARE LOOKING FOR?
VISIT FANACO.COM




TERMINOLOGY

NAIL SIZES

The Pennyweight system, which is still used today, was developed in medieval times and is likely based on how much nails cost. The longer the nails, the more pennies they were worth. The letter D is used to indicate "penny" because the system was developed around the Roman coin, the denarius, which means "penny" in English. The theory is that 2 denarius would have bought 100 2D nails.



GAUGE CHART





NAIL TYPES



FAN8DHGB

BOX – A wire nail with a head; box nails have a smaller shank than common nails of the same size; often used for light general interior and exterior construction, carpentry, framing and box making.



FAN8DHDGC

CASING – A wire nail with a slightly larger head than finish nails; often used for flooring and when concealment is desired.



FAN8DCOM50

COMMON – A common construction wire nail with a disk-shaped head that is typically 3 to 4 times the diameter of the shank; common nails have larger shanks than box nails of the same size; for general interior and exterior construction, carpentry and wood framing.



FAN8DDUP

DUPLEX – A common nail with a second head, allowing for easy extraction; often used for temporary work, such as concrete forms or wood scaffolding; sometimes called a “scaffold nail.”



FANDA19B

FINISH – A wire nail that has a head only slightly larger than the shank; can be easily concealed by countersinking the nail slightly below the finished surface with a nail-set and filling the resulting void with a filler such as putty, spackle or caulk; often used for light fastening of interior trim work, finish carpentry and cabinetry.



FAN134RHDGNEO

NEOPRENE WASHER – A nail with a neoprene washer to seal against moisture; often used for exposed applications such as flashing.



FAN8DVC50

SINKER – The most common nails used in framing today; same thin diameter as a box nail; cement coated; the bottom of the head is tapered like a wedge or funnel and the top of the head is grid embossed to keep the hammer strike from sliding off; often used for construction, carpentry and framing.



FAN8DCMB

CUT MASONRY – A four-sided nail with tapered shank and blunt point, designed to wedge tightly into hard materials, built to drive wood strips into concrete, brick or cinder blocks.



FANACO.COM

FANACO OFFERS

- NATIONWIDE DISTRIBUTION
- OUT-OF-WAREHOUSE ORDERS
- DIRECT CONTAINER ORDERS
- MIXED PALLET ORDERS
- BLIND DROP SHIP ORDERS
- JOBSITE DELIVERIES
- NO MINIMUMS
- FREE SHIPPING ON QUALIFIED ORDERS

TERMINOLOGY

FINISHES

BRIGHT – Uncoated steel finish for use where corrosion resistance is not required. No surface coating; not recommended for weather exposure or acidic or treated lumber.

VINYL COATED – Vinyl coatings serve two purposes: first, the vinyl makes the nail easier to drive by reducing friction. Second, the friction generates enough heat to melt the vinyl when driven. After cooling, the vinyl is adhered to the nail and the wood which makes it harder to remove. The vinyl coating is usually green or yellow.

ELECTRO-GALVANIZED – Electro-Galvanized metals are designed to withstand weather conditions where non-coated metals would fail due to moisture exposure. Electro-Galvanization is a process in which ions of electricity excite the particles of zinc and attract them to the metal in a dense and complete coating, giving it the resistance needed to withstand average weathering at coating specs: 20-25MU (MU metric gauge for chromation) which complies with ASTM A641 Class 1. This coating weight has been tested to withstand 24 hours of salt spray testing. Limited resistance to rust.

HARDENED – Includes heat treated and/or high carbon steel.

HOT DIPPED GALVANIZED – Used to ensure greater resistance to corrosion and rust over a much longer period than any other form of coating. Galvanized nails should be used where moisture may cause deterioration of the fastener. In addition, galvanized nails are recommended for pressure-treated wood because copper is part of the treatment; due to galvanic action, the copper would corrode metal nails without the zinc coating.

During galvanizing, molten zinc reacts with the surface of the base material to form a series of zinc/iron alloys that provide an inner layer of protection against corrosion. Hot Dipped galvanizing is a process in which metal is immersed into molten zinc to form a protective layer which completely covers the steel surface and seals it metallurgically to protect from the corrosive actions of its environment.

Fanaco Fasteners Hot Dipped Galvanized nails meet or exceed ASTM A-153 Class D.

STAINLESS STEEL – Provides the highest corrosion resistance. Composed of stainless steel for extreme environmental conditions. Fanaco Fasteners nails are available in stainless steel types 304 and 316. Stainless steel products are Grade 304 unless catalog description denotes Grade 316.

Fanaco Fasteners Stainless Steel nails meet or exceed ASTM A-153 Class D.

ABBREVIATIONS

VC = Vinyl Coated

EG = Electro Galvanized

HDG/HDC = Hot Dipped Galvanized

SS = Stainless Steel (Grade 304)

SS316 = Stainless Steel Grade 316

SC = Screw Shank

HDCSC/HDGSC = Hot Dipped Galvanized Screw Shank

R = Ring Shank

REG = Ring Shank Electro Galvanized

RHDG/RHDC = Ring Shank Hot Dipped Galvanized

RSS = Ring Shank Stainless Steel (Grade 304)

RSS316 = Ring Shank Stainless Steel Grade 316



Fanaco® Framing nails, all finishes, meet or exceed ASTM F1667, standard specification for driven fasteners.

Fanaco® Electro Galvanized nails meet or exceed ASTM A641 Class 1.

Fanaco® Hot Dipped Galvanized nails meet or exceed ASTM A153 Class D.

**SCAN TO VIEW ICC-ES
EVALUATION REPORT**




ICC ESR-1216

NATIONWIDE WAREHOUSE DISTRIBUTION

We are committed to company owned and operated distribution centers.



EVERETT, WA



HUNTSVILLE, AL





PHONE

888.622.9319
425.806.7337



HEADQUARTERS

10600 231st Way NE
Redmond, WA 98053



EMAIL

cs@fanaco.com

WWW.FANACO.COM