

FANACO® FASTENERS





For more than 30 years, Fanaco has dedicated itself to providing the most comprehensive line of fastening products offered in the industry. We meet and exceed our customer's needs with a knowledgeable and responsive sales team, same day shipping, and a sincere interest in fostering long-term relationships. Our mission is to provide the best service in the industry whether you are a family owned retailer or nationwide company. We strive to create partnerships, growing together toward a common goal. Our loyal and satisfied customers are the best way to spread our message. The Fanaco team is the core of our culture of excellence, making each day exciting, challenging, and a joy.

I want to thank you for your continued business.

Jacob Davis

President and CEO



ICC ESR-1216, L.A.R.R. 25626

Our Hot Dipped Galvanized and Stainless Steel Fasteners meet or exceed ASTM A-153 Class D requirements for all treated lumber.

TABLE OF CONTENTS




COLLATED NAILS	2-10
21° Plastic Collated Nails	2
34° Paper Collated Clipped Head Nails	4
34° Paper Collated Offset Round Head Nails	4
34° Paper Collated Positive Placement Nails	5
15° Wire Collated Coil Framing Nails	6
15° Wire Collated Coil Pallet Nails	7
15° Wire Collated Coil Siding / Fencing Nails	8
15° Wire Collated Coil Roofing Nails	9
15° Plastic Sheet Collated Coil Siding / Fencing Nails	10
0° Plastic Sheet Collated Coil Siding / Fencing Nails	10
BRADS AND DA NAILS	11-12
15 Gauge Angle Finish Nails	11
16 Gauge Collated Flooring Cleats	11
16 Gauge Brad Nails	12
18 Gauge Brad Nails	12
BULK NAILS	13-19
Bulk Teco Nails	13
Bulk Sinker Nails	13
Bulk Common Nails	13
Bulk Casing Nails	14
Bulk Duplex Nails	14
Bulk Pallet Nails	15
Bulk Box Nails	15
Bulk Cut Masonry Nails	16
Bulk Siding / Fencing Nails	16
Bulk Cedar Shake Nails	16
Bulk Roofing Nails	17
Bulk Square / Round Capped Roof Nails	18
Bulk Plastic Capped Roof Nails	19
Bulk Neoprene Washer Nails	19
STAPLES	20-25
Fine Wire 20 Gauge Tacker Staples	20
BCS-Type Staples	20
GS-Type Medium Crown 16 Gauge Staples	21
GSW-Type Wide Crown 16 Gauge Staples	21
GS-Type Medium Crown 14 Gauge Staples	22
GSW-Type Wide Crown 14 Gauge Staples	22
Carton Closing Staples	22
C-Type 22 Gauge Staples	22
L-Type Narrow Crown 18 Gauge Staples	23
M-Type Fine Wire 18 Gauge Staples	23
N-Type Medium Crown 16 Gauge Staples	24
P-Type Wide Crown 16 Gauge Staples	24
S-Type 14 Gauge Staples	25
Q-Type Medium Crown 15 Gauge Staples	25
TOOLS AND PARTS	25
Pneumatic Tools and Parts	25
Tackers and Parts	25
TERMINOLOGY	26-29
CREDIT APPLICATION	30-32



21° PLASTIC COLLATED NAILS



FAN212131R



USES: Framing, decking, wall sheathing, fencing, siding

HEAD: Flat head, large head

SHANKS: Smooth, Ring, Screw

FINISHES:
Vinyl Coated,
Electro Galvanized,
Hot Dipped Galvanized,
Stainless Steel,
Stainless Steel 316

TYPE: Hitachi

ENGINEERED TO FIT:

- Fanaco FANNR83A
- Hitachi NR83A, NR90AC
- Senco 600FRH, 650 FRH, 700XL, 750XL
- Bostitch RHN90, RHN95
- Duo-Fast CN137, CN350
- Porter-Cable FR350

PRODUCT CODE	DESCRIPTION	QTY/BX	LBS	BX/PALLET
FAN112148	1 ½ x .148 Vinyl Coated (Teco)	6M	47	48
FAN112148EG	1 ½ x .148 Electro Galvanized (Teco)	6M	47	48
FAN112148HDC	1 ½ x .148 Hot Dipped Galvanized	6M	48	48
FAN2113EG	2 x .113 Electro Galvanized	6M	38	48
FAN2113R	2 x .113 Ring Vinyl Coated	6M	38	48
FAN2113REG	2 x .113 Ring Electro Galvanized	6M	38	48
FAN2113RHDC	2 x .113 Ring Hot Dipped Galvanized	6M	39	48
FAN2113RHDC5M	2 x .113 Ring Hot Dipped Galvanized	5M	31	48
FAN2113RHDC2M	2 x .113 Ring Hot Dipped Galvanized	2M	13	48
FAN218148	2 ⅝ x .148 Vinyl Coated	4M	44	48
FAN218148HDG	2 ⅝ x .148 Hot Dipped Galvanized	4M	47	48
FAN214120HTHDG	2 ¼ x .120 Hot Dipped Galvanized Hardened	2M	23	48
FAN214148	2 ¼ x .148 Vinyl Coated	4M	46	48
FAN214148EG	2 ¼ x .148 Electro Galvanized	4M	46	48
FAN214148HDC	2 ¼ x .148 Hot Dipped Galvanized	4M	48	48
FAN214148SC	2 ¼ x .148 Screw Vinyl Coated	4M	46	48
FAN212113HDCC	2 ½ x .113 Hot Dipped Galvanized Casing	2 x 2.5M	41	48
FAN212113HDCCSC	2 ½ x .113 Screw Hot Dipped Galvanized Casing	2 x 2.5M	41	48
FAN212120LHEG	2 ½ x .120 Electro Galvanized Large Head	4M	36	48
FAN212120LHHD	2 ½ x .120 Hot Dipped Galvanized Large Head	4M	36	48
FAN212131	2 ½ x .131 Vinyl Coated	5M	50	48
FAN2121314M	2 ½ x .131 Vinyl Coated	4M	40	48
FAN212131EG	2 ½ x .131 Electro Galvanized	5M	50	48
FAN212131HDC	2 ½ x .131 Hot Dipped Galvanized	5M	52	48
FAN212131R	2 ½ x .131 Ring Vinyl Coated	5M	50	48
FAN212131REG	2 ½ x .131 Ring Electro Galvanized	5M	50	48
FAN212131RHDC	2 ½ x .131 Ring Hot Dipped Galvanized	5M	50	48
FAN212131SC	2 ½ x .131 Screw Vinyl Coated	5M	50	48
FAN212148	2 ½ x .148 Vinyl Coated	4M	50	48
FAN212148HDC	2 ½ x .148 Hot Dipped Galvanized	4M	50	48
FAN212148R	2 ½ x .148 Ring Vinyl Coated	4M	52	48
FAN212148RHDC	2 ½ x .148 Ring Hot Dipped Galvanized	4M	52	48
FAN212162	2 ½ x .162 Vinyl Coated	3M	46	48
FAN238113	2 ¾ x .113 Vinyl Coated	5M	38	48
FAN238113EG	2 ¾ x .113 Electro Galvanized	5M	38	48
FAN238113HDC	2 ¾ x .113 Hot Dipped Galvanized	5M	38	48
FAN238113R	2 ¾ x .113 Ring Vinyl Coated	5M	38	48
FAN238113REG	2 ¾ x .113 Ring Electro Galvanized	5M	38	48
FAN238113RHDC	2 ¾ x .113 Ring Hot Dipped Galvanized	5M	40	48
FAN238113RSS	2 ¾ x .113 Ring Stainless Steel	4 x 1M	30	48
FAN238113RSS316	2 ¾ x .113 Ring Stainless Steel 316	4 x 1M	30	48
FAN238113SC	2 ¾ x .113 Screw Vinyl Coated	5M	38	48
FAN238120	2 ¾ x .120 Vinyl Coated	5M	40	48
FAN238120EG	2 ¾ x .120 Electro Galvanized	5M	40	48
FAN238120HDC	2 ¾ x .120 Hot Dipped Galvanized	5M	42	48
FAN238120R	2 ¾ x .120 Ring Vinyl Coated	5M	40	48
FAN238120REG	2 ¾ x .120 Ring Electro Galvanized	5M	40	48
FAN238120RHDC	2 ¾ x .120 Ring Hot Dipped Galvanized	5M	42	48
FAN238120SC	2 ¾ x .120 Screw Vinyl Coated	5M	40	48
FAN238120SSC	2 ¾ x .120 Screw Stainless Steel	5M	42	48



21° PLASTIC COLLATED NAILS CONTINUED

PRODUCT CODE	DESCRIPTION	QTY	LBS	PALLET
FAN238148	2 3/8 x .148 Vinyl Coated	4M	48	48
FAN238148HDC	2 3/8 x .148 Hot Dipped Galvanized	4M	48	48
FAN238148R	2 3/8 x .148 Ring Vinyl Coated	4M	48	48
FAN238148SC	2 3/8 x .148 Screw Vinyl Coated	4M	48	48
FAN3120	3 x .120 Vinyl Coated	4M	40	48
FAN3120EG	3 x .120 Electro Galvanized	4M	40	48
FAN3120HDC	3 x .120 Hot Dipped Galvanized	4M	40	48
FAN3120SS	3 x .120 Stainless Steel	4M	41	48
FAN3120RHDG	3 x .120 Ring Hot Dipped Galvanized	4M	40	48
FAN3120RSS	3 x .120 Ring Stainless Steel	4 x 1M	40	48
FAN3120RSS316	3 x .120 Ring Stainless Steel 316	4 x 1M	40	48
FAN3120SC	3 x .120 Screw Vinyl Coated	4M	40	48
FAN3120HDCSC	3 x .120 Screw Hot Dipped Galvanized	4M	40	48
FAN3120SSSC	3 x .120 Screw Stainless Steel	4M	41	48
FAN3131	3 x .131 Vinyl Coated	4M	47	48
FAN3131EG	3 x .131 Electro Galvanized	4M	47	48
FAN3131HDC	3 x .131 Hot Dipped Galvanized	4M	48	48
FAN3131HDC2M	3 x .131 Hot Dipped Galvanized	2M	24	48
FAN3131R	3 x .131 Ring Vinyl Coated	4M	47	48
FAN3131REG	3 x .131 Ring Electro Galvanized	4M	47	48
FAN3131RHDG	3 x .131 Ring Hot Dipped Galvanized	4M	48	48
FAN3131SC	3 x .131 Screw Vinyl Coated	4M	47	48
FAN3131HDGSC	3 x .131 Screw Hot Dipped Galvanized	4M	48	48
FAN3131SSSC	3 x .131 Screw Stainless Steel	4M	48	48
FAN3148	3 x .148 Vinyl Coated	4M	60	48
FAN3148HDC	3 x .148 Hot Dipped Galvanized	4M	61	48
FAN314120RSS	3 1/4 x .120 Ring Stainless Steel	4 x 1M	45	48
FAN314120RSS316	3 1/4 x .120 Ring Stainless Steel 316	4 x 1M	45	48
FAN314120HDCSC	3 1/4 x .120 Screw Hot Dipped Galvanized	2M	44	48
FAN314120HDCSCSC	3 1/4 x .120 Screw Hot Dipped Galvanized Casing	2M	44	48
FAN314131	3 1/4 x .131 Vinyl Coated	4M	50	48
FAN314131EG	3 1/4 x .131 Electro Galvanized	4M	50	48
FAN314131HDC	3 1/4 x .131 Hot Dipped Galvanized	4M	52	48
FAN314131REG	3 1/4 x .131 Ring Electro Galvanized	4M	50	48
FAN314131HDCSC	3 1/4 x .131 Screw Hot Dipped Galvanized	4M	52	48
FAN3141483M	3 1/4 x .148 Vinyl Coated	3M	49	48
FAN314148HDC3M	3 1/4 x .148 Hot Dipped Galvanized	3M	50	48
FAN314148SC3M	3 1/4 x .148 Screw Vinyl Coated	3M	49	48
FAN312131	3 1/2 x .131 Vinyl Coated	4M	56	48
FAN312131EG	3 1/2 x .131 Electro Galvanized	4M	56	48
FAN312131HDC	3 1/2 x .131 Hot Dipped Galvanized	4M	57	48
FAN312131HDCSC	3 1/2 x .131 Screw Hot Dipped Galvanized	4M	57	48
FAN312135	3 1/2 x .135 Vinyl Coated	4M	58	48
FAN312162	3 1/2 x .162 Vinyl Coated	3M	61	48
FAN312162HDC	3 1/2 x .162 Hot Dipped Galvanized	3M	63	48
FAN4135HDSC	4 x .135 Screw Hot Dipped Galvanized	2M	35	48
FAN412148	4 1/2 x .148 Vinyl Coated	1.2M	28	48
FAN412148HDC	4 1/2 x .148 Hot Dipped Galvanized	1.2M	28	48
FAN518165	5 1/8 x .165 Vinyl Coated	1.2M	38	48
FAN518165HDC	5 1/8 x .165 Hot Dipped Galvanized	1.2M	38	48



FAN3131



FAN314131HDCSC



34° PAPER COLLATED CLIPPED HEAD NAILS

USES: Framing, decking, wall sheathing, fencing, siding

HEAD: Clipped head


SHANKS: Smooth, Ring

FINISHES: Vinyl Coated, Electro Galvanized, Hot Dipped Galvanized

TYPE: Paslode

ENGINEERED TO FIT:

- Hitachi NR83AA3, NR83AA4, NR90AD(S)
- Senco 600D, SN70, 700XL, 750XL
- Paslode F-3505 IMCT
- Makita AN943



FANCL3131

PRODUCT CODE	DESCRIPTION		QTY/BX	LBS	BX/PALLET
FANCL2113	2 x .113	Vinyl Coated	5M	30	90
FANCL2113R	2 x .113	Ring Vinyl Coated	5M	30	90
FANCL2113RHDC	2 x .113	Ring Hot Dipped Galvanized	2M	12	90
FANCL238113	2 3/8 x .113	Vinyl Coated	5M	35	75
FANCL238113EG	2 3/8 x .113	Electro Galvanized	5M	35	75
FANCL238113R	2 3/8 x .113	Ring Vinyl Coated	5M	35	75
FANCL238113REG	2 3/8 x .113	Ring Electro Galvanized	5M	35	75
FANCL238113RHDC	2 3/8 x .113	Ring Hot Dipped Galvanized	2M	15	90
FANCL238120R	2 3/8 x .120	Ring Vinyl Coated	5M	35	75
FANCL234120R	2 3/4 x .120	Ring Vinyl Coated	3M	28	90
FANCL3120	3 x .120	Vinyl Coated	3M	29	90
FANCL312025	3 x .120	Vinyl Coated	2.5M	25	90
FANCL3120RHDC	3 x .120	Ring Hot Dipped Galvanized	2M	20	90
FANCL3131	3 x .131	Vinyl Coated	2.5M	29	90
FANCL3131-28DEG	3 x .131	Vinyl Coated 28 Degree	2.5M	29	90
FANCL3131EG	3 x .131	Electro Galvanized	2.5M	29	90
FANCL3131HDC	3 x .131	Hot Dipped Galvanized	2.5M	30	90
FANCL314120	3 1/4 x .120	Vinyl Coated	3M	32	90
FANCL314120RHDC	3 1/4 x .120	Ring Hot Dipped Galvanized	2M	22	90
FANCL314131	3 1/4 x .131	Vinyl Coated	2.5M	31	90
FANCL314131EG	3 1/4 x .131	Electro Galvanized	2.5M	31	90
FANCL314131HDC	3 1/4 x .131	Hot Dipped Galvanized	2.5M	31	90
FANCL312131	3 1/2 x .131	Vinyl Coated	2.5M	33	90

34° PAPER COLLATED OFFSET ROUND HEAD NAILS

USES: Framing, decking, wall sheathing, fencing, siding


HEAD: Offset round flat head

SHANKS: Smooth, Ring

FINISHES: Vinyl Coated, Hot Dipped Galvanized, Stainless Steel 316


ENGINEERED TO FIT:

- Hitachi NR83AA3, NR83AA4, NR90AD(S)
- Senco 600D, SN70, 700XL, 750XL
- Paslode F-3505 IMCT
- Makita AN943



FANRD3131

PRODUCT CODE	DESCRIPTION		QTY/BX	LBS	BX/PALLET
FANRD2113RSS316	2 x .113	Ring Stainless Steel 316	2 x 1M	20	90
FANRD238113R	2 3/8 x .113	Ring Vinyl Coated	5M	35	75
FANRD238113RHD	2 3/8 x .113	Ring Hot Dipped Galvanized	2.5M	18	90
FANRD238113RSS316	2 3/8 x .113	Ring Stainless Steel 316	2 x 1M	20	90
FANRD3120RHDC	3 x .120	Ring Hot Dipped Galvanized	2.5M	25	90
FANRD3120RSS316	3 x .120	Ring Stainless Steel 316	2 x 1M	23	90
FANRD3131	3 x .131	Vinyl Coated	2.5M	29	90
FANRD314120RSS316	3 1/4 x .120	Stainless Steel 316	2 x 1M	22	90
FANRD314131	3 1/4 x .131	Vinyl Coated	2.5M	31	90
FANRD314131HD	3 1/4 x .131	Hot Dipped Galvanized	2.5M	32	90



34° PAPER COLLATED POSITIVE PLACEMENT NAILS

USE: Affixing joist hangers

HEAD: Flat head

SHANK: Smooth

FINISHES: Vinyl Coated, Electro Galvanized, Hot Dipped Galvanized, Stainless Steel 316

STEEL: Hardened

ENGINEERED TO FIT:

- Bostitch MCN150, MCN250
- Hitachi NR65AK
- Paslode F250S

PRODUCT CODE	DESCRIPTION	QTY/BX	LBS	BX/PALLET
FAN34112131HTVC4M	1 1/2 x .131 Vinyl Coated Hardened Strap Nail	4M	25	90
FAN34112131HTVC3M	1 1/2 x .131 Vinyl Coated Hardened Strap Nail	3M	19	90
FAN34112131HTEG4M	1 1/2 x .131 Electro Galvanized Hardened Strap Nail	4M	25	90
FAN34112131HTEG3M	1 1/2 x .131 Electro Galvanized Hardened Strap Nail	3M	19	90
FAN34112131HTHD3M	1 1/2 x .131 Hot Dipped Galvanized Hardened Strap Nail	3M	19	90
FAN34112148HTVC4M	1 1/2 x .148 Vinyl Coated Hardened Strap Nail	4M	30	90
FAN34112148HTVC3M	1 1/2 x .148 Vinyl Coated Hardened Strap Nail	3M	23	90
FAN34112148HTVC2M	1 1/2 x .148 Vinyl Coated Hardened Strap Nail	2M	16	90
FAN34112148HTVCPS	1 1/2 x .148 Vinyl Coated Hardened Strap Nail Plastic Collated	3M	24	90
FAN34112148HTEG3M	1 1/2 x .148 Electro Galvanized Hardened Strap Nail	3M	23	90
FAN34112148HTEG2M	1 1/2 x .148 Electro Galvanized Hardened Strap Nail	2M	16	90
FAN34112148HTHD3M	1 1/2 x .148 Hot Dipped Galvanized Hardened Strap Nail	3M	24	90
FAN34112148HTHD2M	1 1/2 x .148 Hot Dipped Galvanized Hardened Strap Nail	2M	16	90
FAN34112148HTSS316	1 1/2 x .148 Stainless Steel 316 Hardened Strap Nail	2 x 1M	16	90
FAN34212131HTEG	2 1/2 x .131 Electro Galvanized Hardened Strap Nail	2M	20	90
FAN34212131HTHD	2 1/2 x .131 Hot Dipped Galvanized Hardened Strap Nail	2M	20	90
FAN34212148HTVC	2 1/2 x .148 Vinyl Coated Hardened Strap Nail	2M	25	90
FAN34212148HTEG	2 1/2 x .148 Electro Galvanized Hardened Strap Nail	2M	26	90
FAN34212148HTHD	2 1/2 x .148 Hot Dipped Galvanized Hardened Strap Nail	2M	26	90
FAN34212162HTVC	2 1/2 x .162 Vinyl Coated Hardened Strap Nail	2M	30	90
FAN34212162HTEG	2 1/2 x .162 Electro Galvanized Hardened Strap Nail	2M	30	90
FAN34212162HTHD	2 1/2 x .162 Hot Dipped Galvanized Hardened Strap Nail	2M	31	90



FAN34112148HTEG



FAN34212162HTVC

DON'T SEE WHAT YOU'RE LOOKING FOR? ASK US



1.888.622.9319



fanacofasteners.com




cs@fanaco.com



15° WIRE COLLATED COIL FRAMING NAILS



FANC212131



USES: Framing, decking, wall sheathing, fencing, siding

HEAD: Flat head

SHANKS: Smooth, Ring, Screw

FINISHES: Bright, Electro Galvanized, Hot Dipped Galvanized, Stainless Steel, Stainless Steel 316

POINTS: Diamond point, blunt diamond point

ENGINEERED TO FIT:

- Hitachi NV65AC, NV65AE, NV83AC
- Senco SCN65
- Bostitch N70C, N80C, N86C
- Max CN70, CN75, CN80, CN710

PRODUCT CODE	DESCRIPTION	QTY/BX	LBS	BX/PALLET
FANC114083REG16	1 ¼ x .083 Ring Electro Galvanized	16M	32	42
FANC114086R	1 ¼ x .086 Ring Vinyl Coated	10.5M	26	42
FANC114086SCBDP	1 ¼ x .086 Screw Vinyl Coated Blunt Diamond Point	10.5M	26	42
FANC112083REG16	1 ½ x .083 Ring Electro Galvanized	16M	38	42
FANC112083RHDG3MHI-LOAD	1 ½ x .083 Ring Hot Dipped Galvanized Hi-Load	4 x 3M	32	35
FANC112086R	1 ½ x .086 Ring Vinyl Coated	10.5M	30	35
FANC112086RSS16MHI-LOAD	1 ½ x .086 Ring Stainless Steel Hi-Load	16M	30	35
FANC112086SCBDP	1 ½ x .086 Screw Vinyl Coated Blunt Diamond Point	10.5M	30	35
FANC112113HT45	1 ½ x .113 Vinyl Coated Heat Treated	4.5M	21	49
FANC134083REG9	1 ¾ x .083 Ring Electro Galvanized	9M	25	42
FANC134086REG	1 ¾ x .086 Ring Electro Galvanized	10.5M	32	42
FANC134086SCBDPHI-LOAD	1 ¾ x .086 Screw Bright Blunt Diamond Point Hi-Load	3 x 3M	28	42
FANC134086SCBDP14M	1 ¾ x .086 Screw Bright Blunt Diamond Point	14M	44	42
FANC134113RHDG3M	1 ¾ x .113 Ring Hot Dipped Galvanized	3M	15	84
FANC2099RHDG	2 x .099 Ring Hot Dipped Galvanized	9M	41	35
FANC2099RHDG45	2 x .099 Ring Hot Dipped Galvanized	4.5M	21	35
FANC2099RSS316	2 x .099 Ring Stainless Steel 316	3.6M	16	35
FANC238113	2 ⅝ x .113 Vinyl Coated	5M	36	35
FANC238113EG	2 ⅝ x .113 Electro Galvanized	5M	36	35
FANC238113R	2 ⅝ x .113 Ring Vinyl Coated	5M	31	35
FANC238113R45	2 ⅝ x .113 Ring Vinyl Coated	4.5M	33	35
FANC238113R4M	2 ⅝ x .113 Ring Vinyl Coated	4M	25	35
FANC238113REG	2 ⅝ x .113 Ring Electro Galvanized	5M	35	35
FANC238113REG45	2 ⅝ x .113 Ring Electro Galvanized	4.5M	33	35
FANC238113RHDG5M	2 ⅝ x .113 Ring Hot Dipped Galvanized	5M	36	35
FANC238113RHDG	2 ⅝ x .113 Ring Hot Dipped Galvanized	4.5M	32	42
FANC238113RHDG4M	2 ⅝ x .113 Ring Hot Dipped Galvanized	4M	29	42
FANC238113RHDG27	2 ⅝ x .113 Ring Hot Dipped Galvanized	2.7M	19	56
FANC238113RSS	2 ⅝ x .113 Ring Stainless Steel	3.6M	26	35
FANC238113HDSGSC	2 ⅝ x .113 Screw Hot Dipped Galvanized	5M	38	35
FANC212131	2 ½ x .131 Vinyl Coated	4.5M	43	35
FANC212131HDC	2 ½ x .131 Hot Dipped Galvanized	4.5M	43	35
FANC212131R	2 ½ x .131 Ring Vinyl Coated	4.5M	43	35
FANC212131REG	2 ½ x .131 Ring Electro Galvanized	4.5M	43	35
FANC212131RSS	2 ½ x .131 Ring Stainless Steel	6M	40	35
FANC212131SC	2 ½ x .131 Screw Vinyl Coated	4.5M	43	35
FANC212148	2 ½ x .148 Vinyl Coated	4.5M	55	35
FANC212148HDC	2 ½ x .148 Hot Dipped Galvanized	4.5M	55	35




15° WIRE COLLATED COIL FRAMING NAILS CONTINUED

PRODUCT CODE	DESCRIPTION	QTY/BX	LBS	BX/PALLET
FANC3120	3 x .120 Vinyl Coated	4.5M	46	35
FANC31204M	3 x .120 Vinyl Coated	4M	39	42
FANC3120R25	3 x .120 Ring Vinyl Coated	2.5M	26	35
FANC3120R	3 x .120 Ring Vinyl Coated	4.5M	46	35
FANC3120REG	3 x .120 Ring Electro Galvanized	4.5M	44	35
FANC3120RHDG45	3 x .120 Ring Hot Dipped Galvanized	4.5M	44	35
FANC3120RHDG	3 x .120 Ring Hot Dipped Galvanized	4M	42	35
FANC3120RSS	3 x .120 Ring Stainless Steel	3.6M	37	35
FANC3120SC4M	3 x .120 Screw Bright	4M	39	35
FANC3120SC25	3 x .120 Screw Bright	2.5M	26	42
FANC3120HDGSC	3 x .120 Screw Hot Dipped Galvanized	2.4M	26	35
FANC3131	3 x .131 Vinyl Coated	4.5M	53	35
FANC313125	3 x .131 Vinyl Coated	2.5M	30	35
FANC3131EG	3 x .131 Electro Galvanized	4.5M	53	35
FANC314120RSS	3 ¼ x .120 Ring Stainless Steel	3.6M	39	35
FANC314131	3 ¼ x .131 Vinyl Coated	4.5M	56	35
FANC3148	3 x .148 Vinyl Coated	4M	40	35
FANC5148	5 x .148 Vinyl Coated	1.8M	40	35



FANC3120RHDG



15° WIRE COLLATED COIL PALLET NAILS

USES: Pallets, crating, packaging

HEAD: Flat head

SHANKS: Ring, Screw

FINISHES: Bright, Electro Galvanized

POINTS: Diamond point, blunt diamond point, chisel point

ENGINEERED TO FIT:

- Hitachi NV65AC, NV65AE, NV85AC
- Senco SCN65
- Bostitch N70C, N80C, N86C
- Max CN70, CN75, CN80, CN710

PRODUCT CODE	DESCRIPTION	QTY/BX	LBS	BX/PALLET
FANCP114083R	1 ¼ x .083 Ring Bright	14M	31	42
FANCP112090RHDGHI-LOAD	1 ½ x .090 Ring Hot Dipped Galvanized Hi-Load	4 x 3M	35	42
FANCP112099SC	1 ½ x .099 Screw Bright	4.5M	30	42
FANCP134083R	1 ¾ x .083 Ring Bright	14M	41	42
FANCP134086SCBDP	1 ¾ x .086 Screw Bright Blunt Diamond Point	14M	33	42
FANCP134086SCBDPHI-LOAD	1 ¾ x .086 Screw Bright Blunt Diamond Point Hi-Load	3 x 3M	33	42
FANCP134099SCBDP	1 ¾ x .099 Screw Vinyl Coated Blunt Diamond Point	9M	37	42
FANCP2086SCBDP	2 x .086 Screw Bright Blunt Diamond Point	10.5M	41	42
FANCP2099SC	2 x .099 Screw Bright Blunt Diamond Point	9M	42	42
FANCP2099SCBCPHI-LOAD	2 x .099 Screw Bright Blunt Chisel Point Hi-Load	3 x 3M	41	42
FANCP214099REG	2 ¼ x .099 Ring Electro Galvanized	9M	47	42
FANCP214099SC	2 ¼ x .099 Screw Bright Blunt Diamond Point	9M	47	42
FANCP212099SC	2 ½ x .099 Screw Bright	9M	53	42
FANCP212113SC	2 ½ x .113 Screw Bright	4.5M	30	42
FANCP234113SC	2 ¾ x .113 Screw Bright Chisel Point	5M	47	42
FANCP3120SC	3 x .120 Screw Bright Blunt Diamond Point	4.5M	47	42
FANCP314120SCDP	3 ¼ x .120 Screw Bright Diamond Point	4.5M	50	42
FANCP4120SC	4 x .120 Screw Bright	4.5M	55	42




FANCP214099SC



15° WIRE COLLATED COIL SIDING / FENCING NAILS



FANAC7DEG



USES: Siding, pallet and crating, light duty framing, fencing, cedar shake

HEAD: Flat head

SHANKS: Smooth, Ring, Screw

FINISHES: Bright, Electro Galvanized, Hot Dipped Galvanized, Stainless Steel

POINTS: Diamond point, blunt diamond point

ENGINEERED TO FIT:


- Hitachi NV65AH, NV75AG
- Senco SCN45, SCN56, SCN49
- Bostitch N50C, N55C, N64C, N65P
- Duo-Fast DRN53
- Porter-Cable RN183

PRODUCT CODE	DESCRIPTION	QTY/BX	LBS	BX/PALLET
FANAC3DRHDG16DEGREE	1 ¼ x .082 Ring Hot Dipped Galvanized 16 Degree	14M	31	35
FANAC3DRHDG36	1 ¼ x .092 Ring Hot Dipped Galvanized	3.6M	10	84
FANAC3DRSS36	1 ¼ x .092 Ring Stainless Steel	3.6M	10	84
FANAC4DREG9HI-LOAD	1 ½ x .092 Ring Electro Galvanized Hi-Load	9M	28	36
FANAC4DRHDG36	1 ½ x .092 Ring Hot Dipped Galvanized	3.6M	12	84
FANAC4DRSS36	1 ½ x .092 Ring Stainless Steel	3.6M	11	84
FANAC4DRSS9HI-LOAD	1 ½ x .092 Ring Stainless Steel Hi-Load	3 x 3M	28	36
FANAC5DREG9	1 ¾ x .092 Ring Electro Galvanized	9M	31	42
FANAC5DREG36	1 ¾ x .092 Ring Electro Galvanized	3.6M	13	84
FANAC5DRHDG36	1 ¾ x .092 Ring Hot Dipped Galvanized	3.6M	13	84
FANAC5DRSS36	1 ¾ x .092 Ring Stainless Steel	3.6M	13	84
FANAC6DEG9	2 x .092 Electro Galvanized	9M	38	42
FANAC6DEG36	2 x .092 Electro Galvanized	3.6M	15	84
FANAC6DHDG36	2 x .092 Hot Dipped Galvanized	3.6M	15	84
FANAC6DR9	2 x .092 Ring Bright	9M	36	42
FANAC6DREG9	2 x .092 Ring Electro Galvanized	9M	34	42
FANAC6DREG36	2 x .092 Ring Electro Galvanized	3.6M	14	84
FANAC6DRHDG9	2 x .092 Ring Hot Dipped Galvanized	9M	34	42
FANAC6DRHDG36	2 x .092 Ring Hot Dipped Galvanized	3.6M	14	84
FANAC6DRSS36	2 x .092 Ring Stainless Steel	3.6M	14	84
FANAC6DSCBDP9	2 x .092 Screw Bright Blunt Diamond Point 6.8MM Pitch	9M	36	42
FANAC238099RHDG36	2 ¾ x .099 Ring Hot Dipped Galvanized	3.6M	16	84
FANAC7DEG36	2 ¾ x .092 Electro Galvanized	6M	16	84
FANAC7DHDG36	2 ¾ x .092 Hot Dipped Galvanized	3.6M	16	84
FANAC7DREG36	2 ¾ x .092 Ring Electro Galvanized	3.6M	16	84
FANAC7DRHDG36	2 ¾ x .092 Ring Hot Dipped Galvanized	3.6M	17	84
FANAC7DRSS36	2 ¾ x .092 Ring Stainless Steel	3.6M	16	84
FANAC214092EG9	2 ¼ x .092 Electro Galvanized	9M	39	35
FANAC214092REG9	2 ¼ x .092 Ring Electro Galvanized	9M	38	35
FANAC214092RHDG36	2 ¼ x .092 Ring Hot Dipped Galvanized	3.6M	16	84
FANAC214092RSS36	2 ¼ x .092 Ring Stainless Steel	3.6M	16	84
FANAC8DEG36	2 ½ x .092 Electro Galvanized	3.6M	18	84
FANAC8DHDG36	2 ½ x .092 Hot Dipped Galvanized	3.6M	19	84
FANAC8DREG36	2 ½ x .092 Ring Electro Galvanized	3.6M	18	84
FANAC8DRHDG36	2 ½ x .092 Ring Hot Dipped Galvanized	3.6M	19	84
FANAC8DRSS36	2 ½ x .092 Ring Stainless Steel	3.6M	18	84




15° WIRE COLLATED COIL ROOFING NAILS

PRODUCT CODE	DESCRIPTION		QTY/BX	LBS	BX/PALLET
FANCR034	3/4 x .120	Electro Galvanized	7.2M	23	56
FANCR034HDG	3/4 x .120	Hot Dipped Galvanized	7.2M	23	56
FANCR034SS	3/4 x .120	Stainless Steel	7.2M	22	56
FANCR034RHDG	3/4 x .120	Ring Hot Dipped Galvanized	7.2M	24	56
FANCR034RSS	3/4 x .120	Ring Stainless Steel	7.2M	23	56
FANCR1D	7/8 x .120	Electro Galvanized	7.2M	24	56
FANCR1DHDG	7/8 x .120	Hot Dipped Galvanized	7.2M	24	56
FANCR1DSS	7/8 x .120	Stainless Steel	7.2M	24	56
FANCR1DRHDG	7/8 x .120	Ring Hot Dipped Galvanized	7.2M	24	56
FANCR1DRSS	7/8 x .120	Ring Stainless Steel	7.2M	24	56
FANCR2D	1 x .120	Electro Galvanized	7.2M	25	56
FANCR2DHDG	1 x .120	Hot Dipped Galvanized	7.2M	28	56
FANCR2DSS	1 x .120	Stainless Steel	7.2M	26	56
FANCR2DRHDG	1 x .120	Ring Hot Dipped Galvanized	7.2M	28	56
FANCR2DRSS	1 x .120	Ring Stainless Steel	7.2M	26	56
FANCR3D	1 1/4 x .120	Electro Galvanized	7.2M	31	56
FANCR3DHDG	1 1/4 x .120	Hot Dipped Galvanized	7.2M	31	56
FANCR3DSS	1 1/4 x .120	Stainless Steel	7.2M	31	56
FANCR3DSS316	1 1/4 x .120	Stainless Steel 316	7.2M	31	56
FANCR3DR	1 1/4 x .120	Ring Electro Galvanized	7.2M	31	56
FANCR3DRHDG	1 1/4 x .120	Ring Hot Dipped Galvanized	7.2M	31	56
FANCR3DRSS	1 1/4 x .120	Ring Stainless Steel	7.2M	31	56
FANCR3DRSS36	1 1/4 x .120	Ring Stainless Steel	3.6M	18	56
FANCR3DRSS316	1 1/4 x .120	Ring Stainless Steel 316	7.2M	31	56
FANCR3DRSS31636	1 1/4 x .120	Ring Stainless Steel 316	2 x 1.8M	18	56
FANCR4D	1 1/2 x .120	Electro Galvanized	7.2M	36	48
FANCR4DHDG	1 1/2 x .120	Hot Dipped Galvanized	7.2M	37	48
FANCR4DSS	1 1/2 x .120	Stainless Steel	7.2M	37	48
FANCR4DR	1 1/2 x .120	Ring Electro Galvanized	7.2M	37	48
FANCR4DRHDG	1 1/2 x .120	Ring Hot Dipped Galvanized	7.2M	38	48
FANCR4DRSS	1 1/2 x .120	Ring Stainless Steel	7.2M	37	48
FANCR4DRSS316	1 1/2 x .120	Ring Stainless Steel 316	7.2M	37	48
FANCR4DRSS31636	1 1/2 x .120	Ring Stainless Steel 316	2 x 1.8M	18	48
FANCR5D	1 3/4 x .120	Electro Galvanized	7.2M	42	48
FANCR5DHDG	1 3/4 x .120	Hot Dipped Galvanized	7.2M	43	48
FANCR5DSS	1 3/4 x .120	Stainless Steel	7.2M	43	48
FANCR5DR	1 3/4 x .120	Ring Electro Galvanized	7.2M	42	48
FANCR5DRHDG	1 3/4 x .120	Ring Hot Dipped Galvanized	7.2M	43	48
FANCR5DRHDG36	1 3/4 x .120	Ring Hot Dipped Galvanized	3.6M	22	48
FANCR5DRSS	1 3/4 x .120	Ring Stainless Steel	7.2M	43	48
FANCR5DRSS36	1 3/4 x .120	Ring Stainless Steel	3.6M	25	48
FANCR5DRSS31636	1 3/4 x .120	Ring Stainless Steel 316	2 x 1.8M	25	48



FANCR4D



USES: Asphalt and fiberglass shingles, roofing, felt, foam and fiberboard sheathing, insulation

HEAD: Large flat head

SHANKS: Smooth, Ring

FINISHES:

Electro Galvanized, Hot Dipped Galvanized, Stainless Steel, Stainless Steel 316

GAUGE: 11

ENGINEERED TO FIT:

- Hitachi NV45AB, NV45AB2
- Senco SCN200R, RP450/455XP
- Boxtitch N12B-1, RN46
- Duo-Fast DRN45
- Porter-Cable RN175



15° PLASTIC SHEET COLLATED COIL SIDING / FENCING NAILS


USES: Siding, pallet and crating, light duty framing, fencing, cedar shake

HEAD: Flat head

SHANKS: Smooth, Ring

FINISHES: Electro Galvanized, Hot Dipped Galvanized

ENGINEERED TO FIT: Duo-Fast DC300/75, RNC-60



FANPSC6DHDC

PRODUCT CODE	DESCRIPTION			QTY/BX	LBS	BX/PALLET
FANPSC178092EG	1 7/8 x .092	Electro Galvanized		6M	31	36
FANPSC178099EG	1 7/8 x .099	Electro Galvanized		6.4M	35	36
FANPSC6DHDC64	2 x .092	Hot Dipped Galvanized		6.4M	27	35
FANPSC6DRHDC64	2 x .092	Ring Hot Dipped Galvanized		6.4M	27	35
FANPSC7DHDC48	2 1/4 x .092	Hot Dipped Galvanized		4.8M	23	36
FANPSC7DRHDC48	2 1/4 x .092	Ring Hot Dipped Galvanized		4.8M	23	36
FANPSC8DHDC48	2 1/2 x .092	Hot Dipped Galvanized		4.8M	25	36
FANPSC8DRHDC48	2 1/2 x .092	Ring Hot Dipped Galvanized		4.8M	25	36

0° PLASTIC SHEET COLLATED COIL SIDING / FENCING NAILS


USES: Siding, pallet and crating, light duty framing, fencing, cedar shake

HEAD: Flat head

SHANKS: Smooth, Ring


FINISHES: Electro Galvanized, Hot Dipped Galvanized, Stainless Steel

ENGINEERED TO FIT: Duo-Fast DC300/75, RNC-60



FANPSC178092HDCZ

PRODUCT CODE	DESCRIPTION			QTY/BX	LBS	BX/PALLET
FANPSC134092RHDCZ	1 3/4 x .092	Ring Hot Dipped Galvanized		9M	35	36
FANPSC178092EGZ	1 7/8 x .092	Electro Galvanized		9M	35	36
FANPSC178092HDCZ	1 7/8 x .092	Hot Dipped Galvanized		9M	35	36
FANPSC178092REGZ	1 7/8 x .092	Ring Electro Galvanized		9M	35	36
FANPSC178092RHDCZ	1 7/8 x .092	Ring Hot Dipped Galvanized		9M	35	36
FANPSC178092RSSZ	1 7/8 x .092	Ring Stainless Steel		3.6M	18	96
FANPSC178099EGZ	1 7/8 x .099	Electro Galvanized		9M	35	36
FANPSC214092EGZ	2 1/4 x .092	Electro Galvanized		7.2M	32	36
FANPSC214092HDCZ	2 1/4 x .092	Hot Dipped Galvanized		7.2M	32	36
FANPSC214092REGZ	2 1/4 x .092	Ring Electro Galvanized		7.2M	32	36
FANPSC214092RHDCZ	2 1/4 x .092	Ring Hot Dipped Galvanized		7.2M	32	36



15 GAUGE ANGLE FINISH NAILS

USES: Paneling, trim, frame assembly, door and window casings, cabinet building

FINISHES: Bright, Electro Galvanized, Stainless Steel

GAUGE: 15


ENGINEERED TO FIT:

- Hitachi NT65MA
- Senco SFN40, SFN30
- Duo-Fast DAFN-6480

PRODUCT CODE	DESCRIPTION			QTY/BX	LBS	BX/PALLET
FANDA15B	1 1/4	15 Gauge	Bright	4 x 4M	24	48
FANDA15G	1 1/4	15 Gauge	Electro Galvanized	4 x 4M	24	48
FANDA15SS	1 1/4	15 Gauge	Stainless Steel	4M	7	-
FANDA17B	1 1/2	15 Gauge	Bright	4 x 4M	28	48
FANDA17G	1 1/2	15 Gauge	Electro Galvanized	4 x 4M	28	48
FANDA17SS	1 1/2	15 Gauge	Stainless Steel	4M	8	-
FANDA19B	1 3/4	15 Gauge	Bright	4 x 4M	32	48
FANDA19G	1 3/4	15 Gauge	Electro Galvanized	4 x 4M	32	48
FANDA19SS	1 3/4	15 Gauge	Stainless Steel	4M	9	-
FANDA21B	2	15 Gauge	Bright	4 x 4M	36	48
FANDA21G	2	15 Gauge	Electro Galvanized	4 x 4M	36	48
FANDA21SS	2	15 Gauge	Stainless Steel	4M	9	-
FANDA23B	2 1/4	15 Gauge	Bright	4 x 4M	41	48
FANDA23G	2 1/4	15 Gauge	Electro Galvanized	4 x 4M	41	48
FANDA23SS	2 1/4	15 Gauge	Stainless Steel	4M	11	-
FANDA25B	2 1/2	15 Gauge	Bright	4 x 4M	44	48
FANDA25G	2 1/2	15 Gauge	Electro Galvanized	4 x 4M	44	48
FANDA25SS	2 1/2	15 Gauge	Stainless Steel	4M	11	-



FANDA19B



16 GAUGE COLLATED FLOORING CLEATS

USES: Tongue and groove hardwood flooring

HEAD: L-Head

GAUGE: 16

ENGINEERED TO FIT:

- Senco SHF200
- Bostitch MIIIFN

PRODUCT CODE	DESCRIPTION			QTY/BX	LBS	BX/PALLET
FANFC112	1 1/2	L-Head		5 x 1M	16	90
FANFC134	1 3/4	L-Head		5 x 1M	18	90
FANFC200	2	L-Head		5 x 1M	20	90



FANFC112



16 GAUGE BRAD NAILS


USES: Paneling, trim, frame assembly, door and window casings, cabinet building

FINISHES: Electro Galvanized, Stainless Steel

GAUGE: 16

ENGINEERED TO FIT:

- Hitachi NT65A2
- Senco FinishPro F16S, FinishPro 32
- Duo-Fast LFN-764A



FANB16112

PRODUCT CODE	DESCRIPTION			QTY/BX	LBS	BX/PALLET
FANB16100G	1	16 Gauge	Electro Galvanized	12 x 2.5M	25	48
FANB16114G	1 ¼	16 Gauge	Electro Galvanized	12 x 2.5M	32	48
FANB16112G	1 ½	16 Gauge	Electro Galvanized	12 x 2.5M	38	48
FANB16112SS	1 ½	16 Gauge	Stainless Steel	2.5M	4	-
FANB16134G	1 ¾	16 Gauge	Electro Galvanized	12 x 2.5M	45	48
FANB16134SS	1 ¾	16 Gauge	Stainless Steel	2.5M	5	-
FANB16200G	2	16 Gauge	Electro Galvanized	12 x 2.5M	50	48
FANB16200SS	2	16 Gauge	Stainless Steel	2.5M	5	-
FANB16214G	2 ¼	16 Gauge	Electro Galvanized	12 x 2.5M	57	48
FANB16212G	2 ½	16 Gauge	Electro Galvanized	12 x 2.5M	63	48
FANB16212SS	2 ½	16 Gauge	Stainless Steel	2.5M	6	-

18 GAUGE BRAD NAILS


USES: Decorative moldings, picture frame assembly, hardwood trim, cabinet building

FINISHES: Galvanized, Stainless Steel

GAUGE: 18

ENGINEERED TO FIT:

- Hitachi NT32AE
- Senco FinishPro 18, FinishPro 25
- Duo-Fast DBN-440



FANBMH18112

PRODUCT CODE	DESCRIPTION			QTY/BX	LBS	BX/PALLET
FANBMH18012G	1/2	18 Gauge	Electro Galvanized	20 x 5M	25	48
FANBMH18034G	3/4	18 Gauge	Electro Galvanized	20 x 5M	40	48
FANBMH18058G	5/8	18 Gauge	Electro Galvanized	20 x 5M	31	48
FANBMH18100G	1	18 Gauge	Electro Galvanized	20 x 5M	48	48
FANBMH18100SS	1	18 Gauge	Stainless Steel	5M	5	-
FANBMH18114G	1 ¼	18 Gauge	Electro Galvanized	20 x 5M	64	48
FANBMH18114SS	1 ¼	18 Gauge	Stainless Steel	5M	4	-
FANBMH18112G	1 ½	18 Gauge	Electro Galvanized	10 x 5M	37	48
FANBMH18112SS	1 ½	18 Gauge	Stainless Steel	5M	4	-
FANBMH181316G	1 ¾	18 Gauge	Electro Galvanized	20 x 5M	60	48
FANBMH18134G	1 ¾	18 Gauge	Electro Galvanized	10 x 5M	44	48
FANBMH18134SS	1 ¾	18 Gauge	Stainless Steel	5M	5	-
FANBMH181916G	1 9/16	18 Gauge	Electro Galvanized	10 x 5M	40	48
FANBMH181916SS	1 9/16	18 Gauge	Stainless Steel	5M	4	-
FANBMH18200G	2	18 Gauge	Electro Galvanized	10 x 5M	48	48
FANBMH18200SS	2	18 Gauge	Stainless Steel	5M	5	-



BULK TECO NAILS

USE: Affixing joist hangers

HEAD: Flat head

SHANK: Smooth

FINISHES: Vinyl Coated, Electro Galvanized, Hot Dipped Galvanized

HAND DRIVEN

PRODUCT CODE	DESCRIPTION			LBS	BX/PALLET
FAN4DVC50	4D	Vinyl Coated	Teco	50	48
FAN4DVC-5	4D	Vinyl Coated	Teco	5	-
FAN4DEG50	4D	Electro Galvanized	Teco	50	48
FAN4DEG-5	4D	Electro Galvanized	Teco	5	-
FAN4DHDG50	4D	Hot Dipped Galvanized	Teco	50	48
FAN4DHDG-5	4D	Hot Dipped Galvanized	Teco	5	-



FAN4DVC

BULK SINKER NAILS

USES: Framing

HEAD: Flat head

SHANK: Smooth

FINISH: Vinyl Coated

HAND DRIVEN

PRODUCT CODE	DESCRIPTION			LBS	BX/PALLET
FAN8DVC50	8D	Vinyl Coated	Sinkers	50	48
FAN8DVC30	8D	Vinyl Coated	Sinkers	30	48
FAN8DVCS-5	8D	Vinyl Coated	Sinkers	5	-
FAN12DVCS50	12D	Vinyl Coated	Sinkers	50	48
FAN12DVCS-5	12D	Vinyl Coated	Sinkers	5	-
FAN16DVCS50	16D	Vinyl Coated	Sinkers	50	48
FAN16DVCS30	16D	Vinyl Coated	Sinkers	30	48
FAN16DVCS-5	16D	Vinyl Coated	Sinkers	5	-



FAN8DVCS

BULK COMMON NAILS

USES: Framing, decking, wall sheathing, concrete forming

HEAD: Flat head

SHANK: Smooth

FINISH: Vinyl Coated

HAND DRIVEN

PRODUCT CODE	DESCRIPTION			LBS	BX/PALLET
FAN6DCOM50	6D	Vinyl Coated	Common	50	48
FAN8DCOM50	8D	Vinyl Coated	Common	50	48
FAN8DCOM-5	8D	Vinyl Coated	Common	5	-
FAN10DCOM50	10D	Vinyl Coated	Common	50	48
FAN16DCOM50	16D	Vinyl Coated	Common	50	48



FAN6DCOM



FAN8DHDGC

BULK CASING NAILS

USES: Fascia, siding, exterior trim

HEAD: Flat head

SHANKS: Smooth, Ring

FINISHES: Hot Dipped Galvanized,
Stainless Steel

HAND DRIVEN

PRODUCT CODE	DESCRIPTION			LBS	BX/PALLET
FAN8DHDGC50	8D	Hot Dipped Galvanized	Casing	50	48
FAN10DCRSS25	10D	Ring Stainless Steel	Casing	25	48
FAN12DHDGC50	12D	Hot Dipped Galvanized	Casing	50	48
FAN16DHDGC50	16D	Hot Dipped Galvanized	Casing	50	48



FAN16DDUP

BULK DUPLEX NAILS

USES: Concrete forming, crating,
wood scaffolding

HEAD: Flat head

SHANK: Smooth

FINISH: Vinyl Coated

HAND DRIVEN

PRODUCT CODE	DESCRIPTION			LBS	BX/PALLET
FAN6DDUP50	6D	Vinyl Coated	Duplex	50	48
FAN6DDUP-5	6D	Vinyl Coated	Duplex	5	-
FAN8DDUP50	8D	Vinyl Coated	Duplex	50	48
FAN8DDUP30	8D	Vinyl Coated	Duplex	30	48
FAN8DDUP-5	8D	Vinyl Coated	Duplex	5	-
FAN12DDUP50	12D	Vinyl Coated	Duplex	50	48
FAN12DDUP-5	12D	Vinyl Coated	Duplex	5	-
FAN16DDUP50	16D	Vinyl Coated	Duplex	50	48
FAN16DDUP30	16D	Vinyl Coated	Duplex	30	48
FAN16DDUP-5	16D	Vinyl Coated	Duplex	5	-

WE OFFER FREE FREIGHT



1.888.622.9319



fanacofasteners.com



cs@fanaco.com



BULK PALLET NAILS

USES: Boxes, pallets, crates

HEAD: Flat head

SHANK: Ring, Screw

FINISH: Bright

TYPE: Machine grade

POINTS: Diamond point, blunt point, no point

HAND DRIVEN

PRODUCT CODE	DESCRIPTION			LBS	BX/PALLET
FAN5DBPSCNP50	5D	Screw	No Point Machine Grade Pallet	50	48
FAN6DBPMQSC50	6D	Screw	Machine Grade Pallet	50	48
FAN6DBPSC50	6D	Screw	Blunt Point Machine Grade Pallet	50	48
FAN8DBPR50	8D	Ring	Machine Grade Pallet	50	48
FAN10DBPMQSC50	10D	Screw	Machine Grade Pallet	50	48



FAN8BDPR

BULK BOX NAILS

USES: Casing, boxes, crates

HEAD: Large flat head

SHANK: Smooth

FINISHES: Electro Galvanized,
Hot Dipped Galvanized

HAND DRIVEN

PRODUCT CODE	DESCRIPTION			LBS	BX/PALLET
FAN4DEGB50	4D	Electro Galvanized	Box	50	48
FAN6DEGB50	6D	Electro Galvanized	Box	50	48
FAN6DEGB-5	6D	Electro Galvanized	Box	5	-
FAN6DHDGB50	6D	Hot Dipped Galvanized	Box	50	48
FAN6DHDGB-5	6D	Hot Dipped Galvanized	Box	5	-
FAN8DEGB50	8D	Electro Galvanized	Box	50	48
FAN8DEGB-5	8D	Electro Galvanized	Box	5	-
FAN8DHDGB50	8D	Hot Dipped Galvanized	Box	50	48
FAN8DHDGB-5	8D	Hot Dipped Galvanized	Box	5	-
FAN10DEGB50	10D	Electro Galvanized	Box	50	48
FAN10DEGB-5	10D	Electro Galvanized	Box	5	-
FAN10DHGB50	10D	Hot Dipped Galvanized	Box	50	48
FAN10DHDGB-5	10D	Hot Dipped Galvanized	Box	5	-
FAN12DEGB50	12D	Electro Galvanized	Box	50	48
FAN12DEGB-5	12D	Electro Galvanized	Box	5	-
FAN12DHGB50	12D	Hot Dipped Galvanized	Box	50	48
FAN12DHDGB-5	12D	Hot Dipped Galvanized	Box	5	-
FAN16DEGB50	16D	Electro Galvanized	Box	50	48
FAN16DEGB-5	16D	Electro Galvanized	Box	5	-
FAN16DHGB50	16D	Hot Dipped Galvanized	Box	50	48
FAN16DHGB-5	16D	Hot Dipped Galvanized	Box	5	-



FAN8DHGB



FAN8DCMB

BULK CUT MASONRY NAILS

USES: Masonry, concrete

SHANK: Smooth

FINISHES: Bright, Hot Dipped Galvanized

HAND DRIVEN

PRODUCT CODE	DESCRIPTION			LBS	BX/PALLET
FAN8DCMB50	8D	Bright	Cut Masonry	50	48
FAN8DCMMG50	8D	Hot Dipped Galvanized	Cut Masonry	50	48
FAN10DCMB50	10D	Bright	Cut Masonry	50	48
FAN10DCMMG50	10D	Hot Dipped Galvanized	Cut Masonry	50	48



FAN7HDGS

BULK SIDING / FENCING NAILS

USES: Fencing, siding, boxes, crates

HEAD: Flat head

SHANK: Smooth

FINISH: Hot Dipped Galvanized

HAND DRIVEN

PRODUCT CODE	DESCRIPTION			LBS	BX/PALLET
FAN7HDGS50	7D	Hot Dipped Galvanized	Siding / Fencing	50	48
FAN7HDGS-5	7D	Hot Dipped Galvanized	Siding / Fencing	5	-



FANSS114CSR

BULK CEDAR SHAKE NAILS


USES: Cedar shingle and shake

HEAD: Flat head

SHANK: Ring

FINISH: Stainless Steel

HAND DRIVEN



PRODUCT CODE	DESCRIPTION					LBS	BX/PALLET
FANSS114CSR25	1 1/4 x .076	Ring	Stainless Steel	Cedar Shake		25	72
FANSS112CSR25	1 1/2 x .080	Ring	Stainless Steel	Cedar Shake		25	72
FANSS134CSR25	1 3/4 x .080	Ring	Stainless Steel	Cedar Shake		25	72
FANSS200CSR25	2 x .099	Ring	Stainless Steel	Cedar Shake		25	72
FANSS212CSR25	2 1/2 x .099	Ring	Stainless Steel	Cedar Shake		25	72



BULK ROOFING NAILS


PRODUCT CODE	DESCRIPTION			LBS	BX/PALLET
FANEG03450	3/4 x .120	Electro Galvanized	Roofing	50	48
FANEG034-25B	3/4 x .120	Electro Galvanized	Roofing	25	48 Buckets
FANEG034-5	3/4 x .120	Electro Galvanized	Roofing	5	-
FANHD03450	3/4 x .120	Hot Dipped Galvanized	Roofing	50	48
FANHD034-5	3/4 x .120	Hot Dipped Galvanized	Roofing	5	-
FANEG07850	7/8 x .120	Electro Galvanized	Roofing	50	48
FANEG078-25B	7/8 x .120	Electro Galvanized	Roofing	25	48 Buckets
FANEG078-5	7/8 x .120	Electro Galvanized	Roofing	5	-
FANHD07850	7/8 x .120	Hot Dipped Galvanized	Roofing	50	48
FANHD078-5	7/8 x .120	Hot Dipped Galvanized	Roofing	5	-
FANEG10050	1 x .120	Electro Galvanized	Roofing	50	48
FANEG100-25B	1 x .120	Electro Galvanized	Roofing	25	48 Buckets
FANEG100-5	1 x .120	Electro Galvanized	Roofing	5	-
FANHD10050	1 x .120	Hot Dipped Galvanized	Roofing	50	48
FANHD100-5	1 x .120	Hot Dipped Galvanized	Roofing	5	-
FANEG11450	1 1/4 x .120	Electro Galvanized	Roofing	50	48
FANEG114-25B	1 1/4 x .120	Electro Galvanized	Roofing	25	48 Buckets
FANEG114-5	1 1/4 x .120	Electro Galvanized	Roofing	5	-
FANHD11450	1 1/4 x .120	Hot Dipped Galvanized	Roofing	50	48
FANHD114-5	1 1/4 x .120	Hot Dipped Galvanized	Roofing	5	-
FANEG11250	1 1/2 x .120	Electro Galvanized	Roofing	50	48
FANEG112-25B	1 1/2 x .120	Electro Galvanized	Roofing	25	48 Buckets
FANEG112-5	1 1/2 x .120	Electro Galvanized	Roofing	5	-
FANHD11250	1 1/2 x .120	Hot Dipped Galvanized	Roofing	50	48
FANHD112-5	1 1/2 x .120	Hot Dipped Galvanized	Roofing	5	-
FANEG13450	1 3/4 x .120	Electro Galvanized	Roofing	50	48
FANEG134-25B	1 3/4 x .120	Electro Galvanized	Roofing	25	48 Buckets
FANEG134-5	1 3/4 x .120	Electro Galvanized	Roofing	5	-
FANHD13450	1 3/4 x .120	Hot Dipped Galvanized	Roofing	50	48
FANHD134-5	1 3/4 x .120	Hot Dipped Galvanized	Roofing	5	-
FANEG20050	2 x .120	Electro Galvanized	Roofing	50	48
FANEG200-25B	2 x .120	Electro Galvanized	Roofing	25	48 Buckets
FANEG200-5	2 x .120	Electro Galvanized	Roofing	5	-
FANHD20050	2 x .120	Hot Dipped Galvanized	Roofing	50	48
FANHD200-5	2 x .120	Hot Dipped Galvanized	Roofing	5	-
FANEGR20050	2 x .120	Ring Electro Galvanized	Roofing	50	48
FANEG21250	2 1/2 x .120	Electro Galvanized	Roofing	50	48
FANEG212-25B	2 1/2 x .120	Electro Galvanized	Roofing	25	48 Buckets
FANEG212-5	2 1/2 x .120	Electro Galvanized	Roofing	5	-
FANHD21250	2 1/2 x .120	Hot Dipped Galvanized	Roofing	50	48
FANHD212-5	2 1/2 x .120	Hot Dipped Galvanized	Roofing	5	-
FANEGR21250	2 1/2 x .120	Ring Electro Galvanized	Roofing	50	48
FANEG30050	3 x .120	Electro Galvanized	Roofing	50	48
FANEG300-25B	3 x .120	Electro Galvanized	Roofing	25	48 Buckets
FANEG300-5	3 x .120	Electro Galvanized	Roofing	5	-
FANHD30050	3 x .120	Hot Dipped Galvanized	Roofing	50	48
FANHD300-5	3 x .120	Hot Dipped Galvanized	Roofing	5	-



FANEG078



FANEG200



USES: Roofing, vinyl siding

HEAD: Large flat head

SHANKS: Smooth, Ring

FINISHES: Electro Galvanized, Hot Dipped Galvanized

HAND DRIVEN



BULK SQUARE / ROUND CAPPED ROOF NAILS



USES: Underlayment, house wrap

HEADS: Square head, Round head


SHANK: Ring

FINISH: Electro Galvanized

HAND DRIVEN




FANMSC100



FANMRC212

PRODUCT CODE	DESCRIPTION					LBS	BX/PALLET
FANMSC03425	3/4 x .120	Metal Square Cap	Ring	Electro Galvanized		25	48 Buckets
FANMSC034-5	3/4 x .120	Metal Square Cap	Ring	Electro Galvanized		5	-
FANMSC07825	7/8 x .120	Metal Square Cap	Ring	Electro Galvanized		25	48 Buckets
FANMSC078-5	7/8 x .120	Metal Square Cap	Ring	Electro Galvanized		5	-
FANMSC10025	1 x .120	Metal Square Cap	Ring	Electro Galvanized		25	48 Buckets
FANMSC100-5	1 x .120	Metal Square Cap	Ring	Electro Galvanized		5	-
FANMSC11450	1 ¼ x .120	Metal Square Cap	Ring	Electro Galvanized		50	48
FANMSC11425	1 ¼ x .120	Metal Square Cap	Ring	Electro Galvanized		25	48 Buckets
FANMSC114-5	1 ¼ x .120	Metal Square Cap	Ring	Electro Galvanized		5	-
FANMSC11225	1 ½ x .120	Metal Square Cap	Ring	Electro Galvanized		25	48 Buckets
FANMSC13425	1 ¾ x .120	Metal Square Cap	Ring	Electro Galvanized		25	48 Buckets
FANMSC20025	2 x .120	Metal Square Cap	Ring	Electro Galvanized		25	48 Buckets
FANMSC21250	2 ½ x .120	Metal Square Cap	Ring	Electro Galvanized		50	48
FANMSC21225	2 ½ x .120	Metal Square Cap	Ring	Electro Galvanized		25	48 Buckets
FANMSC30050	3 x .120	Metal Square Cap	Ring	Electro Galvanized		50	48
FANMSC30025	3 x .120	Metal Square Cap	Ring	Electro Galvanized		25	48 Buckets
FANMRC07825	7/8 x .120	Metal Round Cap	Ring	Electro Galvanized		25	48 Buckets
FANMRC078-5	7/8 x .120	Metal Round Cap	Ring	Electro Galvanized		5	-
FANMRC10025	1 x .120	Metal Round Cap	Ring	Electro Galvanized		25	48 Buckets
FANMRC100-5	1 x .120	Metal Round Cap	Ring	Electro Galvanized		5	-
FANMRC11425	1 ¼ x .120	Metal Round Cap	Ring	Electro Galvanized		25	48 Buckets
FANMRC114-5	1 ¼ x .120	Metal Round Cap	Ring	Electro Galvanized		5	-
FANMRC11225	1 ½ x .120	Metal Round Cap	Ring	Electro Galvanized		25	48 Buckets
FANMRC112-5	1 ½ x .120	Metal Round Cap	Ring	Electro Galvanized		5	-
FANMRC13425	1 ¾ x .120	Metal Round Cap	Ring	Electro Galvanized		25	48 Buckets
FANMRC134-5	1 ¾ x .120	Metal Round Cap	Ring	Electro Galvanized		5	-
FANMRC20025	2 x .120	Metal Round Cap	Ring	Electro Galvanized		25	48 Buckets
FANMRC200-5	2 x .120	Metal Round Cap	Ring	Electro Galvanized		5	-
FANMRC21225	2 ½ x .120	Metal Round Cap	Ring	Electro Galvanized		25	48 Buckets
FANMRC30025	3 x .120	Metal Round Cap	Ring	Electro Galvanized		25	48 Buckets



BULK PLASTIC CAPPED ROOF NAILS

USES: Underlayment, house wrap

FINISH: Electro Galvanized

HEAD: Plastic capped head


HAND DRIVEN

SHANK: Ring

PRODUCT CODE	DESCRIPTION	QTY/BX	LBS	BX/PALLET
FANPC0343	3/4 x .113 Plastic Cap Ring Electro Galvanized	3M	10	48 Buckets
FANPC034-300	3/4 x .113 Plastic Cap Ring Electro Galvanized	300 pcs	1	-
FANPC0783	7/8 x .113 Plastic Cap Ring Electro Galvanized	3M	10	48 Buckets
FANPC0782	7/8 x .113 Plastic Cap Ring Electro Galvanized	2M	6	96
FANPC078-300	7/8 x .113 Plastic Cap Ring Electro Galvanized	300 pcs	1	-
FANPC1003	1 x .113 Plastic Cap Ring Electro Galvanized	3M	11	48 Buckets
FANPC1002	1 x .113 Plastic Cap Ring Electro Galvanized	2M	6	96
FANPC100-300	1 x .113 Plastic Cap Ring Electro Galvanized	300 pcs	1	-
FANPC1143	1 1/4 x .113 Plastic Cap Ring Electro Galvanized	3M	13	48 Buckets
FANPC1142	1 1/4 x .113 Plastic Cap Ring Electro Galvanized	2M	7	96
FANPC114-300	1 1/4 x .113 Plastic Cap Ring Electro Galvanized	300 pcs	1	-
FANPC11225	1 1/2 x .113 Plastic Cap Ring Electro Galvanized	2.5M	11	48 Buckets
FANPC112-300	1 1/2 x .113 Plastic Cap Ring Electro Galvanized	300 pcs	1	-



FANCP114



BULK NEOPRENE WASHER NAILS

USES: Wall sheathing, roofing, flashing, metal roofs, metal walls

FINISH: Hot Dipped Galvanized

HEAD: Flat head

HAND DRIVEN

SHANK: Ring

PRODUCT CODE	DESCRIPTION	LBS	BX/PALLET
FAN112RHDNEO50	1 1/2 x .148 Ring Hot Dipped Galvanized Neoprene Washer	50	48
FAN112RHDGNEO-5	1 1/2 x .148 Ring Hot Dipped Galvanized Neoprene Washer	5	-
FAN134RHDGNEO50	1 3/4 x .148 Ring Hot Dipped Galvanized Neoprene Washer	50	48
FAN134RHDGNEO-5	1 3/4 x .148 Ring Hot Dipped Galvanized Neoprene Washer	5	-



FAN134RHDGNEO

100% SATISFACTION GUARANTEED




FINE WIRE 20 GAUGE TACKER STAPLES

USES: Screening, light trim and moldings, picture frames, cabinet backing, weather stripping, insulation, roofing felt, upholstery, building paper

FINISHES: Electro Galvanized, Stainless Steel

GAUGE: 20



FANA1138G



FANSTCR501912G

PRODUCT CODE	DESCRIPTION	QTY/BX	LBS	BX/PALLET
--------------	-------------	--------	-----	-----------

A11 – ENGINEERED TO FIT: Fanaco R11, Senco H06; Rapid 11; Arrow T50

FANA1114G	3/8 Crown x 1/4 Leg	Electro Galvanized	20 x 5M	25	70
FANA1112G	3/8 Crown x 1/2 Leg	Electro Galvanized	20 x 5M	35	70
FANA1138G	3/8 Crown x 3/8 Leg	Electro Galvanized	20 x 5M	30	70
FANA1138D	3/8 Crown x 3/8 Leg	Electro Galvanized Divergent Point	20 x 5M	30	70
FANA1138SS	3/8 Crown x 3/8 Leg	Stainless Steel	5M	1.5	-

A19 – ENGINEERED TO FIT: Fanaco R19; Rapid 19; Arrow T50, HT55

FANA19G	1/4 Crown x 1/4 Leg	Electro Galvanized	50 x 5M	31	60
---------	---------------------	--------------------	---------	----	----

DF5010 – ENGINEERED TO FIT: Duo-Fast HT-5500

FANDF5010C	1/2 Crown x 5/16 Leg	Electro Galvanized	20 x 5M	28	60
FANDF5012C	1/2 Crown x 3/8 Leg	Electro Galvanized	20 x 5M	28	60
FANDF5016C	1/2 Crown x 1/2 Leg	Electro Galvanized	20 x 5M	38	60

STCR – ENGINEERED TO FIT: Bostitch H30

FANSTCR501938G	7/16 Crown x 3/8 Leg	Electro Galvanized	20 x 5M	30	60
FANSTCR501912G	7/16 Crown x 1/2 Leg	Electro Galvanized	20 x 5M	36	60


BCS-TYPE STAPLES

USES: Asphalt shingles, roofing felt, foam sheathing, butt joining wood, lathing and insulation

GAUGE: 14, 15.5, 16

TYPE: Bostitch

FINISH: Electro Galvanized



FANBCS1107G



FANBCS1096G

PRODUCT CODE	DESCRIPTION	QTY/BX	LBS	BX/PALLET
--------------	-------------	--------	-----	-----------

MEDIUM CROWN 16 GAUGE – ENGINEERED TO FIT: Bostitch 438S4, 538S4, 650S4

FANBCS1107G	1/2 Crown x 1 1/4 Leg	Electro Galvanized	10M	22	75
FANBCS1109G	1/2 Crown x 1 1/2 Leg	Electro Galvanized	10M	26	75
FANBCS1111G	1/2 Crown x 1 3/4 Leg	Electro Galvanized	10M	30	75
FANBCS1112G	1/2 Crown x 2 Leg	Electro Galvanized	10M	34	75

MEDIUM CROWN 15.5 GAUGE – ENGINEERED TO FIT: Bostitch MIIIFS, BTFP12569


FANBCS1516G	1/2 Crown x 2 Leg	Electro Galvanized	5M	24	75
-------------	-------------------	--------------------	----	----	----

WIDE CROWN 14 GAUGE – ENGINEERED TO FIT: Bostitch 538S214

FANBCS1478G	1 Crown x 7/8 Leg	Electro Galvanized High Carbon	10.8M	37	75
-------------	-------------------	--------------------------------	-------	----	----

WIDE CROWN 16 GAUGE – ENGINEERED TO FIT: Bostitch 438S2, 450S2

FANBCS1096G	1 Crown x 5/8 Leg	Electro Galvanized	10M	16	75
FANBCS1097G	1 Crown x 3/4 Leg	Electro Galvanized	10M	18	75
FANBCS1098G	1 Crown x 7/8 Leg	Electro Galvanized	10M	20	75
FANBCS1099G	1 Crown x 1 Leg	Electro Galvanized	10M	22	75
FANBCS1101G	1 Crown x 1 1/4 Leg	Electro Galvanized	10M	26	75
FANBCS1102G	1 Crown x 1 1/2 Leg	Electro Galvanized	10M	30	75
FANBCS1116G	1 Crown x 1 3/4 Leg	Electro Galvanized	10M	35	75
FANBCS1117G	1 Crown x 2 Leg	Electro Galvanized	10M	38	75



GS-TYPE MEDIUM CROWN 16 GAUGE STAPLES

USES: Insulation sheathing

TYPE: Paslode

FINISHES: Electro Galvanized,
Stainless Steel


ENGINEERED TO FIT:
Paslode 3150-S16, 3200-S16P

GAUGE: 16

PRODUCT CODE	DESCRIPTION	QTY/BX	LBS	BX/PALLET
FANGS1634G	1/2 Crown x 3/4 Leg Electro Galvanized	10M	15	75
FANGS16100G	1/2 Crown x 1 Leg Electro Galvanized	10M	18	75
FANGS16118G	1/2 Crown x 1 1/8 Leg Electro Galvanized	10M	23	75
FANGS16114G	1/2 Crown x 1 1/4 Leg Electro Galvanized	10M	22	75
FANGS16114SS	1/2 Crown x 1 1/4 Leg Stainless Steel	10M	22	75
FANGS16138G	1/2 Crown x 1 3/8 Leg Electro Galvanized	10M	25	75
FANGS16112G	1/2 Crown x 1 1/2 Leg Electro Galvanized	10M	26	75
FANGS16112SS	1/2 Crown x 1 1/2 Leg Stainless Steel	10M	26	75
FANGS16134G	1/2 Crown x 1 3/4 Leg Electro Galvanized	10M	31	75
FANGS16134SS	1/2 Crown x 1 3/4 Leg Stainless Steel	10M	31	75
FANGS16200G	1/2 Crown x 2 Leg Electro Galvanized	10M	34	75
FANGS16200SS	1/2 Crown x 2 Leg Stainless Steel	10M	34	75



FANGS16112G



GSW-TYPE WIDE CROWN 16 GAUGE STAPLES

USES: Stucco, EFIS, lathing


TYPE: Paslode

FINISHES: Electro Galvanized,
Stainless Steel

ENGINEERED TO FIT:
Paslode WCS200

GAUGE: 16

PRODUCT CODE	DESCRIPTION	QTY/BX	LBS	BX/PALLET
FANGSW1658G	15/16 Crown x 5/8 Leg Electro Galvanized	10M	15	75
FANGSW1634G	15/16 Crown x 3/4 Leg Electro Galvanized	10M	18	75
FANGSW1678G	15/16 Crown x 7/8 Leg Electro Galvanized	10M	20	75
FANGSW16100G	15/16 Crown x 1 Leg Electro Galvanized	10M	22	75
FANGSW16114G	15/16 Crown x 1 1/4 Leg Electro Galvanized	10M	25	75
FANGSW16112G	15/16 Crown x 1 1/2 Leg Electro Galvanized	10M	29	75
FANGSW16134G	15/16 Crown x 1 3/4 Leg Electro Galvanized	10M	35	75
FANGSW16200G	15/16 Crown x 2 Leg Electro Galvanized	10M	38	75



FANGSW16112G

**CHECK OUT FANACOFASTENERS.COM
FOR AN ONLINE CATALOG**




FANGS14200G

GS-TYPE MEDIUM CROWN 14 GAUGE STAPLES

USES: Packaging, sheathing
FINISH: Electro Galvanized
GAUGE: 14

TYPE: Paslode
ENGINEERED TO FIT:
Paslode




PRODUCT CODE	DESCRIPTION	QTY/BX	LBS	BX/PALLET
FANGS14200G	1/2 Crown x 2 Leg Electro Galvanized	5M	30	75

GSW-TYPE WIDE CROWN 14 GAUGE STAPLES

USES: Truss assembly
FINISH: Electro Galvanized
GAUGE: 14

TYPE: Paslode
ENGINEERED TO FIT:
Paslode 4150-W14



PRODUCT CODE	DESCRIPTION	QTY/BX	LBS	BX/PALLET
FANGSW1478G	15/16 Crown x 7/8 Leg Electro Galvanized	10M	34	75
FANGSW14114G	15/16 Crown x 1 1/4 Leg Electro Galvanized	10M	36	75




FANGSW1478

CARTON CLOSING STAPLES

USE: Box closing
FINISH: Electro Galvanized
TYPES: A&C

ENGINEERED TO FIT:
Bostitch DS-3522



PRODUCT CODE	DESCRIPTION	QTY/BX	LBS	BX/PALLET
FANCCS34A	1 3/8 Crown x 3/4 Leg Electro Galvanized Type A	10 x 2M	39	60
FANCCS34C	1 1/4 Crown x 3/4 Leg Electro Galvanized Type C	10 x 2M	39	60
FANCCS58A	1 3/8 Crown x 5/8 Leg Electro Galvanized Type A	10 x 2M	36	60
FANCCS58C	1 1/4 Crown x 5/8 Leg Electro Galvanized Type C	10 x 2M	36	60




FANCCS34C

C-TYPE 22 GAUGE STAPLES

USES: Upholstery
FINISH: Electro Galvanized
GAUGE: 22


TYPE: Senco
ENGINEERED TO FIT:
Senco SFT10XP, SFW09



PRODUCT CODE	DESCRIPTION	QTY/BX	LBS	BX/PALLET
FANC04G	3/8 Crown x 1/4 Leg Electro Galvanized	20 x 10M	34	60
FANC06G	3/8 Crown x 3/8 Leg Electro Galvanized	20 x 10M	33	60
FANC08G	3/8 Crown x 1/2 Leg Electro Galvanized	20 x 10M	41	60



FANC06G



L-TYPE NARROW CROWN 18 GAUGE STAPLES

USES: Cedar, shake shingles, sub-floor, wall sheathing, roof decking, aluminum and steel composition, siding, lathing, bridging, component assembly, fencing

FINISHES: Electro Galvanized, Stainless Steel

GAUGE: 18

TYPE: Senco

ENGINEERED TO FIT:

- Hitachi N3804AB
- Porter-Cable NS100A, NS150A
- Senco SKSL, SLS20L, SLS25L
- Duo-Fast DNS-1840

PRODUCT CODE	DESCRIPTION			QTY/BX	LBS	BX/PALLET
FANL07G	1/4 Crown	x 7/16 Leg	Electro Galvanized	10 x 5M	25	48
FANL08G	1/4 Crown	x 1/2 Leg	Electro Galvanized	10 x 5M	27	48
FANL08SS	1/4 Crown	x 1/2 Leg	Stainless Steel	5M	3	-
FANL09G	1/4 Crown	x 9/16 Leg	Electro Galvanized	10 x 5M	29	48
FANL09SS	1/4 Crown	x 9/16 Leg	Stainless Steel	5M	3	-
FANL10G	1/4 Crown	x 5/8 Leg	Electro Galvanized	10 x 5M	34	48
FANL10SS	1/4 Crown	x 5/8 Leg	Stainless Steel	5M	4	-
FANL11G	1/4 Crown	x 3/4 Leg	Electro Galvanized	10 x 5M	39	48
FANL11SS	1/4 Crown	x 3/4 Leg	Stainless Steel	5M	4	-
FANL12G	1/4 Crown	x 7/8 Leg	Electro Galvanized	10 x 5M	45	48
FANL13G	1/4 Crown	x 1 Leg	Electro Galvanized	10 x 5M	50	48
FANL13SS	1/4 Crown	x 1 Leg	Stainless Steel	5M	5	-
FANL14G	1/4 Crown	x 1 1/8 Leg	Electro Galvanized	6 x 5M	34	48
FANL14SS	1/4 Crown	x 1 1/8 Leg	Stainless Steel	5M	6	-
FANL15G	1/4 Crown	x 1 1/4 Leg	Electro Galvanized	6 x 5M	37	48
FANL15SS	1/4 Crown	x 1 1/4 Leg	Stainless Steel	5M	7	-
FANL17G	1/4 Crown	x 1 1/2 Leg	Electro Galvanized	6 x 5M	45	48
FANL17SS	1/4 Crown	x 1 1/2 Leg	Stainless Steel	5M	8	-
FANL21SS	1/4 Crown	x 2 Leg	Stainless Steel	5M	10	-




FANL07



FANL12



FANL17



M-TYPE FINE WIRE 18 GAUGE STAPLES

USES: Siding, Soffits

FINISHES: Electro Galvanized

GAUGE: 18

TYPE: Senco

ENGINEERED TO FIT:

Senco SLS150Mg

PRODUCT CODE	DESCRIPTION			QTY/BX	LBS	BX/PALLET
FANM10G	3/4 Crown	x 5/8 Leg	Electro Galvanized	10 x 5M	37	60
FANM13G	3/8 Crown	x 1 Leg	Electro Galvanized	6 x 5M	55	60
FANM15G	3/8 Crown	x 1 1/4 Leg	Electro Galvanized	6 x 5M	41	60



FANM10



N-TYPE MEDIUM CROWN 16 GAUGE STAPLES

USES: Cedar, shake shingles, sub-floor, wall sheathing, roof decking, aluminum and steel composition, siding, lathing, bridging, component assembly, fencing


FINISH: Electro Galvanized, Stainless Steel

GAUGE: 16

TYPE: Senco

ENGINEERED TO FIT:

- Hitachi N5008AB
- Porter-Cable MS200, CMS200
- Senco SNS40 & 45, M1, M2



FANN17G

PRODUCT CODE	DESCRIPTION	QTY/BX	LBS	BX/PALLET
FANN11G	7/16 Crown x 3/4 Leg Electro Galvanized	10M	13	75
FANN12G	7/16 Crown x 7/8 Leg Electro Galvanized	10M	14	75
FANN13G	7/16 Crown x 1 Leg Electro Galvanized	10M	17	75
FANN13SS	7/16 Crown x 1 Leg Stainless Steel	10M	18	75
FANN14G	7/16 Crown x 1 1/8 Leg Electro Galvanized	10M	22	75
FANN15G	7/16 Crown x 1 1/4 Leg Electro Galvanized	10M	21	75
FANN15SS	7/16 Crown x 1 1/4 Leg Stainless Steel	10M	22	75
FANN17G	7/16 Crown x 1 1/2 Leg Electro Galvanized	10M	25	75
FANN17SS	7/16 Crown x 1 1/2 Leg Stainless Steel	10M	25	75
FANN19G	7/16 Crown x 1 3/4 Leg Electro Galvanized	10M	29	75
FANN19SS	7/16 Crown x 1 3/4 Leg Stainless Steel	10M	29	75
FANN21G	7/16 Crown x 2 Leg Electro Galvanized	10M	32	75
FANN21SS	7/16 Crown x 2 Leg Stainless Steel	10M	32	75

P-TYPE WIDE CROWN 16 GAUGE STAPLES

USES: Cedar, shake shingles, sub-floor, wall sheathing, roof decking, aluminum and steel composition, siding, lathing, bridging, component assembly, fencing


FINISH: Electro Galvanized, Stainless Steel

GAUGE: 16


TYPE: Senco

ENGINEERED TO FIT:

- Hitachi N3824A
- Senco PW
- Duo-Fast KWR 1748A, RS1748A




FANP06G



FANP21G

PRODUCT CODE	DESCRIPTION	QTY/BX	LBS	BX/PALLET
FANP06G	1 Crown x 3/8 Leg Electro Galvanized	10M	13	75
FANP08G	1 Crown x 1/2 Leg Electro Galvanized	10M	15	75
FANP10G	1 Crown x 5/8 Leg Electro Galvanized	10M	17	75
FANP10SS	1 Crown x 5/8 Leg Stainless Steel	10M	17	75
FANP11G	1 Crown x 3/4 Leg Electro Galvanized	10M	19	75
FANP11SS	1 Crown x 3/4 Leg Stainless Steel	10M	19	75
FANP12G	1 Crown x 7/8 Leg Electro Galvanized	10M	20	75
FANP12SS	1 Crown x 7/8 Leg Stainless Steel	10M	21	75
FANP13G	1 Crown x 1 Leg Electro Galvanized	10M	23	75
FANP13SS	1 Crown x 1 Leg Stainless Steel	10M	23	75
FANP15G	1 Crown x 1 1/4 Leg Electro Galvanized	10M	27	75
FANP15SS	1 Crown x 1 1/4 Leg Stainless Steel	10M	27	75
FANP17G	1 Crown x 1 1/2 Leg Electro Galvanized	10M	30	75
FANP17SS	1 Crown x 1 1/2 Leg Stainless Steel	10M	31	75
FANP19G	1 Crown x 1 3/4 Leg Electro Galvanized	10M	35	75
FANP21G	1 Crown x 2 Leg Electro Galvanized	10M	37	75



S-TYPE 14 GAUGE STAPLES

USES: Sheathing

FINISH: Electro Galvanized

GAUGE: 14


TYPE: Senco

ENGINEERED TO FIT:
Senco SQS55



FANS21G

PRODUCT CODE	DESCRIPTION	QTY/BX	LBS	BX/PALLET
FANS21G	7/16 Crown x 2 Leg Electro Galvanized	5M	30	75



Q-TYPE MEDIUM CROWN 15 GAUGE STAPLES

USES: Framing, sheathing, subflooring, decking, lathing, door and window units, fencing, pallets, crate and box assembly, furring and furniture framing

FINISH: Electro Galvanized

GAUGE: 15

TYPE: Senco

ENGINEERED TO FIT:

- Hitachi N5008AB
- Porter-Cable MS200, CMS200
- Senco SNS40 & 45, M1, M2



FANQ21G

PRODUCT CODE	DESCRIPTION	QTY/BX	LBS	BX/PALLET
FANQ17G	7/16 Crown x 1 1/2 Leg Electro Galvanized	5M	19	75
FANQ21G	7/16 Crown x 2 Leg Electro Galvanized	5M	24	75
FANQ23G	7/16 Crown x 2 1/4 Leg Electro Galvanized	5M	28	75
FANQ25G	7/16 Crown x 2 1/2 Leg Electro Galvanized	5M	29	75

PNEUMATIC TOOLS AND PARTS

- 21° 3 1/2 Strip Nailer
- 70-120 PSI
- Nail Length x Dia. 2" x .133" – 3 1/2 x .162"

PRODUCT CODE	DESCRIPTION	LBS
FANNR83A	21° Plastic Strip Nail Gun	11
FANNR83DB	Fanaco Nail Gun NR83A Driver Blade	0
FANNR83MAG	Fanaco Nail Gun NR83A Magazine	3



FANNR83A

TACKERS AND PARTS

- FANR11 fits A-11 1/4", 5/16", 3/8"
- FANR19 fits 5/32", 1/4"
- Assembles and disassembles easily
- Advanced ergonomic grip for ease of use and comfort

PRODUCT CODE	DESCRIPTION	LBS
FANR11	R-11 Hammer Tacker	2.2
FANR19	R-19 Hammer Tacker	1.5
FANR11DB	R-11 Driver Blade	0
FANR11MAG	R-11 Magazine Assembly	1
FANR11PA	R-11 Pusher Spring Assembly	1
FANR11PP	R-11 Pivot Pin	0




FANR11



TERMINOLOGY

Nail Anatomy



HEAD — Round flat metal piece formed at the top of the nail; for increased holding power

LENGTH — Distance from the bottom of the head to the point of a nail.


POINT — Sharpened end opposite the head for ease in driving.

SHANK — The length of the nail between the head and the point; may be smooth, or may have rings or screws for greater holding power


Nail Attributes




SMOOTH SHANK — Most common nail shank; relies on friction between the wood and the shank for holding power; effective in many, but not all, conditions.




RING SHANK — Small directional rings on the shank to prevent the nail from working back out once driven in; commonly used for flooring, sheathing, drywall and decking.




SCREW SHANK — Spiral thread on the shank causes screw shank nails to turn into wood; increases holding and withdrawal capacity in hard woods; screw shank nails can splinter soft wood.



DIAMOND POINT — Most common nail point; comprised of 4 sides and ends in a point



BLUNT DIAMOND POINT — Dulled tip to reduce wood splitting; more difficult to work with; comprised of 4 sides and ends in a point



CHISEL POINT — Reduces wood splitting; comprised of 2 sides; mostly used for pallet-making and manufacturing.

Nail Type

BOX — A wire nail with a head; box nails have a smaller shank than common nails of the same size; often used for light general interior and exterior construction, carpentry, framing and box making.

CASING — A wire nail with a slightly larger head than finish nails; often used for flooring and when concealment is desired.

COMMON — A common construction wire nail with a disk-shaped head that is typically 3 to 4 times the diameter of the shank; common nails have larger shanks than box nails of the same size; for general interior and exterior construction, carpentry and wood framing.

DUPLEX — A common nail with a second head, allowing for easy extraction; often used for temporary work, such as concrete forms or wood scaffolding; sometimes called a “scaffold nail.”


FINISH — A wire nail that has a head only slightly larger than the shank; can be easily concealed by countersinking the nail slightly below the finished surface with a nail-set and filling the resulting void with a filler such as putty, spackle or caulk; often used for light fastening of interior trim work, finish carpentry and cabinetry.

NEOPRENE WASHER — A nail with a neoprene washer to seal against moisture; often used for exposed applications such as flashing.

SINKER — The most common nails used in framing today; same thin diameter as a box nail; cement coated; the bottom of the head is tapered like a wedge or funnel and the top of the head is grid embossed to keep the hammer strike from sliding off; often used for construction, carpentry and framing.



Staple Anatomy



CROWN — Spans the width of the staple.

LEG — Spans the height of the staple.

Finishes

ELECTRO-GALVANIZED — Electro-Galvanized metals are designed to withstand weather conditions where non-coated metals would fail due to moisture exposure. Electro-Galvanization is a process in which ions of electricity excite the particles of zinc and attract them to the metal in a dense and complete coating, giving it the resistance needed to withstand average weathering at coating specs: 20-25MU (MU metric gauge for chromation) which comply with ASTM A 641-92, class 1 coating weight. This coating weight has been tested to withstand 24 hours of salt spray testing. Limited resistance to rust.

HARDENED — Includes heat treated and/or high carbon steel.

HOT DIPPED GALVANIZED — Used to ensure greater resistance to corrosion and rust over a much longer period than any other form of coating. Galvanized nails should be used where moisture may cause deterioration of the fastener. In addition, galvanized nails are recommended for pressure-treated wood because copper is part of the treatment; due to galvanic action, the copper would corrode metal nails without the zinc coating.

During galvanizing, molten zinc reacts with the surface of the base material to form a series of zinc/iron alloys that provide an inner layer of protection against corrosion. Hot Dipped galvanizing is a process in which metal is immersed into molten zinc to form a protective layer which completely covers the steel surface and seals it metallurgically to protect from the corrosive actions of its environment.

Fanaco Fasteners Hot Dipped Galvanized nails meet or exceed ASTM A-153 Class D.

VINYL COATING — Vinyl coatings serve two purposes: first, the vinyl makes the nail easier to drive by reducing friction. Second, the friction generates enough heat to melt the vinyl when driven. After cooling, the vinyl is adhered to the nail and the wood which makes it harder to remove. The vinyl coating is usually green or yellow.

BRIGHT — Uncoated steel finish for use where corrosion resistance is not required. No surface coating; not recommended for weather exposure or acidic or treated lumber.

STAINLESS STEEL — Provide the highest corrosion resistance. Composed of stainless steel for extreme environmental conditions. Fanaco Fasteners nails are available in stainless steel types 304 and 316.

Fanaco Fasteners Stainless Steel nails meet or exceed ASTM A-153 Class D.

Abbreviations

VC = VINYL COATED

GALV = GALVANIZED

EG = ELECTRO GALVANIZED

REG = RING SHANK ELECTRO GALVANIZED

HDG/HDC = HOT DIPPED GALVANIZED

RHDG/RHDC = RING HOT DIPPED GALVANIZED


SS = STAINLESS STEEL

RSS = RING STAINLESS STEEL



NAIL SIZES

The Pennyweight system, which is still used today, was developed in medieval times and is likely based on how much nails cost. The longer the nails, the more pennies they were worth. The letter D is used to indicate "penny" because the system was developed around the Roman coin, the denarius, which means "penny" in English. The theory is that 2 denarius would have bought 100 2D nails.






GAUGE CHART

Gauge	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Inches	.3065	.2830	.2625	.2437	.2253	.2070	.1920	.1770	.1620	.1483	.1350	.1205	.1055	.0915	.0800	.0720	.0625	.0540	.0475	.0410	.0348
mm	7.785	7.188	6.668	6.190	5.723	5.258	4.877	4.496	5.115	3.767	3.429	3.061	2.680	2.324	2.032	1.829	1.588	1.372	1.207	1.041	.884

SHIPPING

Fanaco offers same-day shipping to the entire United States.





Fanaco Fasteners LLC Application for Credit

Account Manager _____

Legal Name of Applicant _____

Division or DBA _____

Billing Address _____ Phone _____

Shipping Address _____ Phone _____

Legal Entity:☐ Corporation ☐ Partnership ☐ Proprietorship No. of Employees _____ Fax _____☐ Limited Liability Company ☐ Other _____ SIC Code _____ State Registered _____

Type of Business _____ Length of Time in Business _____

Officers or Owners Names **Title** **Home Address** **Phone****Person to contact regarding:****Credit & Financial Matters** _____ **Title** _____Purchase Orders Required? ☐ Yes ☐ No Monthly Credit Requirement _____Email: Order Confirmations? ☐ Yes ☐ No Email Address _____Email: Invoices & Statements? ☐ Yes ☐ No Email Address _____**TRADE REFERENCES****Company** **City, State, Zip** **Phone** **Fax****Bank** _____ **Address** _____**Account #** _____ **Loan Officer** _____ **Phone** _____**BUSINESS CREDIT TERMS**

Please be advised that all information will be held in strictest confidence. Upon Credit approval, a limit may be established at the sole discretion of Fanaco Fasteners LLC (Creditor). Applicant authorizes Creditor to conduct a credit investigation and contact any/all references as provided.

Applicant's signature attests financial responsibility, ability, and willingness to pay Creditor invoices in accordance with the terms stated on each invoice. No terms or conditions on a Purchase Order differing from the terms of Creditor shall be accepted unless agreed on by Creditor in writing. Payments may be applied against open charges at the discretion of the Creditor. In the event that an account becomes delinquent, the applicant waives the right to a jury trial and the prevailing party is entitled to attorney fees, expenses, and costs for any action, suit, claim, arbitration, or appeal. Venue and jurisdiction of any legal action shall lie in King County, Washington.

Applicant agrees to notify Creditor of any changes in ownership or legal status of the business. Absent such notice, these terms (including the guarantee below) shall apply to any such business that is the result of a change in ownership or legal status. Until Creditor receives written notice by certified mail or any change in ownership or entity, applicant (and the guarantor) agrees to accept liability for all charges to the business conducted under the firm name or any name substantially similar thereto.

Should credit availability be granted by Creditor, all decisions with respect to the extension, continuation, or termination of credit shall be at the sole discretion of Creditor. Applicant also agrees to the following:

1. The terms of each sale shall be payment in 30 days.
2. Credit is extended for business purposes only
3. A finance charge of 1.5% per month on past due balances will be paid to Fanaco Fasteners LLC by the undersigned.
4. The undersigned grants a security interest in tools, equipment, and construction supplies that are purchased, and agrees that title to such property shall remain in the name of Fanaco Fasteners LLC as a security interest until the purchase price of same has been paid in full. The undersigned grants to Fanaco Fasteners LLC the right to enter the debtor's business premises and pick up, without notice, any merchandise sold and delivered in the event the account becomes delinquent.
5. In the event the undersigned shall breach any of the terms and conditions of this agreement, including being late with payment, Fanaco Fasteners LLC shall be entitled to a late fee of \$150.00 for each month and/or partial month the account is delinquent.
6. The undersigned will pay and perform the obligations hereunder, upon demand, without requiring any proceeding to be taken against the above named organization.
7. In the event of litigation and referral of Fanaco Fasteners LLC claim to an attorney for collection, then the undersigned agrees to pay reasonable attorney's fees, expenses, and court costs.
8. All products are sold as-is and without warranty. The undersigned understands that Fanaco Fasteners LLC disclaims all warranties of merchantability or fitness for a particular purpose. Fanaco Fasteners LLC agrees to pass on – to the extent available – any manufacturers warranties to the buyer without recourse.
9. The undersigned waives any right to a claim of lost profits, consequential damages, or incidental damages regarding products purchased. The sole remedy for Seller's breach of the agreement is replacement of product sold to the undersigned.

Applicant certifies that the above information is true and correct to the best of their knowledge, agrees to be bound by all terms and conditions contained in this application, and further agree that a facsimile shall be as binding as an original signature.

Authorized Signature _____ **Title** _____ **Date** _____



Fanaco Fasteners LLC Application for Credit

PERSONAL GUARANTEE OF PAYMENT

In consideration of, and in order to induce Fanaco Fasteners LLC to extend credit to:_____and to furnish said organization with merchandise on account, the undersigned (and each of them if more than one) do jointly and severally guarantee to Fanaco Fasteners LLC and its successors and assigns, the faithful and prompt performance, payment and discharge of the above organization's account or accounts, now or hereafter incurred. Fanaco Fasteners LLC is authorized to obtain my individual credit history. Acceptance of this Guarantee and all other notices to which the undersigned may be entitled by law, are hereby waived. Presentment, protest and demand, and notice or protest demand of any and all instruments or agreements, and all other surety ship defenses are hereby waived. This Guarantee shall be binding upon the heirs, personal representatives; successors and assigns of each of the undersigned, and the benefits thereof shall extend to and include Fanaco Fasteners LLC, its successors and assigns, and shall also inure to the benefit of any of Fanaco Fasteners LLC's associated, affiliated, and subsidiary companies. Fanaco Fasteners LLC may compromise and adjust any claim against the purchaser, or grant any indulgences without waiving Fanaco Fasteners LLC rights to insist on full performance as to any other claims it then have or which may accrue in the future without releasing the guarantor from any obligations.

Signature

Print or Type Name

Title

Phone Number

Date

Address

Social Security

City, State, Zip



Fanaco Fasteners LLC Application for Credit

RESALE CERTIFICATE

1. Name of Seller _____

2. Name of Buyer/Business _____

3. Address of Buyer _____
Street City, State Zip

4. Buyer's UBI/Revenue Registration Number _____

5. Buyer is in the business of _____

6. Types of items purchased for resale _____

I (the buyer) certify that I am purchasing the items listed on line 6 (please check appropriate box):

☐ For resale in the regular course of business without intervening use in the regular course of business and that the resale certificate presented to Fanaco Fasteners LLC is valid for the purchases that will be made.

☐ For use as an ingredient or component of a new article of tangible personal property to be produced for sale

*I acknowledge that I am solely responsible for purchasing within the categories listed on line 6. I acknowledge that misuse of the resale privilege claimed by use of this certificate subjects me to a penalty of **50 percent of the tax due**, in addition to the tax, interest, and any other penalties imposed by law.*


Print Name _____
Name of Person Authorized to Use Resale Certificate

Signature _____
Signature of Person Authorized to Use Resale Certificate

Effective Date _____



HARVEY





**CHECK OUT OUR
REDESIGNED
WEBSITE**

fanacofasteners.com



1.888.622.9319

fanacofasteners.com

cs@fanaco.com