



21° PLASTIC STRIP NAILS

ROUND HEAD FRAMING NAILS



TECHNICAL INFORMATION

DIAMETER (INCHES)	BEND YIELD PSI	HEAD DIAMETER (INCHES)	HEAD THICKNESS (INCHES)
0.113	>100,000	0.280	0.045
0.120	>100,000	0.280	0.045
0.131	>100,000	0.280	0.055
0.135	>100,000	0.280	0.055
0.148	> 90,000	0.291	0.058
0.162	> 90,000	0.314	0.065
0.165	> 90,000	0.341	0.065

LENGTHS

2"

2-1/8"

2-1/4"

2-3/8"

2-1/2"

3"

3-1/4"

3-1/2"

4"

4-1/2"

5-1/8"

- ICC-ESR 1216
- LARR 25626
- Meets Federal Code: FF-Y-105B
- Fanaco® Framing Nails, all finishes, meet or exceed ASTM F1667, standard specification for driven fasteners.
- Fanaco Electro Galvanized nails meet or exceed ASTM A641 Class 1. Coating thickness: 20-25 MU
- Fanaco Hot Dipped Galvanized nails meet or exceed ASTM A153 Class D. Coating thickness: 45-50 MU

AVAILABLE FINISHES



Bright Vinyl Coated
Electro Galvanized
Hot Dipped Galvanized
Stainless Steel 304 Alloy
Stainless Steel 316 Alloy

USES

Framing
Decking
Wall sheathing
Fencing
Siding

HEAD

Flat head
Large head



FAN3131

FANACO FASTENERS LLC

10600 231st Way NE

Redmond WA 98053

Contact: CS@fanaco.com

(425) 806-7337 | (888) 622-9319

www.fanacofasteners.com



21° PLASTIC STRIP NAILS

PRODUCT SPECIFICATIONS

SKU	DESCRIPTION	LENGTH	DIAMETER	SHANK	QTY/BX	COATING OR ALLOY
FAN2113EG	21 DEG 2 x .113 ELECTRO GALV 6M	2"	0.113	SMOOTH	6M	ELECTRO GALVANIZED
FAN2113R	21 DEG 2 x .113 RING VINYL COATED 6M	2"	0.113	RING	6M	BRIGHT VINYL COATED
FAN2113REG	21 DEG 2 x .113 RING ELECTRO GALV 6M	2"	0.113	RING	6M	ELECTRO GALVANIZED
FAN2113RHDC	21 DEG 2 x .113 RING HOT DIPPED GALV 6M	2"	0.113	RING	6M	HOT DIPPED GALVANIZED
FAN218148	21 DEG 2 1/8 x .148 VINYL COATED 4M	2-1/8"	0.148	SMOOTH	4M	BRIGHT VINYL COATED
FAN214148	21 DEG 2 1/4 x .148 VINYL COATED 4M	2-1/4"	0.148	SMOOTH	4M	BRIGHT VINYL COATED
FAN214148EG	21 DEG 2 1/4 x .148 ELECTRO GALV	2-1/4"	0.148	SMOOTH	4M	ELECTRO GALVANIZED
FAN214148HDC	21 DEG 2 1/4 x .148 HOT DIPPED GALV 4M	2-1/4"	0.148	SMOOTH	4M	HOT DIPPED GALVANIZED
FAN214148SC	21 DEG 2 1/4 x .148 SCREW VINYL COATED 4M	2-1/4"	0.148	SCREW	4M	BRIGHT VINYL COATED
FAN238113	21 DEG 2 3/8 x .113 VINYL COATED 5M	2-3/8"	0.113	SMOOTH	5M	BRIGHT VINYL COATED
FAN238113EG	21 DEG 2 3/8 x .113 ELECTRO GALV 5M	2-3/8"	0.113	SMOOTH	5M	ELECTRO GALVANIZED
FAN238113HDC	21 DEG 2 3/8 x .113 HOT DIPPED GALV 5M	2-3/8"	0.113	SMOOTH	5M	HOT DIPPED GALVANIZED
FAN238113R	21 DEG 2 3/8 x .113 RING VINYL COATED 5M	2-3/8"	0.113	RING	5M	BRIGHT VINYL COATED
FAN238113REG	21 DEG 2 3/8 x .113 RING ELECTRO GALV 5M	2-3/8"	0.113	RING	5M	ELECTRO GALVANIZED
FAN238113RHDG	21 DEG 2 3/8 x .113 RING HOT DIPPED GALV 5M	2-3/8"	0.113	RING	5M	HOT DIPPED GALVANIZED
FAN238113RSS	21 DEG 2 3/8 x .113 RING STAINLESS STEEL 304 4 x 1M	2-3/8"	0.113	RING	4 X 1M	STAINLESS STEEL 304
FAN238113RSS316	21 DEG 2 3/8 x .113 RING STAINLESS STEEL 316 4 x 1M	2-3/8"	0.113	RING	4 X 1M	STAINLESS STEEL 316
FAN238113SC	21 DEG 2 3/8 x .113 SCREW VINYL COATED 5M	2-3/8"	0.113	SCREW	5M	BRIGHT VINYL COATED
FAN238120SSSC	21 DEG 2 3/8 x .120 SCREW STAINLESS STEEL 5M	2-3/8"	0.120	SCREW	5M	STAINLESS STEEL 304
FAN238148	21 DEG 2 3/8 x .148 VINYL COATED 4M	2-3/8"	0.148	SMOOTH	4M	BRIGHT VINYL COATED
FAN238148HDC	21 DEG 2 3/8 x .148 HOT DIPPED GALV 4M	2-3/8"	0.148	SMOOTH	4M	HOT DIPPED GALVANIZED
FAN238148R	21 DEG 2 3/8 x .148 RING VINYL COATED 4M	2-3/8"	0.148	RING	4M	BRIGHT VINYL COATED
FAN238148SC	21 DEG 2 3/8 x .148 SCREW VINYL COATED 4M	2-3/8"	0.148	SCREW	4M	BRIGHT VINYL COATED
FAN212120LHHD	21 DEG 2 1/2 x .120 LARGE HEAD HOT DIPPED GALV 4M	2-1/2"	0.120	SMOOTH	4M	HOT DIPPED GALVANIZED
FAN212131	21 DEG 2 1/2 x .131 VINYL COATED 5M	2-1/2"	0.131	SMOOTH	5M	BRIGHT VINYL COATED
FAN2121314M	21 DEG 2 1/2 x .131 VINYL COATED 4M	2-1/2"	0.131	SMOOTH	4M	BRIGHT VINYL COATED
FAN212131EG	21 DEG 2 1/2 x .131 ELECTRO GALV 5M	2-1/2"	0.131	SMOOTH	5M	ELECTRO GALVANIZED
FAN212131EG4M	21 DEG 2 1/2 x .131 ELECTRO GALV 4M	2-1/2"	0.131	SMOOTH	4M	ELECTRO GALVANIZED
FAN212131HDC	21 DEG 2 1/2 x .131 HOT DIPPED GALV 5M	2-1/2"	0.131	SMOOTH	5M	HOT DIPPED GALVANIZED
FAN212131HDC4M	21 DEG 2 1/2 x .131 HOT DIPPED GALV 4M	2-1/2"	0.131	SMOOTH	4M	HOT DIPPED GALVANIZED
FAN212131R	21 DEG 2 1/2 x .131 RING VINYL COATED 5M	2-1/2"	0.131	RING	5M	BRIGHT VINYL COATED
FAN212131R4M	21 DEG 2 1/2 x .131 RING VINYL COATED 4M	2-1/2"	0.131	RING	4M	BRIGHT VINYL COATED
FAN212131REG4M	21 DEG 2 1/2 x .131 RING ELECTRO GALV 4M	2-1/2"	0.131	RING	4M	ELECTRO GALVANIZED
FAN212131RHDC	21 DEG 2 1/2 x .131 RING HOT DIPPED GALV 5M	2-1/2"	0.131	RING	5M	HOT DIPPED GALVANIZED
FAN212131RHDC4M	21 DEG 2 1/2 x .131 RING HOT DIPPED GALV 4M	2-1/2"	0.131	RING	4M	HOT DIPPED GALVANIZED
FAN212131SC4M	21 DEG 2 1/2 x .131 SCREW SHANK VINYL COATED 4M	2-1/2"	0.131	SCREW	4M	BRIGHT VINYL COATED
FAN212148	21 DEG 2 1/2 x .148 VINYL COATED 4M	2-1/2"	0.148	SMOOTH	4M	BRIGHT VINYL COATED
FAN212148HDC	21 DEG 2 1/2 x .148 HOT DIPPED GALV 4M	2-1/2"	0.148	SMOOTH	4M	HOT DIPPED GALVANIZED
FAN212148R	21 DEG 2 1/2 x .148 RING VINYL COATED 4M	2-1/2"	0.148	RING	4M	BRIGHT VINYL COATED
FAN212148RHDC	21 DEG 2 1/2 x .148 RING HOT DIPPED GALV 4M	2-1/2"	0.148	RING	4M	HOT DIPPED GALVANIZED
FAN212162	21 DEG 2 1/2 x .162 VINYL COATED 3M	2-1/2"	0.162	SMOOTH	3M	BRIGHT VINYL COATED
FAN3120	21 DEG 3 x .120 VINYL COATED 4M	3"	0.120	SMOOTH	4M	BRIGHT VINYL COATED
FAN3120EG	21 DEG 3 x .120 ELECTRO GALV 4M	3"	0.120	SMOOTH	4M	ELECTRO GALVANIZED
FAN3120HDC	21 DEG 3 x .120 HOT DIPPED GALV 4M	3"	0.120	SMOOTH	4M	HOT DIPPED GALVANIZED
FAN3120HDCSC	21 DEG 3 x .120 HOT DIPPED GALV SCREW 4M	3"	0.120	SMOOTH	4M	HOT DIPPED GALVANIZED
FAN3120RHDG	21 DEG 3 x .120 RING HOT DIPPED GALV 4M	3"	0.120	RING	4M	HOT DIPPED GALVANIZED
FAN3120RSS	21 DEG 3 x .120 RING STAINLESS STEEL 304 4 x 1M	3"	0.120	RING	4 X 1M	STAINLESS STEEL 304



21° PLASTIC STRIP NAILS

PRODUCT SPECIFICATIONS

SKU	DESCRIPTION	LENGTH	DIAMETER	SHANK	QTY/BX	COATING OR ALLOY
FAN3120RSS316	21 DEG 3 x .120 RING STAINLESS STEEL 316 4 x 1M	3"	0.120	RING	4 X 1M	STAINLESS STEEL 316
FAN3120SC	21 DEG 3 x .120 VINYL COATED SCREW 4M	3"	0.120	SMOOTH	4M	BRIGHT VINYL COATED
FAN3131	21 DEG 3 x .131 VINYL COATED 4M	3"	0.131	SMOOTH	4M	BRIGHT VINYL COATED
FAN3131EG	21 DEG 3 x .131 ELECTRO GALV 4M	3"	0.131	SMOOTH	4M	ELECTRO GALVANIZED
FAN3131HDC	21 DEG 3 x .131 HOT DIPPED GALV 4M	3"	0.131	SMOOTH	4M	HOT DIPPED GALVANIZED
FAN3131HDGSC	21 DEG 3 x .131 SCREW HOT DIPPED GALV 4M	3"	0.131	SCREW	4M	HOT DIPPED GALVANIZED
FAN3131R	21 DEG 3 x .131 RING VINYL COATED SHANK 4M	3"	0.131	RING	4M	BRIGHT VINYL COATED
FAN3131REG	21 DEG 3 x .131 RING ELECTRO GALV 4M	3"	0.131	RING	4M	ELECTRO GALVANIZED
FAN3131RHDC	21 DEG 3 x .131 RING HOT DIPPED GALV 4M	3"	0.131	RING	4M	HOT DIPPED GALVANIZED
FAN3131RSS	21 DEG 3 x .131 RING STAINLESS STEEL 304 4 x 1M	3"	0.131	RING	4 X 1M	STAINLESS STEEL 304
FAN3131RSS316	21 DEG 3 x .131 RING STAINLESS STEEL 316 4 x 1M	3"	0.131	RING	4 X 1M	STAINLESS STEEL 316
FAN3131SC	21 DEG 3 x .131 SCREW VINYL COATED 4M	3"	0.131	SCREW	4M	BRIGHT VINYL COATED
FAN3131SSSC	21 DEG 3 x .131 STAINLESS STEEL SCREW 4M	3"	0.131	SCREW	4M	STAINLESS STEEL 304
FAN3148	21 DEG 3 x .148 VINYL COATED 4M	3"	0.148	SMOOTH	4M	BRIGHT VINYL COATED
FAN3148SC	21 DEG 3 x .148 VINYL COATED SCREW 4M	3"	0.148	SCREW	4M	BRIGHT VINYL COATED
FAN3148HDC	21 DEG 3 x .148 HOT DIPPED GALV 4M	3"	0.148	SMOOTH	4M	HOT DIPPED GALVANIZED
FAN314120	21 DEG 3 1/4 x .120 VINYL COATED 4M	3-1/4"	0.120	SMOOTH	4M	BRIGHT VINYL COATED
FAN314120HDCSC	21 DEG 3 1/4 x .120 HOT DIPPED GALV SCREW 2 x 2M	3-1/4"	0.120	SCREW	2 X 2M	HOT DIPPED GALVANIZED
FAN314120RHDC	21 DEG 3 1/4 x .120 RING HOT DIPPED GALV 4M	3-1/4"	0.120	RING	4M	HOT DIPPED GALVANIZED
FAN314120RSS	21 DEG 3 1/4 x .120 RING STAINLESS STEEL 304 4 x 1M	3-1/4"	0.120	SMOOTH	4 X 1M	STAINLESS STEEL 304
FAN314120RSS316	21 DEG 3 1/4 x .120 RING STAINLESS STEEL 316 4 x 1M	3-1/4"	0.120	SMOOTH	4 X 1M	STAINLESS STEEL 316
FAN314131	21 DEG 3 1/4 x .131 VINYL COATED 4M	3-1/4"	0.131	SMOOTH	4M	BRIGHT VINYL COATED
FAN314131EG	21 DEG 3 1/4 x .131 ELECTRO GALV 4M	3-1/4"	0.131	SMOOTH	4M	ELECTRO GALVANIZED
FAN314131HDC	21 DEG 3 1/4 x .131 HOT DIPPED GALV 4M	3-1/4"	0.131	SMOOTH	4M	HOT DIPPED GALVANIZED
FAN314131HDCSC	21 DEG 3 1/4 x .131 HOT DIPPED GALV SCREW 4M	3-1/4"	0.131	SCREW	4M	HOT DIPPED GALVANIZED
FAN314131REG	21 DEG 3 1/4 x .131 RING ELECTRO GALV 4M	3-1/4"	0.131	RING	4M	ELECTRO GALVANIZED
FAN314131RHDC	21 DEG 3 1/4 x .131 RING HOT DIPPED GALV 4M	3-1/4"	0.131	RING	4M	HOT DIPPED GALVANIZED
FAN314131RSS	21 DEG 3 1/4 x .131 RING STAINLESS STEEL 304 4 x 1M	3-1/4"	0.131	RING	4 X 1M	STAINLESS STEEL 304
FAN3141483M	21 DEG 3 1/4 x .148 VINYL COATED 3M	3-1/4"	0.148	SMOOTH	3M	BRIGHT VINYL COATED
FAN314148HDC3M	21 DEG 3 1/4 x .148 HOT DIPPED GALV 3M	3-1/4"	0.148	SMOOTH	3M	HOT DIPPED GALVANIZED
FAN314148SC3M	21 DEG 3 1/4 x .148 VINYL COATED SCREW 3M	3-1/4"	0.148	SCREW	3M	BRIGHT VINYL COATED
FAN312131	21 DEG 3 1/2 x .131 VINYL COATED 4M	3-1/2"	0.131	SMOOTH	4M	BRIGHT VINYL COATED
FAN312131EG	21 DEG 3 1/2 x .131 ELECTRO GALV 4M	3-1/2"	0.131	SMOOTH	4M	ELECTRO GALVANIZED
FAN312131HDC	21 DEG 3 1/2 x .131 HOT DIPPED GALV 4M	3-1/2"	0.131	SMOOTH	4M	HOT DIPPED GALVANIZED
FAN312131HDCSC	21 DEG 3 1/2 x .131 HOT DIPPED GALV SCREW 4M	3-1/2"	0.131	SCREW	4M	HOT DIPPED GALVANIZED
FAN312162	21 DEG 3 1/2 x .162 VINYL COATED 3M	3-1/2"	0.162	SMOOTH	3M	BRIGHT VINYL COATED
FAN312162HDC	21 DEG 3 1/2 x .162 HOT DIPPED GALV 3M	3-1/2"	0.162	SMOOTH	3M	HOT DIPPED GALVANIZED
FAN4135HDSC	21 DEG 4 x .135 HOT DIPPED GALV SCREW 2M	4"	0.135	SCREW	2M	HOT DIPPED GALVANIZED
FAN4148SC	21 DEG 4 x .148 SCREW VINYL COATED 1.2M	4"	0.148	SCREW	1.2M	BRIGHT VINYL COATED
FAN4148HDCSC	21 DEG 4 x .148 SCREW HOT DIPPED GALV 1.2M	4"	0.148	SCREW	1.2M	HOT DIPPED GALVANIZED
FAN412148	21 DEG 4 1/2 x .148 VINYL COATED 1.2M	4-1/2"	0.148	SMOOTH	1.2M	BRIGHT VINYL COATED
FAN412148HDC	21 DEG 4 1/2 x .148 HOT DIPPED GALV 1.2M	4-1/2"	0.148	SMOOTH	1.2M	HOT DIPPED GALVANIZED
FAN518165	21 DEG 5 1/8 x .165 VINYL COATED 1.2M	5-1/8"	0.165	SMOOTH	1.2M	BRIGHT VINYL COATED
FAN518165HDC	21 DEG 5 1/8 x .165 HOT DIPPED GALV 1.2M	5-1/8"	0.165	SMOOTH	1.2M	HOT DIPPED GALVANIZED